



Sustainable Policy RespOnse to Urban mobility Transition

D2.2: Current state of urban mobility

Work package:	WP 2 - Understanding transition in urban mobility
Authors:	Geert te Boveldt, Imre Keseru, Sara Tori, Cathy Macharis, (VUB), Beatriz Royo, Teresa de la Cruz (ZLC)
Contributors:	City of Almada, City of Arad, BKK Centre for Budapest Transport, City of Gothenburg, City of 's Hertogenbosch, City of Ioannina, City of Mechelen, City of Minneapolis, City of Padova, City of Tel Aviv, City of Valencia, Region of Ile-de-France, Municipality of Kalisz, West Midlands Combined Authority, Aristos Halatsis, Elpida Xenou (CERTH)
Status:	Final version
Date:	Jan 30, 2020
Version:	1.0
Classification:	PU - public

Disclaimer:

The SPROUT project is co-funded by the European Commission under the Horizon 2020 Framework Programme. This document reflects only authors' views. EC is not liable for any use that may be done of the information contained therein.

SPROUT Project Profile

Project ID:	814910; H2020- LC-MG-1-3-2018
Acronym:	SPROUT
Title:	Sustainable Policy RespOnse to Urban mobility Transition
URL:	
Start Date:	01/09/2019
Duration:	36 Months

Table of Contents

1	Executive Summary	10
2	Introduction	11
2.1	SPROUT project introduction and aims	11
2.2	Aim of the deliverable	12
2.3	How this deliverable relates to other deliverables	12
2.4	Structure of the deliverable	13
3	Methodological guidance for cities and local scientific partners	14
3.1	Data-driven approach	14
3.2	Guidance to cities	14
4	Current state of mobility in 1st-layer SPROUT cities	17
4.1	Valencia (Spain)	17
4.1.1	Introduction	17
4.1.2	Main factors indicating a change is currently in progress in the city's urban mobility environment	18
4.1.3	Main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments	20
4.1.4	Conclusion	20
4.2	Padua (Italy)	21
4.2.1	Introduction	21
4.2.2	Main factors indicating a change is currently in progress in the city's urban mobility environment	22
4.2.3	Main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments	22
4.2.4	Conclusion	23
4.3	Kalisz (Poland)	23
4.3.1	Introduction	23
4.3.2	Main factors indicating a change is currently in progress in the city's urban mobility environment	24

4.3.3	Main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments	25
4.3.4	Conclusion	26
4.4	Budapest (Hungary)	26
4.4.1	Introduction	26
4.4.2	Main factors indicating a change is currently in progress in the city's urban mobility environment	27
4.4.3	Main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments).....	29
4.4.4	Conclusion	29
4.5	Tel Aviv (Israel)	29
4.5.1	Introduction	29
4.5.2	Main factors indicating a change is currently in progress in the city's urban mobility environment	30
4.5.3	Main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments	31
4.5.4	Conclusion	32
4.6	Summary overview of 1st layer cities' challenges	33
5	Current State of Mobility in 2nd - layer SPROUT cities	34
5.1	Ioannina (Greece)	34
5.1.1	Introduction	34
5.1.2	Description of the urban mobility landscape	35
5.1.3	Conclusion	36
5.2	Göteborg (Sweden)	36
5.2.1	Introduction	36
5.2.2	Description of the urban mobility landscape	37
5.2.3	Conclusion	38
5.3	Arad (Romania).....	39
5.3.1	Introduction	39
5.3.2	Description of the urban mobility landscape	39
5.3.3	Conclusion	40
5.4	Mechelen (Belgium).....	41

5.4.1	Introduction	41
5.4.2	Description of the urban mobility landscape	41
5.4.3	Conclusion	42
5.5	Ile-de-France / Agglomeration Paris (France).....	42
5.5.1	Introduction	42
5.5.2	Description of the urban mobility landscape	43
5.5.3	Conclusion	44
5.6	Birmingham (United Kingdom).....	45
5.6.1	Introduction	45
5.6.2	Description of the urban mobility landscape	45
5.6.3	Conclusion	46
5.7	Minneapolis (United States of America).....	46
5.7.1	Introduction	46
5.7.2	Description of the urban mobility landscape	47
5.7.3	Conclusion	47
5.8	Almada (Portugal).....	48
5.8.1	Introduction	48
5.8.2	Description of the urban mobility landscape	49
5.8.3	Conclusion	50
5.9	's-Hertogenbosch (Netherlands)	50
5.9.1	Introduction	50
5.9.2	Description of the urban mobility landscape	51
5.9.3	Conclusion	51
6	Comparison and benchmarking.....	53
6.1	Introduction.....	53
6.2	Traffic volume and spatial impact	59
6.3	Environmental impact	61
6.4	Vehicle ownership	63
6.5	Shared mobility.....	66
6.6	Commuting.....	70
6.7	Modal split.....	72
6.8	Price level of mobility	73
6.9	Urban logistics.....	79

7	Conclusion	81
Annex A:	Urban mobility KPIs for Valencia.....	82
Annex B:	Urban mobility KPIs for Padua.....	90
Annex C:	Urban mobility KPIs for Kalisz	100
Annex D:	Urban mobility KPIs for Budapest	109
Annex E:	Urban mobility KPIs for Tel Aviv.....	119
Annex F:	Urban mobility KPIs for Ioannina.....	132
Annex G:	Urban mobility KPIs for Gothenburg.....	142
Annex H:	Urban mobility KPIs for Arad	153
Annex I:	Urban mobility KPIs for Mechelen	163
Annex J:	Urban mobility KPIs for Ile-de-France	176
Annex K:	Urban mobility KPIs for Birmingham	188
Annex L:	Urban mobility KPIs for Minneapolis.....	201
Annex M:	Urban mobility KPIs for Almada	212
Annex N:	Urban mobility KPIs for 's-Hertogenbosch.....	225
Annex O:	Template sent to cities (KPIs)	236

List of figures

Figure 2.1.	Cities actively involved in SPROUT.....	12
Figure 3.1.	The project's data-driven approach	14
Figure 4.1.	1 st -Layer city: Valencia (Location).....	17
Figure 4.2.	1st layer cities: Valencia's strategic lines and action programmes.....	19
Figure 4.3.	1 st -Layer city: Padua (Location).....	21
Figure 4.4.	1 st -Layer city: Kalisz (Location).....	24
Figure 4.5.	1 st -layer city: Budapest (train network)	27
Figure 4.6.	1 st -Layer city: Tel-Aviv (location).....	30
Figure 5.1.2 nd	-layer city: Ioannina (location)	35
Figure 5.2.	2 nd -Layer city: Gothenburg (location).....	37
Figure 5.3.	2 nd -Layer city: Arad (location).	39
Figure 5.4.	2 nd - Layer city: Mechelen (location).	41
Figure 5.5.	2 nd -Layer city: Ile-de-France (location)	43

Figure 5.6. 2 nd -Layer city: Birmingham (Location).	45
Figure 5.7. 2 nd -Layer city: Minneapolis (location).	47
Figure 5.8. 2 nd -Layer city: Almada (location).	49
Figure 6.1. Private cars entering the city per inhabitant per day	60
Figure 6.2. Parking places per household	60
Figure 6.3. Mobility space usage per capita	61
Figure 6.4. Average level of PM ₁₀ produced by transport	62
Figure 6.5. CO ₂ emissions produced by transport.	62
Figure 6.6. Average level of NOx produced by transport.	63
Figure 6.7. Number of registered cars per 1000 inhabitants.	64
Figure 6.8. Number of registered motorcycles per 1000 inhabitants.	65
Figure 6.9. Number of registered bicycles per 1000 inhabitants	66
Figure 6.10. Number of shared cars per 1000 inhabitants.	68
Figure 6.11. Shared bicycles per 1000 inhabitants.	68
Figure 6.12. Shared e-scooters per 1000 inhabitants	70
Figure 6.13. Average commuting distance	71
Figure 6.14. Average commuting time.	71
Figure 6.17. Modal split for trips within the city (% of trips).	72
Figure 6.18. Modal split for commuting trips from outside the city (% of trips).	73
Figure 6.19. Price of a single trip by public transport.	74
Figure 6.20. Price of one hour of parking in the city centre.	75
Figure 6.21. Price of a single trip by public transport relative to income.	75
Figure 6.22. Price of one hour of parking in the city centre relative to income.	76
Figure 6.23. Price of a monthly public transport pass.	77
Figure 6.24. Price of a monthly public transport pass relative to income.	78
Figure 6.25. Average local price of a litre of petrol.	78
Figure 6.26. Average local price of a litre of petrol, relative to income.	79
Figure 6.28. Number of daily freight trips 1000 inhabitants.	80
Figure 6.27. Number of delivery vehicle parking places per 1000 inhabitants.	80

List of tables

Table 3.2.1. First round meeting questions.	15
---	----

Table 6.1.1. Availability of KPI data (in the requested format)	54
Table 6.5.1. Availability of sharing systems in SPROUT cities	67
Table 6.8.1. General KPI template description.	241

Glossary of terms and abbreviations used

Abbreviation / Term	Description
AFC	Automated Fare Collection
BKK	Budapesti Közlekedési Központ / Centre for Budapest Transport
BMT	Budapest Mobility Plan
CERTH	Centre for Research and Technology Hellas
EU	European Union
GA	Grant agreement
IoT	Internet of Things
HS2	High Speed 2
KPI	Key performance indicator
LRT	Light rail transport
MaaS	Mobility as a Service
MT	Million Tonnes
NTLP	National Territory Landscaping Plan
SPROUT	Sustainable Policy Response to Urban Mobility Transition
SULP	Sustainable Urban Logistics Plan
TAP	Transport Action Plan
TD	Transition Driver
UCC	Urban Consolidation Centre
UK	United Kingdom
USA	United States of America
VUB	Vrije Universiteit Brussel
WP	Work Package
ZLC	Zaragoza Logistics Center

1 Executive Summary

This deliverable presents an overview of the urban mobility situation in the 1st and 2nd -layer SPROUT cities. The data used for this deliverable was collected by representatives of the cities themselves, based on the template that was presented in Deliverable D2.1. The data has been compiled to establish a profile of each city, including information on the main factors indicating a change is currently in progress in the city's urban mobility environment, the main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments, as well as information on the pilots that will run in the 1st – layer cities.

For the 1st-layer cities, various main challenges in the current state of their urban mobility appeared. Kalisz and Valencia both struggle with urban freight logistics, with the latter additionally experiencing important congestion in the morning. Padua is unsure about the possibly disruptive medium- and long-term impact of new technologies like cargo-hitching, whereas Budapest encounters challenges with new modes of shared mobility. Lastly, Tel Aviv seeks to understand how to optimally allocate public space among all users, with a specific focus on vulnerable ones. With the aim to put the cities' profiles in a comparative perspective, this deliverable also contains a benchmark, which was established using the KPI data that the cities' representatives gathered.

Even though data availability remains an issue, it can be concluded that the cities show very large differences in many aspects, including population, economics, land use, accessibility, traffic, infrastructure, urban passenger transport, active transport and urban logistics. It is therefore difficult to distinguish clear patterns among the cities. Nevertheless, certain city-specific peculiarities can be noted. Arad, for example, has very high mobility prices (price petrol, price of public transport tickets) when calculated as a percentage of income. Minneapolis has a remarkably high car use rate for trips within the city (over 80%). Tel Aviv stands out in the sense that all types of shared mobility are available, while in other cities (Arad, Almeida, Ioannina), no shared mobility systems exist.

2 Introduction

2.1 SPROUT project introduction and aims

SPROUT provides a new city-led innovative and data driven policy response to address the impacts of the emerging mobility patterns, digitally-enabled operating & business models, and transport users' needs. Previously tested and implemented policy responses employing access restrictions, congestion charge or infrastructure provision seem unable to address adequately the changes underway in the urban mobility scene. Furthermore, any policy responses should take into account all stages of the policy lifecycle and should have an eye not only to the present but also to the future.

Therefore, starting from an understanding of the transition taking place in urban mobility, SPROUT will define the possible impacts at the sustainability and policy level, will harness these through a city-led innovative policy response, will build cities' data-driven capacity to identify, track and deploy innovative urban mobility solutions, and will navigate future policy by channelling project results at local, regional, national and EU level. To achieve its goals, SPROUT will implement 6 city pilots (including Ningbo in China) with real-life policy challenges as a result of urban mobility transition in both passenger & freight, covering urban and peri-urban areas, different emerging mobility solutions, and context requirements.

The project pays special attention to the needs of vulnerable groups and users with different cultural backgrounds, taking also into account gender issues. SPROUT ensures an active participation of numerous representatives from authorities of small and medium-sized cities. In SPROUT, a 3-layer structure of cities' engagement approach is applied (figure 2.1.1), with 1st – layer cities running pilot project, of which the transferability is validated in 2nd – layer cities and a 3rd layer of cities that actively participate in further validating and disseminating project outputs.



Figure 2.1.1. Cities actively involved in SPROUT

2.2 Aim of the deliverable

This deliverable is the second deliverable of WP2 of the SPROUT project, presenting the results of task 2.2: 'Current state of urban mobility'. The first phase of the SPROUT project is dedicated to constructing a general overview of the current status of urban mobility (passenger and freight) in the SPROUT cities. The goal of this deliverable is to present the data that was collected based on the urban mobility transition inventory, which was developed in Deliverable 2.1, i.e. a set of key performance indicators (KPIs) that can describe the current urban mobility system and its transition. Furthermore, the data is analysed and compared across the SPROUT cities to establish their profiles.

2.3 How this deliverable relates to other deliverables

This deliverable builds upon Deliverable D2.1, which presented the template according to which the data from the different SPROUT cities was collected. The results presented in this deliverable present a general knowledge base about SPROUT cities that will be used in the subsequent tasks and work packages, such as the construction of scenarios in WP3 and the monitoring of the pilots in WP4.

2.4 Structure of the deliverable

The remaining chapters of this deliverable will first discuss methodology, i.e. how the cities and local scientific partners were guided in the process of data collection (Section 3). Then, individual profiles of 1st-layer cities are presented (Section 4) and 2nd- layer cities (Section 5). This is followed by a benchmark chapter in which the cities are thematically compared to one another. The deliverable ends with a synthesising conclusion.

3 Methodological guidance for cities and local scientific partners

3.1 Data-driven approach

To achieve its objectives, SPROUT embeds a data-driven approach that aims at integrating data sources and data sense-making tools to support urban mobility policy making with adequate evidence, and ultimately enhance the knowledge and policy-making capacity of the cities (figure 3.1.1). The present report consists part of this approach and contributes by providing data and KPIs in five areas of urban mobility: population & economy; land use & accessibility; traffic; passenger & active transport; freight.




Figure 3.1.1. The project's data-driven approach

3.2 Guidance to cities

Representatives of the 1st and 2nd-layer cities were in charge of providing the information requested for task 2.2 and reflected in this deliverable. For collecting the information, in WP2 the technical partners created a template for cities. This template contains the essential urban mobility transition KPI tables presented in D2.1, along with detailed instructions and guidance of data sources and methods for gathering the required parameters. This template

also includes the transition drivers and barriers they could select and give further detail (see Deliverable D2.3 for the results).

For coordinating the work follow-up and support meetings were organized in two rounds (15 – 17 October 2019), depending on the availability of the cities. For the first round, most cities had already read the document and asked some questions related to the KPIs. During the second round, all the questions compiled from the different 1st round meetings were mentioned and clarified.

Table 3.2.1. First round meeting questions.

Question	Response
When is the deadline? Is it possible to send further detail after the deadline?	The due date is 8th November. It is possible to send further detail after the date but try to fill as much as possible.
What happens if data is not available or is not as accurate?	If data is not available, indicate the reason (e.g. bike sharing is a service not available in the city). If it is not measured, but it is possible to estimate the value, do so and give further detail in the comments. It is possible to use some studies or news.
What happens if current mobility plan or data available is from several years ago?	Indicate the year. If there is some additional document with updates, indicate too.
Is it necessary to provide the documents or just indicate the source?	Just the source.
Commuting KPIs. Difficult to differentiate between both.	Adjust the definition if necessary or calculate just the value is available
Prize of parking: asked if street level or underground	Indicate both
GDP available at national level and other data at local level. Is a problem?	Indicate the geography level of all the sources and technical partners will check.
What happens if some KPIs is not disaggregated as fatalities and accidents?	Indicate
PM is available in Kg and not in micrograms. What to do?	Indicate is in kg.
Environmental KPIs cannot be disaggregated by source. What to do?	Indicate.
Data is not available for KPI25 and	Suggested asking some LSPs or LSP association for estimated values.

KPI26	
-------	--

4 Current state of mobility in 1st-layer SPROUT cities

The 1st-layer cities are those cities where the project use cases (pilots) will run, the sustainability and policy impacts of innovative/emerging transport solutions will be assessed, and city-specific policy responses to harness these impacts will be tested and assessed. These cities include: Valencia (Spain), Padua (Italy), Kalisz (Poland), Budapest (Hungary), Tel Aviv (Israel), and Ningbo (China), though the latter is not discussed in this deliverable for reasons of data unavailability. This section presents profiles of each city, based on the information that was provided by the cities using the template that was developed in task 2.1. For 1st-layer cities, this includes sections on the main factors indicating a change is currently in progress in the city's urban mobility environment, the main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments, as well as detailed information on the pilots that will be run in the respective cities. The detailed datasheets for each city can be found in the Annexes.

4.1 Valencia (Spain)

4.1.1 Introduction

Valencia is the third-largest city in Spain after Madrid and Barcelona, with 791,413 inhabitants (2018) and an area of nearly 138 km², of which around 62.5 km² correspond to the city proper. Its metropolitan area extends beyond the municipality limits, adding up nearly 76 towns and a population of around 1.8 million people. Valencia is located on the east coast of the Iberian Peninsula, in front of the Gulf of Valencia on the Mediterranean Sea. It is the capital of the autonomous region of Valencia (see figure 4.1.1).



Figure 4.1.1. 1st-Layer city: Valencia (Location)

This city pilot is intended to test an intermodal urban passenger/freight node for collective public & private transport. Its corresponding validation (2nd-layer) city is 's-Hertogenbosch, the Netherlands.

4.1.2 Main factors indicating a change is currently in progress in the city's urban mobility environment

At the regional level, in 2011, the Valencia Regional Government established a legal framework for improving the mobility of citizens (region inhabitants) through the promotion of sustainable urban planning and management. The three main objectives of the law are as follows:

- Establishing the criteria for promoting mobility, but also taking into consideration road safety, sources of energy, urban landscape and environment.
- Regulation of public transport services.
- Regulation of transport infrastructures and logistics.

At the local level, in December 2013, the Sustainable Urban Mobility Plan was implemented. It aims to boost the use of efficient transport vehicles, to promote renewable sources of energy and to reduce energy consumption. One of the most important objectives is to reduce the traffic congestion in the city centre, especially during the first hours of the morning when the commercial premises open. This strategic objective will be achieved by the implementation of the following specific policies:

- Increase the number of areas for loading and unloading, especially in those places where a lack of service or a high degree of congestion are detected.
- Increase the vigilance of the loading/unloading areas trying to avoid unauthorized parking in these zones, even though for a short time parking.
- Use of the available new technologies to create a distribution and delivery system capable of reducing the number of journeys, the length of the routes as well as the time needed to complete the operations.

In addition, the specific policies regarding urban freight logistics, included in the urban mobility plan of the city of Valencia, also establish the following cross-cutting strategies:

- Increase the use of the new technologies for the management of the urban mobility.
- Integrate the urban design using new criteria for sustainable mobility.
- Communicate and promote sustainable mobility.
- Reduce carbon emissions from transport vehicles and operations.
- Coordinate the urban mobility infrastructures within the land-planning procedures.

The main point of this urban mobility plan is to encourage the most sustainable transport modes which are: walking, the use of bicycle, and public transport. The development of the strategic lines of these transport modes corresponds to the core of the urban mobility plan of the city. The measures needed for private vehicles and the cross-cutting measures have been defined according to the previously mentioned main strategic lines.

The structure of the actions that have to be adopted in the urban mobility plan of Valencia is divided into three different groups depending on its relevance: strategic lines, actions programs and specific measures. Figure 4.1.2 explains the implementation of the strategic lines and the action programs regarding the urban freight logistics and cross-cutting strategies of the urban mobility plan of Valencia.

Strategic Lines	Action Programmes
Structure the urban roads under criteria of sustainability	Reorganize and give hierarchy to the urban roads under criteria of sustainability Structure plan for the city centre
Calm the traffic in the city	Increase the extension of the "area 30"
Reorganize the parking area	Reorganize the parking area especially in conflict areas
Improve the loading and unloading operations in the city	Increase the areas for loading and unloading operations Implement UE recommendations and apply new technologies for the management of the urban freight mobility
Apply the new technologies to the urban mobility	Integration of the mobility information Extend Smart Cities Technologies
Integrate the urban design with sustainable mobility criteria	Design of the urban system under sustainable mobility criteria
Promote the sustainable mobility	Campaigns to promote and communicate the benefits of sustainable mobility
Descarbonize the transport system	Use low emissions, hybrid or electric vehicles
Coordinate the urban mobility infrastructures within the land-planning procedures	Coordinate the urban mobility infrastructures within the land-planning procedures

Figure 4.1.2. 1st layer cities: Valencia's strategic lines and action programmes

For fostering the change on citizen's mobility behaviours by focusing on mobility policies towards more environmental transport modes, Valencia's cycle network has been extended by more than 75% in the previous years, to a total length of 145 km in 2018, while also improving the interconnection between the cycle lanes of different areas and developing a cycling ring in the city centre. Furthermore, new business models have been tested to improve the use of bikes; in particular, Valencia counts on a public bike sharing system

created in 2010 with 275 stations and 2,750 bikes. Thanks to this experience, other neighbouring towns have also implemented public bike systems. These measures have led to an increase in bicycle use of over 15% in the last year and a 2.7% decrease in total traffic in the city.

In urban freight transport, new business models have been also tested to improve the last mile distribution using tricycles. Nowadays, there are several companies that have implemented this kind of last mile distribution that can save around 2 tonnes of CO₂ per year and tricycle according to the pilot experiences.

As a follow-up, the city of Valencia is strongly interested in continuing to introduce new transport services and/or blending them using new business models, in order to reduce CO₂ emissions, noise and congestion in the city for both passenger and freight transport.

4.1.3 Main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments

The implementation of the urban mobility plan of Valencia in 2013 improved the previous situation regarding the problem of urban freight logistics. However, there are still some aspects that must be improved in order to increase the quality of life of the citizens and reduce the strong impact in the urban environment. Some of the most critical aspects are:

- In some areas of the city, there are not enough dedicated loading/unloading bays for the urban freight distribution. This situation is also motivated because commercial premises do not apply, and demand reserved places.
- Some of the most important avenues of the primary network do not have parking places for any type of vehicles. This situation also disturbs the loading and unloading operations.
- In some cases, the access of the delivery vehicles to the pedestrian areas and the historic centre generate conflicts with pedestrians, especially when distribution operations are performed outside of the planned timetable.
- Traffic interruptions and congestion due to delivery operations.
- Traffic violations of private vehicles that do not respect the loading and unloading reserved places although they are clearly indicated.

4.1.4 Conclusion

Valencia's Sustainable Urban Mobility Plan was defined in 2013 to move the city towards a more environmental and liveable city. One of its main objectives is to reduce traffic congestion from private and freight transport. More kilometres of bike lanes, improved mobility services and service models are helping in changing the travel behaviour and passengers with the goal to reduce private car usage. However, freight transport can be considered one of the weakest points of the SUMP. As most cities, Valencia was not

designed to accommodate the increased demand for goods deliveries and 21st century sustainability challenges. Valencia's pilot aims to create an intermodal node with a twofold objective: first, fostering passenger inter-modality with secure bike parking; and secondly, to improve last mile distribution with the use of parcel lockers. This solution is expected to succeed in meeting Valencia's mobility goals. From the initial to the final stages, the pilot's feasibility and sustainability (environmental, social and economic) measurements will help in monitoring, adapting and designing the regulatory and policy recommendations. These results will help to replicate the innovative solution in other cities where collection is a critical aspect during the monitoring and assessment phases. However, the KPIs (see Annex A:) show that there is still room for improvement and the city needs to increase the effort to compile the required data that will help to evaluate the pilot and spread the solution.

4.2 Padua (Italy)

4.2.1 Introduction

The city of Padua (figure 4.2.1), has 210,000 inhabitants with a population density of 2,267 inhabitants/km². The entire Province of Padova has 939,000 inhabitants. Its corresponding validation (2nd-layer) cities are Ioannina, Greece and Gothenburg, Sweden.




Figure 4.2.1. 1st-Layer city: Padua (Location).

4.2.2 Main factors indicating a change is currently in progress in the city's urban mobility environment

Padua is going through a rapid economic change, demonstrated in the last decade by the central role of private cars (representing currently some 51% of overall urban mobility and 74% for the metropolitan area) and changing user needs, particularly due to the skyrocketing development of home deliveries. Negative impacts (congestion, pollution, safety, etc.) are in place, which should be addressed by innovative and effective policies. Even though the constant increase of the modal share of sustainable modes is promising (49% for the city centre, 26% for the metropolitan area), the municipality of Padua is developing the new SUMP which already includes a rather exhaustive analysis framework leading to the definition of main bottom-line urban planning goals, including:

- Fostering the use of more environmentally friendly transport modes.
- Reducing the role of road transport.
- Decreasing the number of road accidents.
- Improving the quality of public space, namely accessibility.
- Improving the effectiveness and efficiency of urban logistics and freight transport.

The SUMP, which has already been completed, is currently awaiting adoption. Main factors driving the change of future urban mobility include innovative emerging technologies (e.g. advanced smart transportation system based on swarms of electric modular self-driving pods) and disruptive business models (like cargo-hitching, a mixed solution for both passenger and freight transport) as they are connected to policy-making (forthcoming SUMP).

Major investments are mainly services (a new tender for a new public transport operator has just been concluded) and, secondarily, infrastructure (which means a new fleet of vehicles). The implementation of an urban tram line net is in progress. Tram line 2 and tram line 3 are, respectively, in planning or in the implementation phase. More information about the mobility and logistics status of the city can be found at <http://www.interportopd.it>.

4.2.3 Main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments

The current policy framework on mobility dates back to 2010. Since then, several initiatives emerged that were not foreseen in the SUMP. This is particularly evident for a set of innovative urban mobility scenarios, such as cargo-hitching and the self-driving pods. Therefore, the medium/long-term impacts of the identified emerging technologies and cargo-hitching business models are still to be properly assessed and are not currently addressed by existing urban policy tools. Other critical issues can be identified within the existing policy framework, which represent key goals of the forthcoming SUMP:

- Strong focus on innovation of urban transport, using ITS/big data and autonomous vehicles, both for passenger and freight.
- Developing e-mobility to reduce emissions, fossil fuel consumption and mitigating climate change.
- Improving the overall efficiency and effectiveness of urban mobility, both for passenger and freight.
- Improving energy and environmental sustainability.
- Improving safety.
- Improving socio-economic urban sustainability.

The new regulatory framework/SUMP in development– which is based on the principle of sustainability – has the strategic goal of outlining the vision and future scenarios of the urban mobility for the coming decade by identifying and implementing a harmonized and coherent range of policies and measures of sustainable urban mobility.

4.2.4 Conclusion

Padua is experiencing rapid economic growth with a large development of skyrocketing home deliveries and with a promising sustainable mobility share. Among the goals of the new SUMP, improving the effectiveness and efficiency of urban logistics and freight transport is a priority. It contemplates the development of disruptive business models: cargo-hitching and self-driving pods.

While autonomous vehicles are still under development and with the not widely known concept of cargo-hitching, the success of Padua's pilot will definitely depend on the correct and anticipated definition of a regulatory and policy framework. This pilot will require well-designed evaluation criteria and methodology that considers the level of acceptance and the dimensions of operational feasibility and sustainability. The assessment reliability and accuracy depends on the data compilation process. From the table in Annex B:, we observe most data are available so they should not face many difficulties for gathering the information.

4.3 Kalisz (Poland)

4.3.1 Introduction

Kalisz is a city in central Poland with 100,975 inhabitants (2018), the capital city of the Kalisz Region, situated on the Prosna river in the south-eastern part of the Greater Poland Voivodeship. Kalisz is one of the main cities in the Kalisz-Ostrów Wielkopolski agglomeration with nearly 360,000 inhabitants. Kalisz is an important regional industrial and commercial centre in the Wielkopolska region.



Figure 4.3.1. 1st-Layer city: Kalisz (Location).

The Kalisz pilot will examine the new operational business models and the incentives and reward schemes to spread the use and acceptance of sensors and mobile applications for truck drivers to manage loading/unloading spaces within the selected area. As a result, SPROUT will use this information to define a new regulatory and policy framework.

4.3.2 Main factors indicating a change is currently in progress in the city's urban mobility environment

Kalisz's basic document containing the responses to the urban mobility challenges is the Low-Emission Plan for the City of Kalisz, developed in 2017, which was extended by the elements of the Sustainable Urban Mobility Plan – SUMP¹. Numerous other documents on the internet describe the current mobility status.²

Major urban transport investments (services, policies and infrastructure) currently in progress or planned in the next 3 years are the following:

¹ https://bip.kalisz.pl//uchwaly/2017_34_450.pdf

² Plan Gospodarki Niskoemisyjnej dla Miasta Kalisza – https://bip.kalisz.pl//uchwaly/2017_34_450.pdf

Uzupełnienie planu gospodarki niskoemisyjnej dla miasta Kalisza o element zrównoważonej mobilności miejskiej – https://bip.kalisz.pl//uchwaly/2017_34_450.pdf

Okresowy raport sprawozdawczy z realizacji Strategii Rozwoju Miasta Kalisza na lata 2014-2024, raport za rok 2017

Studium zrównoważonego rozwoju transportu Aglomeracji Kalisko-Ostrowskiej

Statystyczne wademekum samorządowca, Miasto Kalisz 2018 –

https://poznan.stat.gov.pl/vademecum/vademecum_wielkopolskie/portrety_miast/miasto_kalisz.pdf

Ekspertyza w zakresie rozwiązań transportowych na obszarze rewitalizacji Miasta Kalisza.

Road and Transport Authority in Kalisz – <http://mzdik.kalisz.pl/>

Kaliskie linie autobusowe – <http://kla.com.pl/>

Kaliski rower miejski (bike sharing system) – <https://kaliskirowermiejski.pl/en/>

- Construction of the Integrated Traffic Management System in Kalisz. The main goal of the project is the improvement of accessibility to the regional and supra-regional road system.
- Development of the public transport system of the Kalisko-Ostrowska Agglomeration with the modernization of street lighting. The main goal is striving to improve air quality in the City of Kalisz by increasing a low-emission public transport system.
- Construction of the Kalisz bypass within the national road no. 25 (completion planned for 2022).
- Further development of the bike sharing system (new stations and new bicycles).
- Purchase of new eco-friendly city buses.
- SUMP document update.

4.3.3 Main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments

The dynamic development of cities and changes in the lifestyle of their inhabitants result in a constant increase in their transport needs. As travel behaviour changes, the number of vehicles on the streets increases, resulting in congestion, accidents, emissions and noise, and a consequent reduction in the quality of life. Furthermore, these issues concentrate in the city centre, where there are a lot of historical monuments and high density of urban structure.

The distribution of goods in urban areas is heavily increasing and therefore it strongly contributes to the increase of traffic in the city centre. *Goods deliveries require unloading spaces that are convenient enough to unload the cargo fast and does not cause additional disturbances when unloading is on-going.*

The city of Kalisz has not introduced any system for managing goods deliveries in the city. Neither has it defined a methodology for managing deliveries.

Currently the city's *Sustainable Urban Mobility Plan does not address freight transport*. Therefore, the following impacts remain unclear:

- The impact of introducing urban freight operations, on urban mobility planning.
- The impact of introducing an IoT-enabled truck parking/unloading system into the city's urban transport system.
- The impact of blending the IoT-enabled system with the existing conventional loading/unloading system.
- Embedding an IoT-enabled truck parking/unloading system into a data-driven urban mobility planning setting.

- The impact of introducing reward-based policies (e.g. enhanced access rights) for transport companies/drivers that deploy the system in an efficient way for the city's operation (e.g. arriving and departing at/from the parking place at the allocated time, notifying the city authority in case of deviations for reallocating the parking place in real-time, etc.).

4.3.4 Conclusion

Kalisz has not yet addressed freight transport in its SUMP, so far. However, it is experiencing the consequences of e-commerce with a high increase in the goods distribution within the city boundaries, and therefore, it is convinced it has to manage deliveries as part of the overall planning process, taking advantage of emerging technologies as key facilitators.

Kalisz plans to start to use sensors in specific loading/unloading locations. These sensors will help in distributing and managing space better, reducing bad parking practices, traffic congestion and having a less polluted and more liveable city. Furthermore, these devices will enhance the data compilation process with more accurate and reliable data that may be useful to find patterns and define better regulations and policies.

To succeed in adopting and spreading this innovation, SPROUT will examine the new business models, drivers and barriers, incentives and reward schemes to finally develop a new regulatory and policy framework based on informed decisions using real data from the pilot.

From the table above, we observe that the value of many KPIs is not available yet (see Annex C:). In some cases, it is because the particular services are not available in the city, such as car-sharing and e-scooter-sharing. In other cases, the city does not measure this information (GHG and pollutant emission, public net mobility finance). Finally, freight data will be measured by mid-2020, giving an initial picture of the last mile urban delivery patterns. As environmental and freight information is essential for SPROUT pilots, the city will have to increase its efforts to compile this data.

4.4 Budapest (Hungary)

4.4.1 Introduction

Budapest, as the sole metropolis of the country, is the centrally located capital city in Hungary. It is situated in the Central Hungary region. The country has a Budapest-centric road and train network (Figure 4.4.1). As of 2018, Budapest has a total population of 1,749,734 inhabitants, which is 17.8% of the population of Hungary. Budapest has a slightly decreasing population and a population density of 3,332 inhabitants/km².



Figure 4.4.1. 1st-layer city: Budapest (Source: Nations Online Network)

The geographical conditions and historical urban development fundamentally determine the main challenges of the current urban mobility of Budapest. The city has a complex geographical situation, as the Danube river divides the city into the hilly Buda and the flat Pest side, creating transport bottlenecks in the city.

For almost three decades starting from the 1960's, urban planning and development principles were determined by giving priority to motorised transport at the expense of other aspects, even liveable environment was a secondary issue. Budapest currently has a deteriorating modal split. New modes of micromobility have appeared in the city, which are currently unregulated. In addition, the number of accidents is increasing.

This city pilot is intended to test policy responses to shared mobility (new dock-less bike sharing and car-sharing systems). Its corresponding validation (2nd-layer) cities are 's Hertogenbosch in the Netherlands, Arad in Romania, Birmingham in the United Kingdom (UK) and Minneapolis in the United States of America (USA).

4.4.2 Main factors indicating a change is currently in progress in the city's urban mobility environment

The city of Budapest is experiencing a number of changes in its urban mobility environment. New transport services using new business models are being introduced, as for example new car-sharing services, dock-less bike sharing systems and cargo bike delivery services, which appeared in 2017-2018, while a living-lab test of a Mobility-as-a-Service is currently under preparation. Furthermore, emerging transport technologies are being implemented, such as the Automated Fare Collection (AFC) system, the new electric vehicle charging infrastructure system, the procurement of more electric vehicles for public transport, while electric powered personal and freight vehicles are becoming more popular. At the same

time, user needs are evolving, with participatory planning initiatives showing that people need more space for walking and cycling and less space for cars in the city, while their requirements for better services, increased safety (development of an integrated transport safety database), and more connections, are becoming stronger. Finally, new institutional and financing structures (regulation of parking & taxi services, regulation of sightseeing vehicles and tourist buses, new financing structures for sharing-based mobility solutions and a new time-based fare system in public transport) have already been or are being implemented.

The first Sustainable Urban Mobility Plan of Budapest (Budapest Mobility Plan – BMT) was developed by BKK Centre for Budapest Transport. In 2014, the previous strategic documentation was reviewed, and the draft version of the SUMP was shared for public consultation. The Objectives and Measures volume of the SUMP (formally Balázs Mór Plan) was approved by the General Assembly in 2015. In May 2019, the General Assembly of Budapest and the Innovation and Technology Ministry of Hungary approved the full SUMP named Budapest Mobility Plan, (BMT), after an extensive professional consultation period.

BMT contains the following volumes:

- Objectives and Measures.
- Transport development and investment program proposal.
- Project information sheets.
- Institutional assessment.
- Monitoring and assessment handbook.
- Strategic Environmental Assessment.

Budapest has not only set the goal of becoming a more liveable, attractive and healthy city in its SUMP based Budapest Mobility Plan but realised how crucial it is to plan for the people and understood that public involvement can have a key role in reaching these goals. Budapest shifted its development focus to plan the city of places and recently has started to implement participatory planning pilots on local, neighbourhood and city level.

Finally, the major urban transport investments in progress or planned in the next 3 years are the following:

- Renovation of metro line M3 in three phases (currently the second phase).
- Renovation of Széchenyi Chain Bridge.
- Development of airport high-speed road.
- Development of Metro line 1 (accessibility improvements, new exits, 2 new stations, vehicle procurement).
- Road developments with integrated approach.
- Vehicle procurement.

4.4.3 Main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments)

The following impacts remain unclear:

- the impact of changing user needs on the current urban mobility environment;
- (the impact of introducing car-sharing, bike-sharing and MaaS services, on the city's urban mobility transport system and its regulatory/governance environment;
- (the impact of different city authority's roles (regulator vs facilitator) on the successful deployment of shared passenger mobility.

4.4.4 Conclusion

Budapest is experiencing changes in its urban mobility (new MaaS business models, users need more space for walking and cycling and less for cars, users require more and improved connections and new financial instruments related to shared mobility.

The pilot will base the outcomes of the project (policies, regulations and recommendations) on the results obtained from the data compiled and analysed for the operational feasibility and sustainability assessment processes. Although Budapest has most of the information available (Annex D), environmental KPIs are decisive indicators not available yet. It requires this city considers the indicators under this group as essential information they will have to calculate.

4.5 Tel Aviv (Israel)

4.5.1 Introduction

Tel Aviv Yafo is situated on the Mediterranean coastline on a land area comprising 51.8 km². It is the largest and most populous city in the metropolitan area, (1,519 km²).



Figure 4.5.1. 1st-Layer city: Tel-Aviv (location).

In 2017, the population of Tel Aviv Yafo numbered 443,900, which is 5% of the total population of the State of Israel. This number does not include work migrants (legal and illegal) or refugees, of which there are an estimated 40-50,000 living in the city.

The population of Tel Aviv Metropolis numbered 3,918,800 with population density of 8569.49 inhabitants/km².

This city pilot is intended to test data-driven urban mobility planning and traffic management strategies to prioritise non-motorized transport modes and vulnerable road users. Its corresponding validation (2nd-layer) cities are Almada in Portugal and Birmingham in the United Kingdom.

4.5.2 Main factors indicating a change is currently in progress in the city's urban mobility environment

The Outline Plan for Tel Aviv Yafo, approved in 2016, is a statutory plan which retains the mission statement set-out in the Strategic Plan of 2005: development of a sustainable multi-modal efficient transport system, which provides accessibility and a high standard of service for residents, commuters and visitors. A system that takes into consideration protection of the environment and the urban ecology, as well as, the city's cultural heritage for the benefit of present and future generations. In short, emphasis is on achieving and maintaining a

more sustainable modal split. The Sustainable Urban Mobility Plan for Tel Aviv Yafo was completed in September 2017.

Since August 2015 and for the foreseeable future, the biggest urban transport investment is the construction and implementation of the light rail system in the Tel-Aviv metropolitan area, including all the related infrastructure and changes in the road and street layout. Also, a think tank has been created to rethink the infrastructure possible to optimise and increase bicycle lanes.

Additional investments include the car-sharing scheme Tel Auto and privately-operated e-scooter sharing schemes. New parking policy and regulations were finalised in 2016 and are based on two guiding principles: 1) creation of a differential standard based on distance from a transport hub; 2) decrease in car park spaces standard in high employment areas to encourage use of public transport. Other investments are aimed at significantly increasing the number of dedicated bus lanes.

4.5.3 Main impacts which are currently unclear and therefore are not being addressed (or are inadequately addressed) by the current urban policy elements/instruments

Tel Aviv Yafo strives to maintain its role as the economic, commercial and cultural centre of the metropolitan area while providing its residents with high standards of living conditions and a clean environment.

Urban productivity is highly dependent on the efficiency of its transport system to move labour, consumers and freight between multiple points of origin and destination. Therefore, the city needs to deal, inter alia, with traffic (private and public); commuting; non-motorised transport and freight distribution. The main challenge for the city is to find an optimal way of allocating public space between the various users: pedestrians, cyclists, public transport, freight and private cars.

- **Traffic.** Some challenges, like congestion, have been there for years and it is one of the most prevalent transport challenges. It is particularly linked with the rise of motorisation, which has increased the demand for transport infrastructures. The supply of infrastructures has often been unable to keep up with the growth of mobility and smarter transportation solutions are needed to mitigate city congestion.
- **Commuting.** On par with congestion, people spend an increasing amount of time commuting between their residence and workplace.
- **Parking.** The demand for parking space has created space consumption problems particularly in the central areas of Tel Aviv Yafo. The scarcity of parking space has led to increase in the time spent looking for a parking space (what is termed “cruising”) which in turn creates additional delays and impairs local circulation.
- **Public Transport.** Public transport, in particular one with its own infrastructure (subway, light rail, buses on dedicated lanes, etc.), can significantly improve traffic

conditions. However, in Tel Aviv Yafo, the various public modes, trains & buses, are independent from each other and to achieve efficiency their services need to be integrated within the city's development plans.

- **Non-motorised transport.** A great majority of trips in Tel Aviv Yafo are over short distances, non-motorised modes, particularly walking and cycling, have an important role to play in supporting mobility. However, bicycle infrastructure takes capacity away from roadways as well as parking space and may impede congestion and its environmental consequences.
- **Freight distribution.** As freight traffic commonly shares infrastructures with the circulation of passengers, the mobility of freight in Tel Aviv Yafo especially in the centre has become increasingly problematic. The growth of e-commerce and home parcel deliveries has created additional pressures. There is a growing understanding that this issue has been neglected and that Tel Aviv Yafo has to establish logistics strategies to provide solutions to the variety of challenges of freight distribution within the city.
- **Environmental impacts.** Traffic flows influence the life and interactions of residents and their usage of street space. More traffic impedes social interactions and street activities. Pollution, including noise, generated by circulation has become an impediment to the quality of life and even the health of urban populations. A shift towards more efficient and sustainable forms of urban transportation is a necessity which Tel Aviv Yafo aims to achieve.

A great deal of uncertainty is associated with:

- the impact of the new public transport services on mobility patterns;
- the impact of the re-allocation of public space in specific arteries, while specifically addressing the needs of vulnerable road users;
- The impact of embedding integrated quantitative/qualitative methodologies/algorithms/tools into a data-driven urban mobility planning setting.

4.5.4 Conclusion

The city of Tel Aviv undergoes tremendous transport changes during the construction of the new public transport system, on top of the new car-sharing service that was launched in summer 2017. The city plans to revolutionize major arteries in order to integrate additional light rail transit (LRT) lines, besides other traffic and public transport changes throughout the city. As a result, new priorities in the allocation of the public space will be required, mainly regarding the prioritisation of non-motorized transport modes. The city has already begun to explore the opportunities of using new information sources that would serve as a basis for in-depth understanding of travel habits and mobility needs. Insights gained by advanced data

analysis will be valuable in setting the grounds for designing major arteries as mobility managed roads.

The pilot is focused on compiling data from different sources and analysing these raw data with advanced techniques such as machine learning that will be used for identifying the new mobility patterns. It will analyse several scenarios of allocating the Public Sphere and the road-cross sector as a trade-off between the transport system capacity and the liveability while considering safety and vulnerability. This demonstrator will tackle the reallocation process in three levels (strategical, tactical and operational) and implement it using simulation techniques and processing algorithms.

All the new information sources, processing techniques and simulation and visualization tools will help in discovering patterns and support decision making processes. Final results and experiences will be used to define the policy recommendations and guidelines to make decisions driven by data. This pilot relies completely on data collection processes. Annex E with 25/27 KPIs available shows that it will be possible to face the pilot successfully.

4.6 Summary overview of 1st layer cities' challenges

The table below gives an overview of the different 1st layer cities' challenges when it comes to urban mobility transitions.

Table 4.6. Summary of 1st layer cities' challenges

City	Challenges experienced
Valencia, Spain	<ul style="list-style-type: none"> • Important congestion in the city centre (mornings) • Urban freight logistics <ul style="list-style-type: none"> ○ Not enough designated/used loading/unloading places Conflicts with pedestrians
Padua, Italy	<ul style="list-style-type: none"> • Medium/long-term impact of new technologies (cargo-hitching and self-driving pods)
Kalisz, Poland	<ul style="list-style-type: none"> • Urban freight logistics <ul style="list-style-type: none"> ○ Strong increase in deliveries No strategy for managing the increase
Budapest, Hungary	<ul style="list-style-type: none"> • Micromobility • New modes of shared mobility <ul style="list-style-type: none"> ○ New dock-less bike-sharing and car-sharing system
Tel Aviv, Israel	<ul style="list-style-type: none"> • Optimally allocating public space among all users (pedestrians, cyclists, public transport, freight and private cars)

5 Current State of Mobility in 2nd - layer SPROUT cities

The 2nd-layer includes additional cities that will validate the transferability of the policy results specific to the pilot cities and contribute to their transformation into what is called in SPROUT a 'city-led policy response', i.e. a response that is widely applicable (in terms of its contents and structure) to European cities. For this to be achieved, each of the nine 2nd-layer cities has been linked to at least one pilot city in terms of its interest in the new mobility solutions to be tested and its potential policy impacts.

5.1 Ioannina (Greece)

5.1.1 Introduction

Ioannina is the capital and largest city of Epirus, a region in the North-West of Greece. The municipality of Ioannina is composed of 6 municipal units and is the most important and larger of the 8 municipalities of Prefecture of Ioannina, which belongs to Epirus Region. The following map (Figure 5.1.1) shows the area of municipality of Ioannina in Epirus Region area.

According to the last census of the population (2011), the Ioannina municipality has 112,486 residents living in 403.32 km², representing a population density of about 278.90 inhabitants/km². The municipality of Ioannina is one of the 10 largest municipalities in Greece in terms of inhabitants. However, the population is not homogeneously distributed in the municipality, with significant differences between the six municipal units with more urban and densely populated areas like Ioannina Municipal Unit with population density of 1588.67 inhabitants/km² and the Perama municipal unit with a population density of 46.26 inhabitants/km².

This city is interested in new mobility planning that integrates passenger/freight planning. This is a validation city of the pilot in Padua, Italy, which will test self-driving pods for cargo-hitching.



Figure 5.1.1.2nd-layer city: Ioannina (location)

5.1.2 Description of the urban mobility landscape

Strategically, the municipality of Ioannina forms a geopolitical crossroads of the development axis of north Greece, especially after the construction of the Egnatia Odos Motorway. Combined with the Ionian Odos Motorway and the E65 motorway, Ioannina is a strategic interchange node of combined transportation due to its proximity to the country's international gateway, the port of Igoumenitsa. Also, the city of Ioannina is a major tourist destination all times of the year.

The city of Ioannina is the trade centre of all the Epirus Region, so there is a continuous traffic flow to and from the Region of Epirus. Moreover, there is an important traffic flow to the city from employees of the suburbs, linked to the habit of the population to use their owned car for every transportation. The daily use of public transport is mostly from students and college students and not from employees.

Municipality of Ioannina has a goal of reducing CO₂ emissions by at least 20% by 2020 (short-term target) and by at least 40% by 2030 (long-term target), and a part of it refers to transportation emissions.

To achieve these goals, the municipality of Ioannina has recently completed (2019) the Sustainable Energy Action Plan of Municipality of Ioannina, which contains mobility actions that are included in the Strategic Plan for Sustainable Urban defined on January of 2017.

Also, in June of 2019, the Municipality of Ioannina completed its Sustainable Urban Mobility Plan. Major investments to implement these actions are the expansion of the pilot “e-parking” application; foster e-mobility, enhance walking and cycling habits for transporting, construction of special bicycle routes, bike and car sharing schemes that encourage people

to reduce the use of the car. Moreover, the city of Ioannina aims to raise the percentage of hybrid/electric cars in its fleet up to 50% by the year 2030.

5.1.3 Conclusion

The major challenge of the Municipality of Ioannina is the permanent traffic flow to and from the region of Epirus and from the employees of the suburbs to the city with the population using their private cars. Public transport is mostly used by students.

The city aims to reduce the transport-generated GHG emissions introducing new ways of mobility and encouraging people to change the habits towards more active and sustainable modes of transport. For this, it will construct special bicycle routes and introduce bike and car-sharing schemes that do not existencourage people to reduce the use of the car. Besides, the percentage of hybrid/electric cars in its fleet is expected to rise by 50% by 2030.

This city is the validator of the pilot in Padua, which aims to integrate passengers and freight for enhancing mobility. Although the city of Ioannina has not mentioned urban freight transport as an objective, the interest in this pilot may be a good starting point for defining the strategy for coping with the city logistics. About the KPIs provided in Annex F:, most of the missing information refers to the use of new mobility services that are not available or freight transport, which it seems not considered by the city SUMP yet. The involvement in this project will help Ioannina in having a better idea and knowledge for transforming mobility through the learnings and findings of the new tested innovations.

5.2 Gothenburg (Sweden)

5.2.1 Introduction

Gothenburg is a port city situated on the west coast of Sweden with a strategic location between Oslo and Copenhagen (Figure 5.2.1). It has a population of around 555,000 and it is Sweden's second largest city. The Gothenburg region, which includes 13 municipalities in Greater Gothenburg, has a population of 1.1 million inhabitants.

This city is interested in new mobility planning that integrates passenger and freight planning. This is a validation city of the pilot in Padua, Italy, which is testing the innovative urban mobility solution of self-driving pods for cargo-hitching.



Figure 5.2.1. 2nd-Layer city: Gothenburg (location).

5.2.2 Description of the urban mobility landscape

The City of Gothenburg is growing rapidly through densification and this stresses serious challenges. Climate change, social equity, environmental and health issues and providing space efficient and reliable accessibility for people and freight without congestion.

By 2035, it is expected that Gothenburg will have 150,000 more residents and 80,000 more jobs and be the hub in a region of 1.7 million people. Gothenburg is on its way from being a big town to becoming a major city. This process involves many challenges, but also creates us the chance to create a cohesive city characterized by high environmental standards.

There are different sustainable urban mobility plans in order to face Gothenburg's urban mobility challenges:

- **Transport Strategy for a close-knit city (SUMP) Gothenburg 2035 (adopted 2014-02-06).** The three main objectives in the strategy – an easily accessible regional centre, attractive urban environments and Scandinavia's logistics centre – are a response to the 13 strategic questions in the Comprehensive Plan for Gothenburg. The three main objectives are also highly relevant to Gothenburg's role as a hub and as a driving force for the entire region. Under review 2019-2020
- **Strategic Climate Programme for Gothenburg, (adopted 2014-09-04):** The Climate Programme aims to achieve the environmental quality objective of reduced climate impact. The programme comprises nine strategy objectives, which are area orientations and extend through to 2030. The aim is to significantly reduce the

climate impact of Gothenburg but also to prepare for mitigation of effects caused by climate-change.

- **Development Strategy for Gothenburg 2035, February 2014:** The Development Strategy shows which places and areas in the intermediate city have particularly good conditions for making day-to-day life simpler for as many people as possible. It provides support in prioritising the municipality's planning measures and it also shows the outside world where we want the city to develop in particular and in what way. The strategy has been produced in a close cooperation between the City Planning Authority and Property Management Administration. The work has been carried out parallel with the Parks and Landscape Administration producing a Green Strategy for the city and for the traffic department producing a Transport Strategy. These three strategic aims and planning documents together with The Rivercity Vision form the basis for the planning of the future Gothenburg.

Major urban transport investments for the next 3 years are the following:

- West Sweden Package.
- 200 Electric busses by the end of 2020.
- New bus lines, tram lines, cycle paths, bridges funded by the Swedish state through national and regional transportation plans negotiated as a part of the National Negotiation on Housing and Infrastructure, NNHI.
- Building a new bridge to Hisingen, which will replace the existing bridge that will be demolished.
- Marieholm tunnel.

5.2.3 Conclusion

The expected population and number of jobs growth will increase the number of transport flows, from people commuting to work and other activities, and from freight deliveries. The city of Gothenburg is working on facing the negative impact of this evolution with different SUMP's and the firm engagement of mitigating the climate change impact and preparing for the effects. It aims to create a close-knit city with an easily accessible regional Centre, attractive urban environments and Scandinavia's logistics Centre. This city is also investing in new infrastructures (new bus lines, tram lines, cycle paths, bridges) and services (electric bus) that support more environmentally friendly mobility.

One of the typical city challenges is freight transport. For Gothenburg, the Scandinavia's logistics Centre may increase traffic congestion, due to freight transport flows generating higher interest in the cargo-hitching solutions implemented by Padua. The freight data available foresee good feedback as a validator of this solution (see Annex G:).

5.3 Arad (Romania)

5.3.1 Introduction

The City of Arad is situated in the Western part of Romania and represents the most important road and rail transportation junction point in the Western region, being the first Romanian city at the entrance from Western Europe (Figure 5.3.1). In 2017, the number of inhabitants was 177,464 covering a Territorial Administrative Unit Area: 237.88 km² with a population density of 746.02 inhabitants/km².

This city is interested in the results of two 1st-layer cities: On the one hand, IoT in urban logistics demonstrator in Kalisz (Poland) testing real-time dynamic management of parking /unloading operations including planning and booking. On the other hand, the pilot in Budapest (Hungary) that tests shared passengers' mobility such as the new dockless bike-sharing and car-sharing systems.



Figure 5.3.1. 2nd-Layer city: Arad (location).

5.3.2 Description of the urban mobility landscape

The city of Arad is facing a large number of challenges for improving urban mobility. First, the improvements and development of road, rail and air transport infrastructure according to the connection needs in the European, national, regional and local level. Second, it aims to improve passengers' mobility with the development of alternative transport, increasing public area accessibility for pedestrians, improving public transport services and increasing the quality of urban public areas. Finally, it has started to assess the navigability of the Mureș river proposed by the NTLP (National Territory Landscaping Plan). All of this with the overall purpose of reducing air pollution.

To address these challenges Arad developed the SUMP in 2015-2016, which was updated in 2017 and with the 2023 as the implementation horizon for the proposed and approved measures. Arad is currently in the second year of SUMP.

Principal investments, for the next 3 years, focusing on enhancing passengers' mobility:

- Procurement of rolling stock (large and medium capacity trams).
- Procurement of electric buses, hybrid/ecological (large and small capacity).
- Modernization of rolling stock (trams).
- Modernization of the tram infrastructure (railway, tram stops).
- Construction of a bridge over the river Mureş (including electric bus route over the bridge).
- Investments in road infrastructure for achieving the city accessibility (road links with the north ring road, south-east ring road: Arad County Council).
- Procurement of an e-ticketing system and video monitoring.
- Reshaping of the central boulevard.
- Development of a parking policy.
- Development of new public transport lines, routes reorganization.
- Development of rental and parking system for bicycle (bike sharing).
- Green areas/curtains for protection.
- Construction of pedestrian areas.
- Development of infrastructure for electric vehicles (charging stations).

5.3.3 Conclusion

The city of Arad is investing in enhancing passengers' mobility with the modernization of existing tram lines, developing new infrastructure and services that support new ways of mobility, with a video monitoring system, an e-ticket service, and the development of infrastructure for electric vehicles (charging stations).

The actions to implement these objectives are in the SUMP of 2015/2016, updated in 2017 and with the target of fulfilling objectives by 2023. Although Arad does not consider urban freight transport as one of the main investments for the next three years, this is a challenge all cities are facing. Therefore, Arad is not only interested in the solution of Budapest for testing shared passengers' mobility, but also in the Kalisz demonstrator for managing loading/ unloading parking spaces. This city is compiling most of the data requested. Most gaps belong to the freight transport that foresees this city has to improve the freight data collection (see Annex H:).

5.4 Mechelen (Belgium)

5.4.1 Introduction

Mechelen is a medium-sized city situated between Antwerp and Brussels in the North of Belgium (Figure 5.4.1). It has a population of 86,600 citizens and is expected to grow to 100,000 by 2030. 38,500 inhabitants live in the inner city within the ring road.

This city is interested in the results of Kalisz (Poland) demonstrator that is testing the IoT in urban logistics demonstrator with real-time dynamic management of parking/unloading operations including planning and booking.




Figure 5.4.1. 2nd- Layer city: Mechelen (location).

5.4.2 Description of the urban mobility landscape

On personal mobility, there is still a big focus on the car, creating congestion around the city and safety issues in the inner city for cyclists and pedestrians. Mobility also has an environmental impact. The board of aldermen and the mayor have made mobility one of the three main themes of this legislature (2019-2024). It will focus on cycling and shared mobility. The city has the ambition of becoming the cycling city of Flanders and wants to invest in infrastructure (cycling paths and bicycle storage). With a push strategy, it wants to promote and invest in shared mobility. The ambition is that in dense areas, everybody should have access to a shared car within 150 meters.

On logistics mobility the challenge is to make urban freight more sustainable and more efficient. This means:

- Reduction in number of vehicle movements.
- Reduction in number of driven kilometres.

- Reduction in CO₂ emissions.

In logistics the EU-guideline of zero-emission logistics by 2030, is seen as the parameter. There is a close collaboration with the operating city hub (consolidation centre) and bike courier company in the city. There is a SUMP in place since 27th of January 2015 (approved by local council).

Major investments for services, policies and infrastructures are the following:

- Enlargement of the car free/low car zone with timeframes for delivery.
- Inner city = cycling zone (max 30km/h, all cycling streets = cyclists have priority).
- Installation of an area covering network of cycling.
- Investment in bike infrastructure and bicycle storage.
- Investment in shared mobility.

5.4.3 Conclusion

For the city of Mechelen, major mobility challenges are car congestion, pedestrian and cyclist safety, and the environmental impact of transport from both, either passenger and freight transport. These reasons are the main motivations why the board of aldermen and major are focusing on fostering cycling and shared mobility through the investments in bike lanes and with the ambition for everybody to have access to a shared car within 150m. About logistics, there is a growing collaboration between the city hub and the bike Courier Company and also investments for managing the free/low car zone with time frames for delivery that could benefit from the Kalisz demonstrators. It could facilitate the land use management providing couriers with a mechanism to book a place for operating.

About data collection, table in Annex I shows this city is in good shape with almost all the information compiled and only some remaining KPIs related to freight

5.5 Ile-de-France / Agglomeration Paris (France)

5.5.1 Introduction

Ile de France is located in the north-central part of the country (Figure 5.5.1). The population 12.1 million inhabitants is distributed as follows: 2.190 million inhabitants in Paris, 4.5 million inhabitants suburbs (around Paris) and 5.7 million inhabitants in the outer suburbs (peri-urban and rural areas)

More than 80% of the population is located on less than 20% of the territory with an average population density of 1.010 inhabitant/km², but with huge variations between the central area and rural areas: 21,607 inh/km² in Paris, 6,900 /km² in inner suburbs and 470 inh/km² in outer suburbs.

This city is interested in the results of Kalisz (Poland) which is testing real-time dynamic management of parking /unloading operations including planning and booking.



Figure 5.5.1. 2nd-Layer city: Ile-de-France (location)

5.5.2 Description of the urban mobility landscape

Nowadays, the region of Ile-de-France suffers from a high number of passenger movements with 43 million trips each day, of which 70% outside Paris. This figure is expected to increase by 7% by 2030 due to population growth with serious consequences such as road congestion and overcrowded public transport. Ile-de-France has explored inland water and rail as alternative modes of transport for freight, because 90% of the 227MT of yearly freight is transported by road. However, the railway network is saturated, so priority is given to passenger trains, and inland waterways need massive investment for the renovation of big infrastructure (dams and locks). Ile-de-France has identified the following specific challenges and priorities:

- 70% of trips are made outside dense urban areas, so less suitable for public transport.
- Desire to switch to green vehicles to reduce air pollution.
- Better use of new technologies to optimize supply chain and delivery's schemes.
- Need to convert and requalify old logistic zones in dense urban areas to suit the market's need and upgrade these parts of the urban territory.
- Increase knowledge and collect data on freight flows inside the region.
- Raise awareness among the local authorities about freight issues and their role to improve the system.
- Educate consumers to adopt appropriate better behaviour and adapted requirements regarding delivery conditions.
- Set up innovative tools to change land management system and propose new kind of financial and economic arrangements for a better integration of logistics facilities in the metropolis.

To respond to these challenges, Ile-de-France adopted the current SUMP in June 2014, which was adapted with a new roadmap in 2017 to update the targets and take into account the new regional policies (renewal of the Regional Council in December 2015). The next 3-years major city policies, infrastructures and services investments focus on passengers' mobility:

- Grand Paris Express: new metro lines.
- EOLE: regional express train line crossing the Region from East to West.
- New rolling stock for suburban trains (Transilien).
- Veligo: electric bikes proposed in location.
- Bike parking spaces: 20 000 spaces by 2021.
- 100% green buses by 2025 in urban areas (5 000 buses).
- Smart Navigo pass (MaaS, digital travel pass, transport planner).

5.5.3 Conclusion

Every day, Ile-de-France suffers from an overwhelming number of passenger movements with over 43Mtrips each day. The expected population growth will cause this figure to increase, and the city is unlikely to be able to tackle such a large number of vehicles and public transport users. Besides, this city is conscious of the impact of urban freight transport increase in urban mobility. Ile-de-France is considering both passengers and freight transport challenges to create efficient urban mobility space where both can coexist in liveable and carbon-neutral spaces.

Ile-de-France has established priorities and actions to face the future scenario with the use of green technologies; the use of digitalization to create a smart city with new shared mobility services; the increase of citizens awareness with education programmes to become more responsible consumers; plans for managing logistics operations such as the setup of innovative tools to change land management system and propose new kind of financial and economic arrangements for a better integration of logistics facilities in the Metropolis. This last objective aligns with the involvement of Ile de France as validator city of Kalisz, whose pilot aims at testing real-time dynamic management of parking loading/unloading operations including planning and booking. About the data collection status of Ile de France (see Annex J:), there are several KPIs not compiled that might be useful for validating the pilot.

. It shows this city needs to start collecting the missing data but cannot commit to the production of all the KPIs by the end of the project, because there is no visibility about when and how the data will be available.

5.6 Birmingham (United Kingdom)

5.6.1 Introduction

The West Midlands metropolitan area is located in the English Midlands (Figure 5.6.1). The largest city in the West Midlands is the city of Birmingham. The cities of Coventry and Wolverhampton are located in the West Midlands area also. There are 2,808,352 inhabitants within the Metropolitan Area.

This city is interested in the results of Budapest (Hungary) which is testing a new dockless bike-sharing and car-sharing systems and in the results of Tel Aviv (Israel) developing a data driven urban mobility planning and traffic management strategies to prioritise non-motorized transport modes and vulnerable roads users.



Figure 5.6.1. 2nd-Layer city: Birmingham (Location).

5.6.2 Description of the urban mobility landscape

Main challenges refer to the following: congestion, resilience of highway High Speed 2 network, impact of transport scheme development on existing highway infrastructure (i.e. HS2 rail construction), reliability of bus and rail networks, new mobility operators and impact on existing services (i.e. Uber).

The Movement for Growth 2026 Delivery Plan for Transport³ was produced in 2017. It is currently being updated and will be widely consulted upon over the next 6 months.

Main transport investments are the expansion of West Midlands Metro network in Birmingham, the opening of new rail stations and Camp Hill Line for passenger services with 3 new stations, the delivery of Sprint service on first corridor and the works to enable construction of HS2 rail line between Birmingham and London.

5.6.3 Conclusion

Birmingham is investing in infrastructures to face congestion and increase the resilience of the highway network. It aims at enhancing passengers' mobility with the improvement of the bus and the rail networks. Furthermore, its objective is to analyze the impact of the new mobility operators on both passengers' mobility patterns and existing transport services.

Birmingham is interested in analyzing the impact of new mobility services may benefit from the outcomes of the dockless bike-sharing Budapest pilot, and then provide meaningful feedback to these results. The data-driven urban mobility planning and traffic management systems of the Tel-Aviv pilot may bring transferrable results to enhance the terms of inclusion and users experience of mobility operators. This validator will help in identifying the conditions that need adjustments to fit the cities idiosyncrasy.

Most passengers' data is already collected, as table in shows Annex K:. This information is in alignment with the objectives of the city. However, goods transport is one of the cities hurdles are starting to include in their urban mobility planning. Therefore, it is highly recommended Birmingham initiates urban logistics data collection.

5.7 Minneapolis (United States of America)

5.7.1 Introduction

Minneapolis is located in the State of Minnesota, which is on the northern boundary with Canada in the middle of the United States (Figure 5.7.1). The city has a population of 422,331 inhabitants; the metropolitan region 3.2 million inhabitants.

This city is interested in the pilot of Budapest (Hungary) which is testing new dock-less bike-sharing and car-sharing systems.

³<https://www.tfwm.org.uk/media/2539/2026-delivery-plan-for-transport.pdf>

<https://www.tfwm.org.uk/media/2525/annex-1-corridors.pdf>

<https://www.tfwm.org.uk/media/2526/annex-2-dashboards.pdf>




Figure 5.7.1. 2nd-Layer city: Minneapolis (location).

5.7.2 Description of the urban mobility landscape

The city suffers increased congestion and therefore strives to curb passenger and freight vehicle flows. The cultural argument of the car versus other modes remains significant in all USA cities. Severe winter weather also poses additional challenges as it impacts the private sector's desire to test new concepts, but also poses challenges with regard to maintenance. There currently is limited understanding of the impacts of freight and some passenger delivery and there is a general lack of data concerning the impacts of travels. There also is a continuing need to educate and influence external stakeholders on changing infrastructure priorities. Finally, changing zoning regulation and land use patterns are also a factor in its changing mobility patterns.

The city is currently preparing a Transportation Action Plan (TAP), which will be released in 2020. The previous plan, Access Minneapolis is still in effect until the new TAP is released. There is also a Climate Action Plan in effect and a Comprehensive 2040 plan in effect. In terms of investments, Metro Transit is building a fourth train line and 10 Bus Rapid Transit lines in the next 10 years. The city is working on developing a Mobility as a Service platform with Metro Transit; it is also developing a network of Mobility Hubs. It is also updating its Complete Streets policy and investments. It recently released the draft of the Vision Zero plan, which outlines the investment priorities. The city is working with Xcel Energy and the City of St. Paul to build EV charging infrastructure. It is also working on new curbside management policies and tools.

5.7.3 Conclusion

The major challenge for Minneapolis is the increasing congestion by the growing demand of both passengers and freight transport. Cars remain the most popular mode of transport. Cultural factors and weather are the main barriers to the mental shift. This city is conscious

of the efforts needed to educate and increase people environmental concerns that will generate the change. Also, they acknowledge the data collection as a key factor for raising the understanding of the impact of passengers and freight mobility actions and improving decision making. According to this perception, the city is making investments and efforts for developing mobility infrastructures, providing new services and defining new plans and policies. The table in Annex L: contains almost all data requested, the missing information falls under freight mobility. The city is interested in the results from Budapest, which will give insights about the use of dockless services that Minneapolis may find useful to motivate the passengers to use this service, adapting it to its idiosyncrasy.

5.8 Almada (Portugal)

5.8.1 Introduction

Almada is located on the south bank of the Tagus River across from Lisbon (which is the capital of Portugal). It includes two cities (Almada and Costa da Caparica), suburban neighbourhoods and rural areas, Almada is one of the 18 municipalities that compose the Lisbon Metropolitan Region (Figure 5.8.1).

According to the last census of the population (2011), Almada Municipality has 174,030 residents living in 72 km², representing a population density of about 2,500 inhabitants/km² which is more than twice as much the population density of the Lisbon Metropolitan Area. However, the population is not homogeneously distributed in the Municipality, with significant differences between the more urban and densely populated areas like Cova da Piedade, Almada, Laranjeiro or Feijó and the outskirts like Sobreda, Trafaria or Charneca da Caparica.

This city is interested in two pilots: 1) the city of Tel Aviv (Israel) which is testing data-driven urban mobility planning and traffic management strategies to prioritise nonmotorized transport modes and vulnerable road users; 2) the city of Ningbo (China) which is testing a hyper-local on-demand logistics.




Figure 5.8.1. 2nd-Layer city: Almada (location)

5.8.2 Description of the urban mobility landscape

Although Almada has several points of interest, nearly 50% of the trips made in the municipality refer to crossing traffic, as Almada is the southern gateway to Lisbon: the bridge crossing the Tejo river, connecting Almada and Lisbon, serves nearly 160,000 vehicles a day. Mobility patterns of the population of the municipality of Almada are also influenced by the fact that from the total employed residents, about 46% work in a different municipality (mostly Lisbon and Seixal). Of the people that work inside the municipality of Almada, most work in the city of Almada (35%). The result is that from the 124,000 commuting movements of Almada municipality only 47% are internal; 32% refer to people from Almada commuting to other municipalities and 21% correspond to people doing the opposite flow (from other municipalities to Almada).

According to the 2015 Mobility Survey, the modal distribution of commuting trips of Almada residents (including departures from the municipality) shows that almost half of their trips were made by individual motorized transport (47%), while about 36% were by public transport. and 17% on foot. Bicycle use is negligible.

In relation to logistics, at present, with the exception of the loading/unloading time windows, no specific city logistics solutions aiming at rationalizing freight distribution and at reducing CO₂ emissions and energy consumption exist in Almada. The development of a Sustainable Urban Logistics Plan (SULP) envisaged the creation of an Urban Consolidation Centre for last-mile deliveries with the aim of reducing the freight traffic in the city centre, but it hasn't been implemented so far. Moreover, no significant agreements are known to exist among

freight operators (mainly based in Lisbon) for consolidating and optimized deliveries and trips to Almada.

Almada started developing a Sustainable Urban Mobility Plan that is currently on hold, by decision of the present city council administration. In terms of infrastructure investments, Almada will expand the tram service and the EV charging infrastructure and reformulate and update the service level of the bus network. It has to be pointed out the city is implementing a living lab on logistics and circular economy.

5.8.3 Conclusion

Despite the efforts from the City Council to promote a multimodal mobility system in Almada in the last years, there is still a high car dependency in the daily trips of residents and visitors of Almada. From the 160,000 vehicles crossing the bridge every day to and from Lisbon together with other daily commuters coming to and from Almada, around 50% use private car, one third public transport and only 17% walking while the bicycle use is almost residual.

The city's SUMP is now in stand by and the recent Sulp contemplates the use of an urban consolidation centre for the last mile deliveries in the city centre (motivated and co-funded by the participation in the EU ENCLOSE project) which, among other measures, contemplates the creation of an urban consolidation centre for the last mile deliveries in the city centre. This UCC will be tested on a small-scale level within the framework of the Decarbonization Living Lab of Almada, which will run through 2020.

Although the SUMP is waiting for the final political steering and decision, the city is progressing with measures to improve urban mobility. One is the aforementioned UCC; others are the investments in EV charging infrastructures and in the public transport system.

This city is interested in two demonstrators. Tel-Aviv will bring insights for improving data collection and decision making; Ningbo, with the hyperlocal pilot, will help in integrating and improving local businesses.

Data collection for this deliverable shows the city can produce almost all the KPIs requested (see Annex M:).

5.9 's-Hertogenbosch (Netherlands)

5.9.1 Introduction

's-Hertogenbosch is located in the South of the Netherlands. Its population is around 150,000 inhabitants and with 2000 households/km². This city is interested in two pilots: 1) the city of Valencia (Spain) which is testing an intermodal urban passenger/ freight node for collective public & private transport; 2) the city of Budapest (Hungary) which is testing new dock-less bike-sharing and car-sharing systems.

5.9.2 Description of the urban mobility landscape

's-Hertogenbosch organised a survey among citizens to estimate travel behaviour, modal choices and the future adaptation of new mobility services and new modes of transport. It is expected that the growth of e-bikes will be of high significance in the city. Also, the amount of electric cars is expected to rise significantly over the next 5 years. The city makes an effort to provide the citizen with a smooth transition to sustainable urban mobility, especially bike, e-bike and electric car and zero-emission public transport and zero-emission inner-city logistics. From the survey, it was concluded that there are main differences between mobility choices of inhabitants of urban neighbourhoods and suburban areas. The city therefore aims at improving external accessibility by both car and train.

This city has a SUMP in effect which was updated 2 years ago and which it still further elaborates, such as with a sustainable mobility action plan which is in preparation and will be in effect beginning of 2020. The SUMP has four main working lines explained below:

- Infrastructure (hardware): the city is programming multiple inner-city road redesigns whereby less public space is devoted to cars and more emphasis is put on quality of the urban fabric.
- Technology (software): it focuses on the implementation of software and data-based smart mobility solutions in order to reduce traffic congestion (by the use of apps) and modal shift towards sustainable modes of transport by the implementation of Mobility as a Service.
- Behaviour (mindware): it starts a multimodal campaign focussed towards behavioural change (modal shift) towards sustainable modes of transportation: bike, e-bike, carsharing, public transport and electric car.
- Cooperation (orgware): it is working on a multiyear program focussing on sustainable transportation of employees in its municipality, working together with businesses and entrepreneurs.

5.9.3 Conclusion

From a survey conducted by Hertogenbosch, they realized citizens will increase the use of e-bike dramatically in the city. Also, electric cars will rise significantly over the next 5 years. These results motivated the city to focus the effort on providing citizens with a smooth transition towards the use of new mobility services, especially e-bike, electric car, zero-emission public transport and zero-emission inner-city logistics. The actions are defined in the SUMP under four main strategies that affect to: the infrastructures, the use of new technologies, the citizens' behavior increasing awareness and agents' behavior fostering cooperation.

The two pilots that this city is interested in are aligned with the goals of the city which aims at providing the population with new mobility services and improve logistics management. Especially the pilot in Budapest will help in providing insights for the correct adoption of e-

bike services. The pilot in Valencia will give Hertogenbosch the opportunity to validate the use of an intermodal node based on improving the use of bikes and e-bikes for both, either passengers or freight mobility.

With regard to the state of data compilation, this city lacks a lot of KPIs and therefore, it will require increasing the efforts during the next stages of the project (see Annex N:).

6 Comparison and benchmarking

6.1 Introduction

As can be understood from the preceding sections, the SPROUT cities vary greatly in size and profile. In this chapter the data on the KPIs (see annex) is used to compare the cities' mobility characteristics and put their profiles in perspective.

The KPI data was collected by each of the SPROUT-cities individually. For guidance in the process, not only a template was developed (deliverable 2.1), but also several conference calls were organised in which the city representatives could ask additional questions (see section 3.2). After the filled-in templates were returned to the project team, the data was verified and discussed in several iterations. However, the availability of data with regard to the requested indicators remained an issue (reflecting the wider data unavailability in many European cities), as can be seen in table 6.1.

Notable differences in local data collection methods were observed, such as for the data on accidents, so these KPIs were left out of the comparison in order to avoid a distorted picture. For other KPIs, such as those that concern urban logistics, in most cases data was simply not available. Hence, a selection is made of indicators for which both the data was available for sufficient number of cities and where the data was measured in a format compatible with that of other cities. For the indicators that were selected, data availability for the region of West-Midlands (Birmingham) was insufficient, so this city is left out of the benchmark.

The benchmark is structured around 7 themes: traffic volume and spatial impact, environmental impact, vehicle ownership, shared mobility, commuting, modal split, price level of mobility and urban logistics. To facilitate comparison various additional calculations were made: data on the traffic volume was calculated as a proportion of the city population (section 6.1), data on the price level of mobility (section 6.7) was converted from local currencies to euros and was calculated as a percentage of the local average monthly income.

Table 6.1.1. Availability of KPI data (in the requested format)

	Valencia	Padova	Kalisz	Budapest	Tel A.	Paris	Mech.	Ioannina	s-Hert.	Gothenb.	Arad	Almada	Minn.	Birm.
Population														
City	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Metro	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
KPI01 - Residents' net average monthly income														
Per year	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Per month	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
KPI02 - Price level of transport														
Price for one hour of parking in the city centre	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Price for a single trip by public transport	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Price for a monthly public transport pass	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Average local price of one litre 95-octane petrol	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
KPI03 - Vehicle ownership														
Car ownership	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	no	no
Bicycle ownership	no	no	no	no	yes	yes	yes	no	no	yes	yes	yes	no	no
Motorcycle ownership	yes	no	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	no	yes
E-scooter ownership	no	no	no	no	yes	no	no	no	no	no	yes	no	no	no
KPI04 - Mobility Net Public Finance														
Mobility Net Public Finance	no	yes	no	yes	yes	no	no	no	no	no	yes	no	no	no
KPI05 - Mobility space usage														
Mobility space usage (m2/capita)	no	yes	yes	yes	no	yes	yes	no	no	no	yes	no	no	no
KPI06 - Distribution of land use types (%)														
Residential land use	yes	yes	no	yes	yes	yes	yes	no	no	no	yes	yes	yes	no

D2.2: Current state of urban mobility

Industrial & business land use	yes	yes	no	yes	yes	yes	yes	no	no	no	yes	yes	yes	no
Commercial land use	no	yes	no	yes	yes	no	no	no	no	no	yes	no	yes	no
Recreational land use	no	yes	no	yes	yes	no	yes	no	no	no	yes	no	yes	no
KPI07 - Commuting to work														
Average commuting distance (km)	no	yes	yes	no	yes	yes	no	yes	yes	yes	yes	yes	no	no
Average commuting time (min)	no	yes	yes	no	yes	yes	yes	yes	no	yes	yes	yes	yes	no
KPI08 - Proportion of road types														
High-speed roads rate	no	yes	yes	yes	yes	no	yes	no	no	no	yes	no	no	yes
Slow roads rate	no	yes	yes	yes	yes	yes	yes	yes	no	no	yes	no	no	yes
Bicycles lanes rate	no	yes	no	yes	yes	yes	no	yes	no	no	yes	no	no	yes
Bus lanes rate	no	yes	no	yes	yes	yes	no	no	no	no	yes	no	no	yes
KPI09 – Fatalities														
Fatalities	Data too variable for analysis													
KPI10 - Urban mobility accidents														
Car accidents per 100,000 inhabitants	Data too variable for analysis													
Public transport accidents														
Bikes accidents														
E-scooter accidents														
KPI11 - Traffic volume of cars														
Average number of private cars entering the city on a daily basis	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	no	no
KPI12 - Traffic volume of freight vehicles														
Average number of trucks entering the city on a daily basis	no	yes	yes	yes	no	no	yes	no	no	yes	yes	yes	no	no
KPI13 - Environmental impact of urban mobility														
GHG (Kg CO2/inhabitant)	no	yes	no	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
PM10 (µg/m3)	yes	yes	no	no	yes	yes	yes	no	no	yes	no	yes	no	no

D2.2: Current state of urban mobility

NO ₂ (µg/m ³)	yes	yes	yes	no	yes	yes	yes	no	no	yes	no	yes	no	no
KPI14 - Rate of parking spaces														
Rate of parking spaces	no	yes	yes	no	yes	yes	yes	yes	no	yes	yes	no	no	no
KPI15 - Modal split for passenger trips within the city														
Car as a driver	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Car as a passenger	no	no	no	yes	no	no	yes	yes	yes	no	yes	no	no	no
Public transport	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Cycling	no	yes	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	yes	no
Walking	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Other	no	yes	yes	no	yes	no	no	no	yes	yes	yes	yes	yes	no
KPI16 - Modal split for trips for commuting to the city														
Car as a driver	no	yes	no	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	no
Car as a passenger	no	no	no	yes	yes	no	yes	no	yes	no	yes	no	yes	no
Public transport	no	yes	no	yes	yes	yes	yes	no	yes	no	yes	yes	yes	no
Cycling	no	yes	no	no	yes	no	yes	no	yes	no	yes	yes	yes	no
Walking	no	yes	no	yes	yes	no	yes	yes	yes	no	yes	yes	yes	no
Other	no	yes	no	no	yes	no	yes	no	yes	no	yes	yes	no	no
KPI17 - Availability of bike-sharing														
Station-based	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Free-floating	yes	yes	yes	yes	yes	no	yes	yes	yes	yes	yes	yes	yes	no
Number of station-based bike sharing operators in operation	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
Number of free-floating bike sharing operators in operation	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no
KPI18 - Availability of e-scooter sharing														
Number of e-scooters deployed in the city per capita	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	no
Number of e-scooter operators in operation	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no

D2.2: Current state of urban mobility

KPI19 - Availability of car sharing														
Number of station-based shared cars deployed per capita	no	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	no
Number of free-floating shared cars deployed per capita	no	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	no
Number of station-based car sharing operators in operation	no	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	yes	no
Number of free-floating car sharing operators in operation	no	yes	yes	yes	yes	yes	yes	yes	yes	no	yes	yes	no	no
KPI20 - Availability of real-time travel information														
Availability of real-time travel information	no	yes	yes	yes	yes	no	no	yes	yes	no	no	yes	yes	no
KPI21 - Availability of smart payment and booking methods on local public transport														
Availability of smart payment and booking methods on local public transport	no	yes	yes	no	yes	yes	no	yes	yes	yes	yes	yes	no	no
KPI22 – Commercial establishments														
Number of shops	no	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	no
Number of supermarkets	no	yes	no	yes	yes	yes	yes	yes	yes	yes	yes	no	no	no
Number of restaurants	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	no	no
Number of other type of establishments	no	yes	no	no	no	no	yes	yes	no	yes	yes	no	no	no
KPI23 - Delivery vehicle parking														
Delivery vehicle parking	no	yes	yes	yes	yes	no	yes	no	no	yes	yes	no	no	no
KPI24 - Freight trips														
Freight trips	no	yes	no	no	no	no	yes	no	no	yes	yes	yes	no	no
KPI25 - Goods delivery frequency														
Average number of weekly deliveries per shop	No data for most cities. Existing data too variable for analysis.													
Average number of weekly deliveries per supermarket														
Average number of weekly deliveries per restaurant														
Average number of weekly deliveries per other type of establishment														
KPI26 - Goods delivery volumes														

D2.2: Current state of urban mobility

Average number of boxes (50x50x50 cm) per delivery per shop	no	no	no	no	no	no	no	no	no	yes	no	no	no	no
Average number of boxes (50x50x50 cm) per delivery per supermarket	no	no	no	no	no	no	no	no	no	yes	no	no	no	no
Average number of boxes (50x50x50 cm) per delivery per restaurant	no	no	no	no	no	no	no	no	no	yes	no	no	no	no
Average number of boxes (50x50x50 cm) per delivery	no	no	no	no	no	no	no	no	no	yes	no	no	no	no
KPI27 - Urban logistics innovation														
number of freight capacity sharing (cargo consolidation) apps for urban delivery	no	no	no	no	no	no	yes	no	no	yes	no	yes	yes	no
number of transportation companies providing combined urban passenger & cargo delivery services by using spare (public or private) passenger transport capacity	no	no	no	no	no	no	yes	no	no	yes	no	yes	yes	no
number of transportation companies providing green urban delivery services (e.g. with cargo-bikes, bikes, electric vans)	no	no	no	no	yes	no	yes	no	no	yes	no	yes	yes	no
number of companies providing on-demand next-hour to same-day delivery services (e.g. for delivering at home an order placed online to a store)	no	no	no	no	yes	no	yes	no	no	yes	no	yes	yes	no
number of companies providing or testing delivery services using autonomous/automated vehicles	no	no	no	no	yes	no	yes	no	no	yes	no	yes	yes	no

6.2 Traffic volume and spatial impact

Figures 6.2.1 - 6.2.3 show several indicators with regard to the volume of traffic and its spatial impact: the number of private cars entering the city (KPI11), the number of parking places per household (KPI14) and the usage of space for mobility (KPI05). For easing the comparison between the cities that strongly differ in size, the number of private cars is also divided by the number of inhabitants. It must be kept in mind that comparison remains difficult due to the fact that the precise location of administrative borders of cities and the resulting inclusion or exclusion of zones of traffic attraction and generation may greatly influence the results.

With regard to the number of cars entering the city, we notice strong differences between the cities, with 's-Hertogenbosch attracting the highest number of cars and Ioannina the lowest number relative to the number of inhabitants. The number of parking spaces per household also shows a strong variability, though less marked as the former KPI. In terms of spatial impact, we observe the highest number of mobility space usage in Mechelen, though a complete analysis data is lacking for too many cities for an overall analysis.




Figure 6.2.1. Private cars entering the city per inhabitant per day⁴




Figure 6.2.2. Parking places per household⁵

⁴ Data was not available or for cities for which no values are shown. For references, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.




Figure 6.2.3. Mobility space usage per capita⁶

6.3 Environmental impact

Figures 6.3.1 – 6.3.3 show several key indicators for air pollution: CO₂ emissions, the average level of PM₁₀, and the average level of NO_x produced by transport (KPI13). Among the observed cities, we notice that Minneapolis has by far the highest level of CO₂ emissions produced by transport. For the other two indicators, data from Minneapolis is not available, but the significant differences exist especially with regard to NO_x, for which the emissions of Tel Aviv are about six times higher than those of Paris.

⁵ Ibid

⁶ Data was not available or for cities for which no values are shown. For references, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.




Figure 6.3.2. CO₂ emissions produced by transport⁷




Figure 6.3.1. Average level of PM₁₀ produced by transport⁸

⁷ Data was not available or for cities for which no values are shown. For references, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.

⁸ Ibid




Figure 6.3.3. Average level of NOx produced by transport.⁹

6.4 Vehicle ownership

Figures 6.4.1 – 6.4.3 show the numbers of registered vehicles (cars, motorcycles and bicycles) per 1000 inhabitants (KPI03). For cars, the strongest difference can be noted between Mechelen on the one hand with almost 900 vehicles and Arad on the other hand with about 150 vehicles per 1000 inhabitants. Mechelen also has the highest ownership rate of bicycles, followed by Gothenburg, but it must be kept in mind that bicycle registration data is available in only a few cities. Motorcycle ownership rates show a different picture, with Valencia topping the list.

⁹ Data was not available or for cities for which no values are shown. For references, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.




Figure 6.4.1. Number of registered cars per 1000 inhabitants.

10

10 Data was not available or for cities for which no values are shown. For references, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.




Figure 6.4.2. Number of registered motorcycles per 1000 inhabitants.¹¹

¹¹ Ibid




Figure 6.4.3. Number of registered bicycles per 1000 inhabitants.¹²

6.5 Shared mobility

Figures 6.5.1 – 6.5.3 provide an indication of the accessibility of shared mobility by showing the number of shared cars, bicycles and e-scooters per 1000 inhabitants (KPI019, KPI017, KPI018). We see that Ioannina has the highest rate of shared cars (station-based), whereas in several cities the number of shared cars is much smaller or non-existing (table 6.5.1).

Gothenburg has the highest number of (station-based) shared bicycles, which are non-existent in Ioannina, Arad and Almada. While most cities have more station-based than free-floating bicycles, in Padua only free-floating bicycles are available.

¹² Data was not available or for cities for which no values are shown. For references, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.

Table 6.5.1. Availability of sharing systems in SPROUT cities

Availability of sharing systems					
	Station-based car sharing	Free floating car sharing	Station-based bike sharing	Free-floating bike sharing	E-scooter sharing
Valencia	No data	No data	Yes	Yes	Yes
Padua	Yes	No	Yes	Yes	No
Kalisz	No	No	Yes	No	No
Budapest	No	Yes	Yes	Yes	Yes
Tel Aviv	Yes	Yes	Yes	Yes	Yes
Paris	Yes	No data	Yes	No data	Yes
Mechelen	Yes	No	Yes	Yes	Yes
Ioannina	No	No	No	No	No
's-Hertogenbosch	Yes	No	Yes	No	No
Gothenburg	Yes	No	Yes	No	Yes
Arad	No	No	No	No	No
Almada	No	No	No	No	Yes
Minneapolis	Yes	No	Yes	Yes	Yes





Figure 6.5.1. Number of shared cars per 1000 inhabitants¹³

Figure 6.5.2. Shared bicycles per 1000 inhabitants¹⁴

¹³ Data was not available or for cities for which no values are shown. For references and definitions, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.






Figure 6.5.3. Shared e-scooters per 1000 inhabitants¹⁵

6.6 Commuting

In figures 6.6.1 and 6.6.2 the cities are compared concerning the average time and distance for the commute of their inhabitants, which is defined as the time it takes to travel to work (KPI07). It can be noted that Padua has the longest commute time-wise. Though commuters in Padua travel relatively far, commuters in 's-Hertogenbosch travel furthest.

¹⁵ Data was not available or for cities for which no values are shown. For references, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex..




Figure 6.6.1. Average commuting distance¹⁶



Figure 6.6.2. Average commuting time¹⁷

¹⁶ Data was not available or for cities for which no values are shown. For references, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.

¹⁷ Ibid

6.7 Modal split

Figures 6.7.1 and 6.7.2 compare the cities in terms of modal split, both for trips within the city (KPI015) as for commuter trips to the city (KPI016). For trips within the city, it can be observed that the rate of car usage is by far the highest in Minneapolis (over 80% of trips), while for commuter trips Budapest has the highest rate and Ioannina has the lowest rate of car usage.

Logically, the usage rate of active modes is more important for trips within the city than for commuting. Especially Paris is remarkable for its extraordinarily high rate of walking. For commuter trips this region also stands out for its high rate of public transport usage.




Figure 6.7.1. Modal split for trips within the city (% of trips)¹⁸

¹⁸ For some cities, data is not available for some transport modes which are therefore categorised as 'not defined'. For references, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.




Figure 6.7.2. Modal split for commuting trips from outside the city (% of trips)¹⁹

6.8 Price level of mobility

Figures 6.8.1 – 6.8.8 show the price levels of several components of mobility in the SPROUT cities (KPI02), both in absolute terms as in percentages of the average monthly income per capita. The indicators include the price of parking (one hour in the city centre), the price of a single trip by public transport, the price of a monthly public transport pass and the price of one litre of petrol.

In terms of parking, Paris and Valencia are the most expensive cities (regions). Parking in these cities is also expensive when measured relative to income, though here Ioannina tops the list.

When looking at the prices for public transport, but also for petrol, it is remarkable that the prices in Arad are modest in an absolute sense, but high in relative terms. For the monthly public transport pass, 's-Hertogenbosch and Minneapolis stand out both in absolute as in relative terms.

It must be kept in mind that direct comparisons of price levels entail various difficulties. Parking prices, for example, typically vary throughout the city by zone, and the ratio of the prices in the most expensive zone to the average parking prices in cities might differ from city to city.

¹⁹ For some cities, data is not available for some transport modes which are therefore categorised as 'not defined'. For references, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.

Also, there are various ways to define the price a single trip by public transport. In 's-Hertogenbosch, for example, a flat-rate single ride ticket is relatively expensive, but the price of a fare is typically calculated in accordance with the distance travelled. Similar difficulties




Figure 6.8.1. Price of a single trip by public transport²⁰

pertain for the comparison of month passes, which in certain cities might be valid for all possible transport modes in the entire city, but in other cities only for a specific transport mode, trajectory or zone.

²⁰ All prices converted from local currencies to euros (December 2019). Data was not available or for cities for which no values are shown. For references and definitions, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.




Figure 6.8.3. Price of a single trip by public transport relative to income²¹




Figure 6.8.2. Price of one hour of parking in the city centre²²

21 All prices converted from local currencies to euros (December 2019). Data was not available or for cities for which no values are shown. For references and definitions, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.

22 Ibidem




Figure 6.8.4. Price of one hour of parking in the city centre relative to income²³

²³ All prices converted from local currencies to euros (December 2019). Data was not available or for cities for which no values are shown. For references and definitions, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.




Figure 6.8.5. Price of a monthly public transport pass²⁴

²⁴ Ibidem




Figure 6.8.7. Price of a monthly public transport pass relative to income²⁵




Figure 6.8.6. Average local price of a litre of petrol²⁶

²⁵ All prices converted from local currencies to euros (December 2019). Data was not available or for cities for which no values are shown. For references and definitions, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.

²⁶ Ibidem




Figure 6.8.8. Average local price of a litre of petrol, relative to income²⁷

6.9 Urban logistics

As table 6.1.1 shows, data concerning urban logistics is very sparse. Most cities do not have data available, or the data is too variable for analysis. Figures 6.9.1 and 6.9.2 nevertheless show the characteristics of the SPROUT cities with regard to two urban logistics indicators: the number of delivery vehicle parking places and the number of daily freight trips. From the cities that have data available, Paris stands out from the rest in terms of delivery vehicle parking places. For the number of daily freight trips, there is a clear division between on the one hand Arad, Almada and Mechelen with more than 16 daily freight trips, and on the other hand Padova and Gothenburg with fewer than 3 daily freight trips per 1000 inhabitants.

²⁷ All prices converted from local currencies to euros (December 2019). Data was not available or for cities for which no values are shown. For references and definitions, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.




Figure 6.9.2. Number of delivery vehicle parking places per 1000 inhabitants²⁸




Figure 6.9.1. Number of daily freight trips 1000 inhabitants²⁹

²⁸ Data was not available or for cities for which no values are shown. For references and definitions, refer to the individual city profiles in chapters 4 and 5 and the KPI tables in the annex.

²⁹ Ibidem

7 Conclusion

This deliverable presents a first overview of the urban mobility situation in the 1st and 2nd - layer SPROUT cities. The data used for this deliverable was collected by representatives of the cities themselves, based on the KPIs that were presented in deliverable 2.1. For many cities, the collection of data in the proposed format appeared to be challenging, especially for certain themes such as urban logistics. Hence, for the benchmark it was decided to compare the cities in a few key themes with regard to the urban mobility transition (volume of traffic and spatial impact, environmental impact, vehicle ownership, shared mobility, commuting, modal split, price level of mobility and urban logistics). From the analysis we can conclude that the cities show very large differences in all themes. With the available data it is therefore difficult to establish rankings with regard to sustainable mobility, to distinguish patterns or to typify thematic clusters of cities.

Certain cities, however, stand out from the rest on or several topics. Arad, for example, has very high mobility prices (price petrol, price of public transport tickets) when calculated as a percentage of income. Minneapolis has by far the highest car use rate (over 80%). Tel Aviv stands out in the sense that all types of shared mobility are available, while in other cities (Arad, Almeida, Ioannina), no shared mobility systems exist.

Annex A: Urban mobility KPIs for Valencia

Urban population and economics						
KPI01 - Residents' net average monthly income						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency
Residents' net average monthly income	1,479 €	VI Monitor Anual Adecco sobre Salarios para la Comunidad Valenciana (2018)	Valencian Region		VPF and Valencia City Council	Yearly
KPI02 - Price level of transport						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency
Price for one hour of parking in the city centre	3.42€	Parking Reino de Valencia: https://www.empark.com/es/es/parking/valencia/parking-reino-de-valencia-valencia/	City		VPF and Valencia City Council.	Monthly
Price for a single trip by public transport	1.5€	Local public transport companies: https://www.metrovalencia.es/wordpress_en/?page_id=304				
Price for a monthly public transport pass	41€	Local petrol providers: https://www.clickgasoil.com/c/precio-gasolina-95-valencia				
Average local price of one litre 95-octane petrol	1.296€	European petrol prices: https://ec.europa.eu/energy/en/data-analysis/weekly-oil-bulletin#content-heading-1				
KPI03 - Vehicle ownership rate						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency
Cars ownership	440.1	Annual Statistics of Valencia City 2018 Chapter 3 Section 1.1	City		Valenciaport	Yearly

D2.2: Current state of urban mobility

Motorcycle ownership	-				Foundation and City Hall of Valencia	
E-scooter ownership	99.6					
Bicycle ownership	-					
KPI04 - Mobility Net Public Finance						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Mobility Net Public Finance	No data					
Urban land use and accessibility						
KPI05 - Mobility space usage						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Mobility space usage	No data					
KPI06 - Distribution of land use types						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Residential land use	20.5%	Space occupied by the specific activity [km2]: Annual Statistics of Valencia City 2018 Chapter 4 Section 1.2 City area [km2]: Annual Statistics of Valencia City 2018 Chapter 4 Section 1.2	City		Valencia City Council - Servicio de Planeamiento. Ayuntamiento de Valencia	Yearly
Industrial & business land use	2.1%					
Commercial land use	-					
Recreational land use	-					

KPI07 - Commuting to work						
No data						
Urban traffic and infrastructure						
KPI08 - Proportion of road types						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
High-speed roads rate						
Slow roads rate						
Bicycles lanes rate ³⁰	141, 43.5		¿??			
Bus lanes rate						
KPI09 - Fatalities						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
Fatalities	1.9	Annual Statistics of Valencia City 2018 Chapter 3 Section 7.1	City		Valencia City Council - Policía Local. Ayuntamiento de València	2017, Yearly

³⁰ First value for bicycle lanes, second value for bicycle boulevards

KPI10 - Urban mobility accidents						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
Car accidents	1,457	Annual Statistics of Valencia City 2018 Chapter 3 Section 7.3	City		Valencia City Council - Policía Local. Ayuntamiento de Valencia	Yearly
Public transport accidents	268					
Bikes accidents	62					
E-scooter accidents	47					
KPI11 - Traffic volume of cars						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
Traffic volume of cars	544,496	Annual Statistics of Valencia City 2018 Chapter 3 Section 9.2	City		VPF and Valencia City Council	Yearly
KPI12 - Traffic volume of freight vehicles						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
Traffic volume of freight vehicles	No data					
KPI13 - Environmental impact of urban mobility						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
GHG per inhabitant						
PM ₁₀ (µg/m3)	16 µg/m3	Annual Statistics of Valencia City 2018 Chapter 12 Section 1	City (six measurement stations Pista de Silla, Viveros, U.		Conselleria de Medio Ambiente.	2018, yearly (Mol del Sol))

D2.2: Current state of urban mobility

NO ₂ (µg/m ³)	34.3 µg/m ³		Politécnica, Av. Francia, Moli del Sol and Bulevar Sur).	Generalitat Valenciana	201, yearly (Av. Francia)
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces					
No data					
KPI15 - Modal split for passenger trips within the city					
No data					
KPI16 - Modal split for trips for commuting to the city					
No data					
KPI17 - Availability of bike-sharing					
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible & Date Frequency
Number of station-based shared bicycles per capita	6.89/1000	Annual Statistics of Valencia City 201831 Chapter 3 Section 10.3	City		Servicio de Movilidad Sostenible. Ayuntamiento de València Yearly
Number of free-floating shared bicycles per capita	3.44/1000 (2750 total sharing bicycles)				
Number of station-based bike sharing operators in	1				

D2.2: Current state of urban mobility

operation					
Number of free-floating bike sharing operators in operation	1				
KPI18 - Availability of e-scooter sharing					
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible & Date Frequency
Number of e-scooters deployed in the city per capita	1,365 (January 2019)	Piece of news: https://www.lasprovincias.es/valencia-ciudad/motos-alquiler-circulan-valencia-20190123010114-nt.html	City		City Council of Valencia Yearly
Number of e-scooter operators in operation	6	https://www.lasprovincias.es/valencia-ciudad/motos-electricas-alquiler-valencia-20190121121825-nt.html			
KPI19 - Availability of car sharing					
No data					
KPI20 - Availability of real-time travel information					
No data					
KPI21 - Availability of smart payment and booking methods on local public transport					
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible & Date Frequency
Availability of smart payment and booking methods on local public transport					
Urban Logistics					
KPI22 – Commercial establishments					

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
Number of shops						
Number of supermarkets						
Number of restaurants	2,401	Valencia city statistics office: Chapter 6 section 7 Oferta turística municipal y comarcal 2017. Agencia Valenciana de Turismo				31/12/2017
Number of other type of establishments (specify type)						
KPI23 - Delivery vehicle parking						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
Delivery vehicle parking	1783 places	Valencia city statistics office: Chapter 3 section 11 ³²	City		Sustainable Mobility Service of the Valencia City Council	2017, Yearly
KPI24 - Freight trips						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
Freight trips						

KPI25 - Goods delivery frequency						
No data						
KPI26 - Goods delivery volumes						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
No data						
KPI27 - Urban logistics innovation						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
No data						

Annex B: Urban mobility KPIs for Padua

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	2,248€/€	Ministry of Economy and Finance	City	Ministry of Economy and Finance	2018, Yearly
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	1.10€ to 2€	Local public transport company Busitalia	City Centre	-	-
Price for a single trip by public transport	1.30€	https://www.parcheggipadova.it/index.php/parcheggi/park-stradali-le-tariffe	City		
Price for a monthly public transport pass	39€ (26€ for students)	Local petrol providers: https://www.prezzibenzina.it/regioni/veneto/padova			
Average local price of one litre 95-octane petrol	1,470€	European petrol prices: https://ec.europa.eu/energy/en/data-analysis/weekly-oil-bulletin#content-heading-1			
KPI03 - Vehicle ownership rate					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership	597	PUMS , Report 3, page 18, tab 3.3	City	Municipality	2017

D2.2: Current state of urban mobility

Motorcycle ownership	-				
E-scooter ownership	-				
Bicycle ownership	-				
KPI04 - Mobility Net Public Finance					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility Net Public Finance	$\frac{26.548.234 - 26.670.613}{6.343.000.000} = -0.00193\%$	City government annual revenues and city government annual operation costs related to city transport: Financial resources Department of the municipality of Padua GDP (CENSIS statistics)			
Urban land use and accessibility					
KPI05 - Mobility space usage					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility space usage	0.00006 km ² / capita	Space occupied by the specific mobility application (e.g. GIS, statistics office). Mobility Office statistics Number of inhabitants: Statistics dept.	City	Municipality	2019
KPI06 - Distribution of land use types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residential land use	33,6%	Municipal GIS database	Municipality boundaries	Local urban planning office	Discontinuous
Industrial & business land use	12,7%				
Commercial land use	1,0%				

D2.2: Current state of urban mobility

Recreational land use	6,1%				
KPI07 - Commuting to work					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance	16 kms	PUMS, Report 3, page 144, point 9.12	City	-	-
Average commuting time	60 minutes	PUMS, Report 3, page 145, point 9.15		-	-
Urban traffic and infrastructure					
KPI08 - Proportion of road types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
High-speed roads rate	17%	-	City	Municipality	2017
Slow roads rate	82%	PUMS, Report 3, page 37, point 4.3			
Bicycles lanes rate ³³	17%	PUMS, Report 3, page 37, point 4.3			
Bus lanes rate	1%	PUMS, Report 3, page 37, point 4.3			
KPI09 - Fatalities					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

³³ First value for bicycle lanes, second value for bicycle boulevards

D2.2: Current state of urban mobility

Fatalities	2.86	Local Police statistics	City	Local Police	2018, Yearly
KPI10 - Urban mobility accidents					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car accidents	722.4	Local Police statistics	City	Local Police	2018, Yearly
Public transport accidents	14.28				
Bikes accidents	NA				
E-scooter accidents	NA				
KPI11 - Traffic volume of cars					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of cars	121,287	Local police video surveillance Statistics. The extrapolated data represents the vehicles passing through the 15 main gates where there are cameras with car number plates reading.	Part of the city	Local Police	Daily
KPI12 - Traffic volume of freight vehicles					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of freight vehicles	3.913	Local police video surveillance Statistics. The extrapolated data represents the vehicles passing through the 15 main gates where there are cameras with car number plates reading.	Part of the city	Local Police	Daily
KPI13 - Environmental impact of urban mobility					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

D2.2: Current state of urban mobility

GHG per inhabitant	1.332 kgCO2e/inhabitant	ARPAV measurement stations: https://www.arpa.veneto.it/dati-ambientali/open-data/atmosfera For PM10 and NO2, consider the city's measurement stations (in the urban area, roadside) - the greenhouse gases considered are CO2, CH4 and N2O as confirmed by ARPAV - 100-year GWPs are 21 for CH4 and 310 for N2O - annual emissions are taken from the regional inventory inemar version 2015, macro-sector 7 (road transport). If we also consider other types of transport (for example air transport) included in the macro sector 8, the figure becomes 1,398 kgCO2e / inhabitant	Part of the city	ARPAV	2019, Daily
PM10(µg/m3)	35 [µg/m3]				
NO2(µg/m3)	38 [µg/m3]				
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of parking spaces	$\frac{12.805}{115.651} = 0.110$	Mobility Office + taxes office	City	Municipality	2019
KPI15 - Modal split for passenger trips within the city					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	40%	PUMS, Report 3, page 128, fig. 9.1	City	Municipality	2017
Car as a passenger	NA				
Public transport	17%				
Cycling	18%				
Walking	8%				

Other	NA				
KPI16 - Modal split for trips for commuting to the city					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	40%	PUMS, Report 3, page 128, fig. 9.1	City	Municipality	2017
Car as a passenger	NA				
Public transport	17%				
Cycling	18%				
Walking	8%				
Other	NA				
KPI17 - Availability of bike-sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	0.00013	Municipality's Internal source	City	Operators	2019
Number of free-floating shared bicycles per capita	0.0028				
Number of station-based bike sharing operators in operation	1				
Number of free-floating bike sharing operators in operation	1				

KPI18 - Availability of e-scooter sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of e-scooters deployed in the city per capita	0				
Number of e-scooter operators in operation	0				
KPI19 - Availability of car sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared cars deployed per capita	12/210.000= 0.000057	Mobility office, municipality of Padua.	City	Municipality	2019, permanently updated
Number of free-floating shared cars deployed per capita	Do not exists				
Number of station-based car sharing operators in operation	1				
Number of free-floating car sharing operators in operation	Do not exists				
KPI20 - Availability of real-time travel information					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of real-time travel information	79%	Transport operator	City	Transport operator	2019. monthly
KPI21 - Availability of smart payment and booking methods on local public transport					

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of smart payment and booking methods on local public transport	65%	Transport operator	City	Transport operator	2019, monthly
Urban Logistics					
KPI22 – Commercial establishments					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of shops	1.414	Commerce department data (municipality of Padua)	City	Commerce department (municipality of Padua)	Permanently updated
Number of supermarkets	Total:665 591: <250mq 59: 51mq<x<1500mq 12: 500mq<x<2500mq 3: >2500 mq				
Number of restaurants	1.139				
Number of other type of establishments (specify type)	Craft activities: 674				
KPI23 - Delivery vehicle parking					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Delivery vehicle parking	296	Mobility Office	City	Municipality of Padua	2019, Always updated
KPI24 - Freight trips					

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Freight trips	550	RTZ Every day statistics	Historical centre (RTZ)	Local Police	30.10.2019, Daily
KPI25 - Goods delivery frequency					
No data					
KPI26 - Goods delivery volumes					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average number of boxes (50x50x50 cm) per delivery per shop	Na. see comments ³⁴				
Average number of boxes (50x50x50 cm) per delivery per supermarket	Na. see comments				
Average number of boxes (50x50x50 cm) per delivery per restaurant	Na. see comments				
Average number of boxes (50x50x50 cm) per delivery per other	Na. see comments				

³⁴ we managed to have different info from cityporto service (an active urban delivery service that groups deliveries from different transport operators (55):deliveries, base year 2018, entirely:

- Less than 10 kg: 37%
- between 10 and 250 kg: 54%
- . more then 250kg: 9%

D2.2: Current state of urban mobility

<i>type of establishment</i>					
KPI27 - Urban logistics innovation					
No data					

Annex C: Urban mobility KPIs for Kalisz

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	2 995,98 PLN	Local employment statistics	City	Central Statistical Office	2018, Yearly
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	2 PLN	Urban Road and Transport Authority Web Site Local public transport companies	City	Urban Road and Transport Authority	2019
Price for a single trip by public transport	2,7 PLN				
Price for a monthly public transport pass	112,00 PLN	Local petrol providers			
Average local price of one litre 95-octane petrol	5,00 PLN	European petrol prices: https://ec.europa.eu/energy/en/data-analysis/weekly-oil-bulletin#content-heading-1			
KPI03 - Vehicle ownership rate					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership	648	Central Statistical Office web site	City of Kalisz Wielkopolska voivodeship	Central Statistical Office Polish Automotive Industry Association report	2017, yearly
Motorcycle ownership	22	Central Statistical Office web site			

D2.2: Current state of urban mobility

<i>E-scooter ownership</i>	-				
<i>Bicycle ownership</i>	-				
KPI04 - Mobility Net Public Finance					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Mobility Net Public Finance</i>	<i>city revenues: 611 344 009,75 PLN</i> <i>transport and communications in city revenue structure: 2.7%</i> <i>city cost: 651 489 205.98 PLN</i> <i>transport and communications in city cost structure: 14.1%</i>	<i>Statistical vademecum of the local government</i>	<i>City of Kalisz</i>	<i>Statistical Office</i>	<i>2018, yearly</i>
Urban land use and accessibility					
KPI05 - Mobility space usage					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Mobility space usage</i>	<i>0.069km²/1000in</i>	<i>City own sources</i>	<i>City of Kalisz</i>	<i>City of Kalisz – Department of Geodesy and Cartography</i>	<i>2019</i>
KPI06 - Distribution of land use types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

D2.2: Current state of urban mobility

Residential land use	11.06%	City own sources	City of Kalisz	City of Kalisz – Department of Geodesy and Cartography	2019
Industrial & business land use	4.71%				
Commercial land use	2.53%				
Recreational land use	5.14%				
KPI07 - Commuting to work					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance	5 kms	Own estimation	City of Kalisz	City development department	2019
Average commuting time	15 minutes				
Urban traffic and infrastructure					
KPI08 - Proportion of road types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
High-speed roads rate	5.32%	URBAN ROAD AND TRANSPORT AUTHORITY own sources	City	Urban Road and Transport Authority	2019
Slow roads rate	15.32%				
Bicycles lanes rate	54.8 km – total length of bicycle path				
Bus lanes rate	0				
KPI09 - Fatalities					

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Fatalities	4.920049	Statistical Office web site	City	Regional Statistical Office	2017, Yearly
KPI10 - Urban mobility accidents					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car accidents	88 ³⁵	Statistical Office web site	City	Regional Statistical Office	2017
Public transport accidents	-				
Bikes accidents	-				
E-scooter accidents	0				
KPI11 - Traffic volume of cars					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of cars	39421	Survey	City	Urban Road and Transport Authority	2016
KPI12 - Traffic volume of freight vehicles					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of freight vehicles	9724	Survey	City	Urban Road and Transport Authority	2016
KPI13 - Environmental impact of urban mobility					

³⁵ Statistical Office gives only the total number of road accidents, without any breakdown by type of transport or vehicle (bicycles or scooters, public transport).

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
GHG per inhabitant					
PM ₁₀ (µg/m3)					
NO ₂ (µg/m3)	38 [µg/m3]				
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of parking spaces					
KPI15 - Modal split for passenger trips within the city ³⁶					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	37%	SUMP	City	City	2016
Car as a passenger	-				
Public transport	32%				
Cycling	12%				
Walking	16%				

³⁶ Modal split calculated based on the number of trips per mode

Other	3%				
KPI16 - Modal split for trips for commuting to the city					
No data					
KPI17 - Availability of bike-sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	0.002803	Bike sharing Transport operator	City	Bike sharing Transport operator	2019
Number of free-floating shared bicycles per capita	0				
Number of station-based bike sharing operators in operation	1				
Number of free-floating bike sharing operators in operation	0				
KPI18 - Availability of e-scooter sharing ³⁷					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of e-scooters deployed in the city per capita	NA				

³⁷ E-scooter sharing: service not available

D2.2: Current state of urban mobility

Number of e-scooter operators in operation	NA				
KPI19 - Availability of car sharing ³⁸					
No data					
KPI20 - Availability of real-time travel information					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of real-time travel information	100%	Bus transport operator website	City	Bus transport operator	2019, update on a regular basis
KPI21 - Availability of smart payment and booking methods on local public transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of smart payment and booking methods on local public transport	17.14% - Contactless smartcards 0.32% - Mobile ticketing	SUMP	City	Bus transport operator	2016
Urban Logistics					
KPI22 – Commercial establishments					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of shops	472	Survey	City Center	City	2016

³⁸ Car-sharing: service not available in Kalisz

D2.2: Current state of urban mobility

<i>Number of supermarkets</i>					
<i>Number of restaurants³⁹</i>	133				
<i>Number of other type of establishments (specify type)⁴⁰</i>	605				
KPI23 - Delivery vehicle parking					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Delivery vehicle parking</i>	8	URBAN ROAD AND TRANSPORT AUTHORITY own sources	City of Kalisz	Urban Road and transport authority	2019, Update on a regular basis
KPI24 - Freight trips⁴¹					
No data					
KPI25 - Goods delivery frequency⁴²					
No data					
KPI26 - Goods delivery volumes⁴³					

³⁹ Accommodation and food service activities

⁴⁰ Legal and financial services, public services, craft, other services

⁴¹ Available by mid-2020 using surveys in the city centre

⁴² Available by mid-2020 using surveys in the city centre

⁴³ Available by mid-2020 using surveys in the city centre

No data
KPI27 - Urban logistics innovation ⁴⁴
No data

⁴⁴ Available by mid-2020 using surveys in the city centre

Annex D: Urban mobility KPIs for Budapest

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	299 859.- HUF/person/month	Local or national employment statistics https://www.ksh.hu/docs/hun/xstadat/xstadat_evkozi/e_qli030b.html	City	- National Tax and Customs -Administrative Register of the Hungarian State Treasury - Central Statistics Office https://www.ksh.hu)	2019
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	525.- HUF/hour	Local public transport companies https://bkk.hu/tomegkozlekedes/jegyek-es-berletek/jegy-es-berletek/	Budapest city centre (District V)	Parking: district government Public transport: BKK Centre for Budapest Transport	2019
Price for a single trip by public transport	350.- HUF/ticket				
Price for a monthly public transport pass	9 500.- HUF/month	Local petrol providers: https://holtankoljak.hu/arvaltozasok			
Average local price of one litre 95-octane	378.- HUF/litre	European petrol prices: https://ec.europa.eu/energy/en/data-analysis/weekly-oil-			

D2.2: Current state of urban mobility

petrol		bulletin#content-heading-1				
KPI03 - Vehicle ownership rate						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Car ownership	376.92	Central Statistical Office (KSH)	City		Central Statistical Office (KSH)	2018, yearly
Motorcycle ownership	15.14	Central Statistical Office (KSH)				
E-scooter ownership	-					
Bicycle ownership	-					
KPI04 - Mobility Net Public Finance						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Mobility Net Public Finance	-0.6527%	Central statistical office (KSH) BKK and Budapest Közút (public road operator) annual reports	Budapest + parts of agglomeration (transport services provided by BKK, including also lines in the agglomeration)		BKK	2017, yearly
Urban land use and accessibility						
KPI05 - Mobility space usage						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency

D2.2: Current state of urban mobility

Mobility space usage	2.647*10-5 km2/capita ⁴⁵	Road operator of Budapest, Registry department, geospatial database	Whole territory of Budapest	Road operator of Budapest, Registry department	2019, monthly		
KPI06 - Distribution of land use types ⁴⁶							
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency	8
Residential land use	29.05%	Space occupied by the specific activity [km2]: Budapest City Development Concept Situation Analysis, GIS City area [km2]: GIS	Whole territory of Budapest		Road operator of Budapest, Registry department	2011	
Industrial & business land use	5.8%						
Commercial land use	8.9%						
Recreational land use	1.7%						
KPI07 - Commuting to work							
No data							
Urban traffic and infrastructure							

⁴⁵ Roads:31,61 km2

Underground, Rail & tramways: 7,06 km2

Waterways: 7,66 km2

⁴⁶ City area: 525,2 km2

Residential land use: 154,8 km2

Industrial &business land use: 30,72 km2

Commercial land use: 46,82 km2

Recreational land use: 8,81 km2

KPI08 - Proportion of road types ⁴⁷						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
High-speed roads rate	7 %	Road operator of Budapest, Registry department, geospatial database	Whole territory of Budapest		Road operator of Budapest, Registry department	2019, monthly
Slow roads rate	30 %					
Bicycles lanes rate	5.8 %					
Bus lanes rate	1.3 %					
KPI09 - Fatalities						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Fatalities	2.76	Central Statistics Office of Hungary	City		Central Statistics Office of Hungary	2018, Yearly
KPI10 - Urban mobility accidents						
No data						
KPI11 - Traffic volume of cars						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency

⁴⁷ High-speed roads: 386,4 km

Slow roads: 1627,9 km

Bicycle lanes and paths: 317,43 km

Bus lanes: 69,6 km

D2.2: Current state of urban mobility

Traffic volume of cars	300000	Macroscopic Transport Modell				
KPI12 - Traffic volume of freight vehicles						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Traffic volume of freight vehicles	68300 ⁴⁸	Integrated Macroscopic Transport Model based on traffic counting in 2018	City		BKK	2018, yearly
KPI13 - Environmental impact of urban mobility						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
GHG per inhabitant						
PM ₁₀ (µg/m ³)						
NO ₂ (µg/m ³)	38 [µg/m ³]					
Urban passenger & active transport characteristics						
KPI14 - Rate of parking spaces						
No data						

⁴⁸ 47 500 / day (freight vehicles <3.5 t)

20,800 / day (freight vehicles >3.5 t)

KPI15 - Modal split for passenger trips within the city ⁴⁹						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency
Car as a driver	A: 41 %; B: 28%	Every year the Budapest Transport Center conducts a modal split survey to update its single traffic model.	Budapest		Budapest Transport Center	2019, yearly
Car as a passenger	A: 20 %; B: 15 %					
Public transport	A: 29 %; B: 25 %					
Cycling	A: 1 %; B: 2 %					
Walking	A: 9 %; B: 29 %					
Other	-					
KPI16 - Modal split for trips for commuting to the city ⁵⁰						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency
Car as a driver	A: 43 %	Every year the Budapest Transport Center conducts a modal split survey to update its single traffic model.	Across the city boundaries. Between agglomeration and Budapest. (into and out)		Budapest Transport Center	2019, Yearly
Car as a passenger	A: 40 %					

⁴⁹ This data can be derived from previous household surveys:

- A) Asking for the length of trips per mode between the origin and the destination
- B) Asking for the number of trips per mode

⁵⁰ This data can be derived from previous household surveys:

- A) Asking for the length of trips per mode between the origin and the destination
- B) Asking for the number of trips per mode

D2.2: Current state of urban mobility

Public transport	A: 14 %						
Cycling	-						
Walking	A: 2 %						
Other	-						
KPI17 - Availability of bike-sharing							
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency	8
Number of station-based shared bicycles per capita	$\frac{1846}{1749737} = 0.10\%$	BKK Centre for Budapest Transport	City		BKK Centre for Budapest Transport		
Number of free-floating shared bicycles per capita	$\frac{200}{1749737} = 0.01\%$						
Number of station-based bike sharing operators in operation	1						
Number of free-floating bike sharing operators in operation	1						
KPI18 - Availability of e-scooter sharing ⁵¹							
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency	8
Number of e-scooters	0.02286%	Population source: Central Statistics Office (KSH – Központi	City		Central Statistics	2018	

⁵¹ Estimated number of e-scooter is 400 pieces. (~350 Lime and ~50 Breezy)

D2.2: Current state of urban mobility

deployed in the city per capita		Statisztikai hivatal, https://www.ksh.hu)			Office	
Number of e-scooter operators in operation	2					
KPI19 - Availability of car sharing						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
Number of station-based shared cars deployed per capita	0	Transport Operators	City		Transport Operators	2019, yearly
Number of free-floating shared cars deployed per capita	0.000582					
Number of station-based car sharing operators in operation	0					
Number of free-floating car sharing operators in operation	3					
KPI20 - Availability of real-time travel information						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date Frequency &
Availability of real-time travel information	91.6%	Transport operators	City		Transport organiser	Monthly
KPI21 - Availability of smart payment and booking methods on local public transport						
No data						
Urban Logistics						

KPI22 – Commercial establishments						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Number of shops	1186	Open Street Map	City Center		Whole territory of Budapest	2019, daily
Number of supermarkets	260					
Number of restaurants ⁵²	1334					
Number of other type of establishments (specify type) ⁵³	-					
KPI23 - Delivery vehicle parking						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Delivery vehicle parking	628	Road operator of Budapest, Registry department, geospatial database	Whole territory of Budapest		Road operator of Budapest, Registry department	2019, every 6 months
KPI24 - Freight trips						
No data						

⁵² Accommodation and food service activities

⁵³ Legal and financial services, public services, craft, other services

KPI25 - Goods delivery frequency						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Average number of weekly deliveries per shop	126	Road operator of Budapest, Requests for Designated Freight Station	Sampling of the whole territory of Budapest		Budapest Közút Zrt, the Road operator of Budapest	2019, For each new authorization process
Average number of weekly deliveries per supermarket	63					
Average number of weekly deliveries per restaurant	77					
Average number of weekly deliveries per other type of establishment	75					
KPI26 - Goods delivery volumes						
No data						
KPI27 - Urban logistics innovation						
No data						

Annex E: Urban mobility KPIs for Tel Aviv

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	8,250 NISNIS Net income per household per month (10% higher than national level).	Centre for Social & Economic Research (Tel Aviv Municipality)	City	Central Bureau of Statistics (Israel) based on data collected from employers' reporting to the Israel Tax Authority	2017, collected monthly, reported yearly
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre ⁵⁴	6.30NIS/h	Local public transport companies	Citywide	Bus prices – Ministry of transport; Parking – on-street Ministry of Transport; Off-street and residential - Municipality of Tel Aviv Yafo; Fuel prices Ministry of Energy	2019
Price for a single trip by public transport	5.90 NIS				
Price for a monthly public transport pass	213 NIS (monthly bus pass)	Local petrol providers			
Average local price of one litre 95-octane	6.18 NIS (self-service) – 6.39	European petrol prices: https://ec.europa.eu/energy/en/data-			

⁵⁴ On-street parking is free for Tel-Aviv Yafo residents in designated spaces; Non-residents: (Sun-Thurs 9:00-19:00 and Fridays 9:00-13:00) 6.30 NIS per hour; Off-street car park municipally owned carparks (Ahuzot Hof) 16 NIS for the first hour (or part thereof) and 4 NIS for every additional 15 minutes (or part thereof) * **Privately owned/run carparks charge anywhere from 20-40 NIS per hour

D2.2: Current state of urban mobility

petrol	NIS (attendant)	analysis/weekly-oil-bulletin#content-heading-1			
KPI03 - Vehicle ownership rate					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership ⁵⁵	539.8	Car / Motorcycle ownership – Central Bureau of Statistics Bicycles, e-scooters – Centre for Social & Economic Research (Tel Aviv Municipality)	City	Cars, motorcycles – Ministry of Transport Bicycles, e-scooters – Centre for Social & Economic Research (Tel Aviv Municipality)	2018, yearly
Motorcycle ownership ⁵⁶	150 estimated				
E-scooter ownership	55.07				
Bicycle ownership	30**				
KPI04 - Mobility Net Public Finance					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility Net Public Finance ⁵⁷	0.16%	City government annual revenues and city government annual operation costs related to city transport: Municipality pf Tel Aviv Yafo GDP: Bank of Israel, Brookings Institute	City level extrapolated from the national level	Bank of Israel / Municipality of Tel Aviv Yafo	2018
Urban land use and accessibility					
KPI05 - Mobility space usage					

⁵⁵ This is based on the number of cars registered in Tel Aviv Yafo but this includes company cars, whereby the company maybe Tel Aviv based but the actual car driver not a Tel Aviv Yafo resident

⁵⁶ Based on the 2018 transport modal-split survey. With regards to bicycles, electric and pedal, as well as, e-scooters there is no registration of these vehicles so that there are no exact figures.

⁵⁷ 351* NIS per person (Municipal income** 289 million NIS; Municipal expenditure** 133 million NIS; Tel Aviv GDP 209,880 NIS, 443,900 residents).

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility space usage	Direct uses – 264.68 km²/capita Indirect uses – 21.64 km²/capita	Space occupied by the specific mobility application (e.g. GIS, statistics office). Central Bureau of Statistics Number of inhabitants: Central Bureau of Statistics	Citywide	Tel Aviv Yafo Municipality	2017
KPI06 - Distribution of land use types ⁵⁸					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residential land use	43.1%	Central Bureau of Statistics City area [51.832]: Central Bureau of Statistics (e.g. GIS, statistics office).	City Level	Central	2017
Industrial & business land use	0.9%				
Commercial land use	12.1%				
Recreational land use	8.5%				
KPI07 - Commuting to work					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance	7.8 km	Taub Centrur for Social Policy Studies in Israel	Residents citywide	Taub Centrur for Social Policy Studies in Israel	Data collected between 2014-2016

⁵⁸ City area: 525,2 km²

Residential land use: 154,8 km²

Industrial & business land use: 30,72 km²

Commercial land use: 46,82 km²


Recreational land use: 8,81 km²

D2.2: Current state of urban mobility

Average commuting time	24.5 mins					
Urban traffic and infrastructure						
KPI08 - Proportion of road types						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
High-speed roads rate ⁵⁹	9.4%	GIS data		Citywide	Tel Aviv Yafo Municipality	2017/18
Slow roads rate	9.5%					
Bicycles lanes rate	16.3%					
Bus lanes rate	5.9%					
KPI09 - Fatalities						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Fatalities	2.7	Central Bureau of Statistics	citywide stat		Israel Police.	2017
KPI10 - Urban mobility accidents						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Car accidents	281.8	Central Bureau of Statistics Israel, based on data collected from police records and hospital records	City Level except e-scooter that is countrywide level		Israel police and hospitals	2017, monthly
Public transport	17.3					

⁵⁹ Roads with a speed limit over 51kmh 9.4%; Roads with a speed limit over 30kmh 81%

D2.2: Current state of urban mobility

<i>accidents</i>					
<i>Bikes accidents</i>	<i>Bicycles - 19.3; Motorbikes 140.6</i>				
<i>E-scooter accidents⁶⁰</i>	<i>111</i>				
KPI11 - Traffic volume of cars					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Traffic volume of cars</i>	<i>550000</i>	<i>NTA Metropolitan Mass Transit System Ltd</i>	<i>The data refers to cars entering the city core (see map):</i> 	<i>Department of Transport Tel Aviv Yafo Municipality</i>	<i>2016, 3-years</i>
KPI12 - Traffic volume of freight vehicles					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Traffic volume of freight vehicles⁶¹</i>	<i>6%</i>	<i>Traffic count carried out by Tel Aviv Yafo Municipality</i>	<i>The spatial unit is the city centre and the commercial district</i>	<i>Tel Aviv Yafo Municipality</i>	<i>2009/16, 3-years</i>

⁶⁰ There is no city specific data available at a countrywide level there were in 2017 111 road accidents involving e-scooters

⁶¹ Based on the traffic counts carried out in Tel Aviv Yafo, between 2009-2016, the volume of freight trucks is around 6% of the total volume. For example, taking the average hourly traffic volume in two of the main arteries (Givat HaTachmoshet and La Guardia) into the city centre we get an average of 135 an hour.

KPI13 - Environmental impact of urban mobility						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
GHG per inhabitant	2500.4 kgCO2e/inhabitant	Report of Tel Aviv Yafo on green-house emissions published in 2010	Citywide		Municipality of Tel Aviv Yafo	2007
PM ₁₀ (µg/m3)	26 µg/m3	Based on data gathered by the Israel Ministry of Environmental Protection's mobile measurement stations located around the city			The Israel Ministry of Environmental Protection'	2014/17
NO ₂ (µg/m3)	60 µg/m3					
Urban passenger & active transport characteristics						
KPI14 - Rate of parking spaces						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Number of parking spaces ⁶²	0.98	On-street parking data is based on a 2018 survey carried out by the municipality. Off-street data is derived from a 2007 report determining the balance of parking in the city and Ahuzot Hof records	Citywide		Tel Aviv Yafo Municipality	2018 – on-street parking 2007 – off-street parking
KPI15 - Modal split for passenger trips within the city ⁶³						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency

⁶² On-street parking – 34,709; Handicapped on-street parking 2693 (of which 1342 are designated for a specific licence holder) Off-street parking an estimated 120,000 car park spaces (of which 84,000 are in car parks operated by the municipally owned Ahuzot Hof) A further estimated 40,000 are parking spaces attached to residential buildings. Number of households in Tel Aviv Yafo - 199700

⁶³ The modal-split is calculated with regards to A trips per mode. There is no differentiation between a car driver and a car passenger with regards to getting to work.

63% of residents work in the city; 12% travel up to 10km to get to work; 12% travel 10-20km; 4% travel 20-40km; 2% travel over 40km; And 7% varying (Taub Centre for Social Policy Studies in Israel 2018 data correct for 2016) . With regards to trip length – 26.8% spend up to 14 minutes getting to work; 34.1% between 15-29 minutes; and 35.1 30 minutes or more (Central Bureau of Statistics 2016 Social Survey).

D2.2: Current state of urban mobility

Car as a driver	To get to work – 25% for all those employed; 26% (for those living and working in the city); for other purposes (leisure, etc.) – 27%	Modal-split and bicycle use amongst Tel Aviv Yafo residents survey	Tel Aviv Yafo	Centre for Social & Economic Research (Tel Aviv Municipality)	2018
Car as a passenger	To get to work – 12% for all those employed; 16% (for those living and working in the city); for other purposes (leisure, etc.) – 13%				
Public transport	To get to work – 12% for all those employed; 17% (for those living and working in the city); for other purposes (leisure, etc.) – 24%				
Cycling	To get to work – 8% for all those employed; 7% (for those living and working in the city); for other purposes (leisure, etc.) – 7%				
Walking	To get to work –				

D2.2: Current state of urban mobility

	25% for all those employed; 26% (for those living and working in the city); for other purposes (leisure, etc.) – 27%				
Other	To get to work – 12% for all those employed; 16% (for those living and working in the city); for other purposes (leisure, etc.) – 13%				
KPI16 - Modal split for trips for commuting to the city⁶⁴					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	47 %	Taub Centre for Social Policy Studies in Israel 2018 data correct for 2016.	Tel Aviv District	Central Bureau of Statistics of Israel and the Strategic Unit Tel Aviv Municipality	2016/17
Car as a passenger	4 %				
Public transport	23 %				
Cycling	6				
Walking	11 %				

⁶⁴ Commuting for work. Commuting trips into the city centre by private (drivers/passengers) 33% and the rest by public transport and non-motorised modes (Municipality Strategy for Mobility and Transport December 2018). The split above is the overall modal-split, the data to determine modal-split by either A or B is unavailable. 64% of those employed in Tel Aviv Yafo commute into the city.

D2.2: Current state of urban mobility

Other	9%				
KPI17 - Availability of bike-sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	0.0045	Tel-Ofan data from the Centre for Social and Economic Research; Mobike Company	Citywide	The companies themselves	2018
Number of free-floating shared bicycles per capita	0.005				
Number of station-based bike sharing operators in operation	1 Tel-Ofan (a municipal initiative operated by a private company – FSM)				
Number of free-floating bike sharing operators in operation	1 Mobike				
KPI18 - Availability of e-scooter sharing ⁶⁵					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of e-scooters deployed in the city per capita	0.006	Transport operator	Citywide	Transport operator	2019
Number of e-scooter operators in operation	3				

⁶⁵ Each operator licensed for up to 2500 e-scooters

KPI19 - Availability of car sharing ⁶⁶						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Number of station-based shared cars deployed per capita	240	Transport Operators	Citywide		Transport Operators	2018/19
Number of free-floating shared cars deployed per capita	260					
Number of station-based car sharing operators in operation	1 Car2Go					
Number of free-floating car sharing operators in operation	1 Tel-Auto (a municipal initiative operated by a private company – Car2Go)					
KPI20 - Availability of real-time travel information						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Availability of real-time travel information	>90%	Centre for Prediction of Bus Arrival Time	Citywide		Ministry of Transport	2019
KPI21 - Availability of smart payment and booking methods on local public transport						

⁶⁶ The station-based car sharing is privately owned and operated while the free-floating car sharing is a municipal initiative that is privately operated. With Tel-Auto you can go wherever you want but the cars need to be taken and returned in Tel Aviv Yafo. Any additional comment. The shared cars serve mainly Tel Aviv Yafo. Both are operated by car2go. 260 vehicles of Tel-Auto (municipal initiative) + 240 vehicles of car2go (private initiative).

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Availability of smart payment and booking methods on local public transport	99%	Ministry of Transport	Citywide		Ministry of Transport	2019
Urban Logistics						
KPI22 – Commercial establishments						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Number of shops	16104	Tel Aviv Yafo Municipality	Citywide		Tel Aviv Yafo Municipality	2018, Yearly
Number of supermarkets	1472					
Number of restaurants	2181					
Number of other type of establishments (specify type)	-					
KPI23 - Delivery vehicle parking						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency
Delivery vehicle parking	2189	2018 Signage Survey	Citywide		Tel Aviv Yafo Municipality	2018
KPI24 - Freight trips						
Sub-indicator name	Value	Data source	Geographic Level	Aggregation	Responsible	Date & Frequency

D2.2: Current state of urban mobility

<i>Freight trips</i> ⁶⁷	2016	<i>Traffic counts</i>	<i>Citycore</i>	<i>NTA Metropolitan Mass Transit System Ltd</i>	<i>2016, 3-years</i>
KPI25 - Goods delivery frequency ⁶⁸					
No data					
KPI26 - Goods delivery volumes ⁶⁹					
No data					
KPI27 - Urban logistics innovation					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Number of freight capacity sharing (cargo consolidation) apps for urban delivery</i>	<i>None</i>	<i>Online review</i>	<i>Tel Aviv Metropolitan area</i>	<i>Companies themselves</i>	
<i>Number of transportation companies providing combined urban passenger & cargo delivery services by</i>	<i>None</i>				

⁶⁷ This is an estimate based on the percentage of freight vehicles entering the city (2016). In general counts are carried from 7am to 7pm. The data regarding freight trips within the city is not available

⁶⁸ While the importance of this issue is recognised in Tel Aviv Yafor's SUMP also recognised in this document is the severe lack of data on all matters pertaining to the issue

⁶⁹ As part of the Civitas 2Move2 project two attempts were made to engage both shop holders and logistics providers in a Logistics Forum aimed at gaining insight into all matters pertaining to logistics to improve the movement of goods in the city. The first attempt which was at a specific neighbourhood level failed completely; The second at a city level attracted some of the major distributors shop holders and smaller distributors remained uninterested in cooperating in this matter. This means that there is a lack of data in this area.

D2.2: Current state of urban mobility

<i>using spare (public or private) passenger transport capacity</i>					
<i>Number of transportation companies providing green urban delivery services (e.g. with cargo-bikes, bikes, electric vans)</i>	<i>2 main companies providing food delivery services each with around a thousand personnel using mainly bicycles.</i>				
<i>Number of companies providing on-demand next-hour to same-day delivery services (e.g. for delivering at home an order placed online to a store)</i>	<i>Israel Post delivery service</i>				
<i>Number of companies providing or testing delivery services using autonomous/automated vehicles</i>	<i>Amazon Israel</i>				

Annex F: Urban mobility KPIs for Ioannina

Urban population and economics					
KPI01 - Residents' net average monthly income ⁷⁰					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	958.33€	National Statistical data	City of Ioannina	National Institute of Statistics, INE	2011
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	2.5 €/hour	Local public transport companies<bus/boat>	City of Ioannina	Urban Bus of Ioannina Operator for public transport tickets	2019
Price for a single trip by public transport	1.7 €/ticket			Local Petrol Providers for the petrol price	
Price for a monthly public transport pass	35 €/month			Ioannina City Councilfor the parking ticket of the municipal parking	
Average local price of one litre 95-octane petrol	1.572 €/litre	Local petrol providers			
KPI03 - Vehicle ownership rate					

⁷⁰ Assuming GDP per capita in 2014 (source: ine.pt - Gross Domestic Product per inhabitant at current prices (Base 2011 - €))

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership	375	2014 Mobility Survey	City of Ioannina	Ministry of Infrastructure and Transport	2014
Motorcycle ownership	61				
E-scooter ownership	No register				
Bicycle ownership ⁷¹	No register				
KPI04 - Mobility Net Public Finance					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility Net Public Finance	NA				
Urban land use and accessibility					
KPI05 - Mobility space usage					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility space usage	NA				
KPI06 - Distribution of land use types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residential land use	NA				

⁷¹ Car & motorbike ownership 2018 statistics 2018 – ca. 70% have access to a bicycle

D2.2: Current state of urban mobility

Industrial & business land use	NA				
Commercial land use	NA				
Recreational land use	NA				
KPI07 - Commuting to work ⁷²					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance	3 km	SUMP	City of Ioannina	Municipality of Ioannina	2013
Average commuting time	8-12 mins				
Urban traffic and infrastructure					
KPI08 - Proportion of road types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
High-speed roads rate		Municipality of Ioannina SUMP	Municipality of Ioannina	Municipality of Ioannina	2019
Slow roads rate	0.5km				
Bicycles lanes rate	6.6km				
Bus lanes rate					

⁷² Commuting distance calculated not in a straight line.<https://www.ioannina.gr/wp-content/uploads/2019/07/%CE%A4%CE%95%CE%9B%CE%99%CE%9A%CE%97-%CE%95%CE%9A%CE%94%CE%9F%CE%A3%CE%97-%CE%A3%CE%92%CE%91%CE%9A.pdf>

D2.2: Current state of urban mobility

KPI09 - Fatalities					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Fatalities	24/100,000 hab./year	Statistics of the National Authority	City of Ioannina	Hellenic Statistical Authority	2018, yearly
KPI10 - Urban mobility accidents					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car accidents	35.5 / 100,000 hab / year	Statistics of the National Authority	City of Ioannina	Statistics of the National Authority	2018, yearly
Public transport accidents	NA				
Bikes accidents	NA				
E-scooter accidents	NA				
KPI11 - Traffic volume of cars					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of cars	5308	Sustainable Urban Mobility Plan	City of Ioannina	Ioannina's Traffic Agency	2018
KPI12 - Traffic volume of freight vehicles					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of freight vehicles	NA				
KPI13 - Environmental impact of urban mobility					

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
GHG per inhabitant	3700 kgCO2e/inhabitant	GHG Data from the Municipal Sustainable Energy Action Plan. 130 kg per day/habitant	City of Ioannina	The 2030 secretariat, http://2030-sekretariatet.se/english/	2018
PM ₁₀ (µg/m3)	NA				
NO ₂ (µg/m3)	NA				
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of parking spaces ⁷³	0.5	SUMP of Municipality of Ionnina	City of Ioannina	Municipality of Ioannina and Traffic Agency	2018
KPI15 - Modal split for passenger trips within the city ⁷⁴					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	51%	SUMP of Municipality of Ionnina	City of Ioannina	Municipality of Ioannina. Some data may have the Traffic Agent	2018
Car as a passenger	2%				
Public transport	8%				
Cycling	3.5%				

⁷³ The Municipality offers free parking to citizen and visitors as well

⁷⁴ 53% of trips are carried out by private cars (drivers and passengers).

D2.2: Current state of urban mobility

Walking	29%				
Other	N/A				
KPI16 - Modal split for trips for commuting to the city ⁷⁵					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	23%	SUMP of Municipality of Ioannina	Metropolitan Area of Lisbon	Municipality of Ioannina. Some data may have the Traffic Agent	2018
Car as a passenger	N.A.				
Public transport	N/A				
Cycling	N/A				
Walking	23.0%				
Other					
KPI17 - Availability of bike-sharing ⁷⁶					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	0		City of Ioannina		2019
Number of free-floating shared bicycles per	0				

⁷⁵ Data is for the whole universe of trips from the Ioannina Metropolitan Area.

⁷⁶ Service not available

D2.2: Current state of urban mobility

<i>capita</i>					
<i>Number of station-based bike sharing operators in operation</i>	0				
<i>Number of free-floating bike sharing operators in operation</i>	0				
KPI18 - Availability of e-scooter sharing⁷⁷					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Number of e-scooters deployed in the city per capita</i>	0		<i>City of Ioannina</i>		<i>2019</i>
<i>Number of e-scooter operators in operation</i>	0				
KPI19 - Availability of car sharing⁷⁸					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Number of station-based shared cars deployed per capita</i>	0.002				
<i>Number of free-floating shared cars deployed per capita</i>	0	<i>Rental companies</i>	<i>Airport, city center</i>	<i>Operators</i>	<i>2019</i>

⁷⁷ Service not available

⁷⁸ There are no free car-sharing services in operation in Ioannina.

D2.2: Current state of urban mobility

Number of station-based car sharing operators in operation	3				
Number of free-floating car sharing operators in operation	0				
KPI20 - Availability of real-time travel information					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of real-time travel information	100%	Transport operators, Internet	City of Ioannina	Urban bus Operator	2019
KPI21 - Availability of smart payment and booking methods on local public transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of smart payment and booking methods on local public transport	0%	Municipality of Ioannina and transport operators	City of Ioannina	Transport Operators	2019
Urban Logistics					
KPI22 – Commercial establishments⁷⁹					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of shops	1661	Strategic Plan for Sustainable Urban Development of Municipality of Ioannina; Sustainable Energy Action Plan of Municipality of	City Centre	City Council	2013
Number of supermarkets	50 (approximately)				

⁷⁹ Data collected within the framework of the ENCLOSE Project

D2.2: Current state of urban mobility

Number of restaurants	100(approximately)	Ioannina; Sustainable Urban Mobility Plan of Municipality of Ioannina			
Number of other type of establishments (specify type)	120(industry), 240(tourism), services				
KPI23 - Delivery vehicle parking					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Delivery vehicle parking	NA				
KPI24 - Freight trips					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Freight trips	NA				
KPI25 - Goods delivery frequency					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average number of weekly deliveries per shop	6	The data have been collected by informal survey	City centre	The data is from an unofficial survey contacted from Municipality of Ioannina's personnel	2019
Average number of weekly deliveries per supermarket	6				
Average number of weekly deliveries per restaurant	7				
Average number of weekly deliveries per other type of	6				

<i>establishment</i>					
KPI26 - Goods delivery volumes					
No data					
KPI27 - Urban logistics innovation					
No data					

Annex G: Urban mobility KPIs for Gothenburg

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	307 000kr	Statistik och Analys unit at city hall, City of Gothenburg	Göteborgs municipality	Statistik och Analys unit at city hall, City of Gothenburg	2017, yearly
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	30kr/hr	Västtrafik	Göteborgs municipality	Västtrafik AB Gothenburg parking company	2019
Price for a single trip by public transport	28kr (valid for 90 minutes)				
Price for a monthly public transport pass	775kr (valid for 30 days)	Local petrol providers			
Average local price of one litre 95-octane petrol	15.53kr	European petrol prices: https://ec.europa.eu/energy/en/data-analysis/weekly-oil-bulletin#content-heading-1			
KPI03 - Vehicle ownership rate					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership	331	Trafikanalys.se	Göteborgs	Transportstyrelse	2018, yearly

D2.2: Current state of urban mobility

Motorcycle ownership	16.8		municipality	Trafikanalys	
E-scooter ownership	No register				
Bicycle ownership ⁸⁰	No register				
KPI04 - Mobility Net Public Finance					
No data					
Urban land use and accessibility					
KPI05 - Mobility space usage					
No data					
KPI06 - Distribution of land use types					
No data					
KPI07 - Commuting to work					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance	16 km	Resvaneundersökning	Greater Gothenburg area	Västsvenska paketet	2017, yearly
Average commuting time	30 mins	https://www.vastsvenskapaketet.se/wp-content/uploads/2018/06/Resvaneundersökning-2017-final.pdf			
Urban traffic and infrastructure					

⁸⁰ Car & motorbike ownership 2018 statistics 2018 – ca. 70% have access to a bicycle

KPI08 - Proportion of road types					
No data					
KPI09 - Fatalities					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Fatalities	0.525	Urban Transport Administration, City of Gothenburg	Göteborgs municipality	Urban Transport Administration, City of Gothenburg	2018, collected monthlt/quarterly reported yearly
KPI10 - Urban mobility accidents					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car accidents	4.9	Urban Transport Administration, city of Gothenburg (http://forlivochorelse.se/wp-content/uploads/2019/03/TRU_2018.pdf)	Göteborgs municipality	Urban Transport Administration, City of Gothenburg	2018, quarterly and yearly
Public transport accidents	5.42				
Bikes accidents	47.9				
E-scooter accidents	NA				
KPI11 - Traffic volume of cars					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

D2.2: Current state of urban mobility

Traffic volume of cars ⁸¹	465000	Trafikanalys	Göteborgs municipality	Transportstyrelse	2018, collected hourly
KPI12 - Traffic volume of freight vehicles					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of freight vehicles ⁸²	<3.5t 94,000 >3.5t 33,000	https://www.trafa.se/globalassets/pm/2019/pm-2019_4-tunga-och-latta-lastbilar-transporter.pdf	The spatial unit is the city centre and the commercial district	Transportstyrelse	2018, hourly
KPI13 - Environmental impact of urban mobility					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
GHG per inhabitant	840*-880 ** kgCO2e/inhabitant	* Road transport 2017. Environmental protection agency, National Emission Database (RUS), Statistics Sweden: Demographic statistics ** All transports 2017. National Emission Database (RUS), Statistics Sweden: Demographic statistics	City	The 2030 secretariat, http://2030-sekretariatet.se/english/	2017, annual
PM ₁₀ (µg/m3)	20.2 µg/m3	City's measurement stations (in the urban area, roadside)	Part of the city	Göteborg Environment Administartion (Miljöförvaltningen)/ Luftvårdsförbundet Väst	2018, permanent
NO ₂ (µg/m3)	33.8 µg/m3				
Urban passenger & active transport characteristics					

⁸¹ This indicates the number of passages through the congestion tax stations and NOT the number of vehicles. 138 million registered passages in Gothenburg in 2018. Approx. 620 000 per day of which cars account for 75% Not able to differentiate how many of these cars are privately owned or company cars (all vehicles pay the congestion tax).

⁸² This indicates the number of passages through the congestion tax stations and NOT the number of vehicles. 138 million registered passages in Gothenburg in 2018. Approx. 620 000 per day. Light trucks accounted for 15 % of this and heavy trucks for 5 %.

KPI14 - Rate of parking spaces					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of parking spaces ⁸³	0.356	GIS	Parking spaces under city control (no information about private parking)	Göteborgs Stads Parkering and Trafikkontoret	2019, monthly
KPI15 - Modal split for passenger trips within the city ⁸⁴					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	44%	Trafik- och resandeutveckling 2018 (http://forlivochrorelse.se/wp-content/uploads/2019/03/TRU_2018.pdf)	Göteborgs municipality	Urban Transport Administration, City of Gothenburg	2018, yearly
Car as a passenger	44%				
Public transport	29%				
Cycling	6%				
Walking	20%				
Other	1%				
KPI16 - Modal split for trips for commuting to the city ⁸⁵					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

⁸³ The total number of parking spaces available are probably substantially higher. This is the number for parking spaces owned by the city and includes on street parking and off street parking

⁸⁴ Car as a driver or passenger is the same because this is the number of trips made with the car, it is not known if they are the driver or the passenger.

⁸⁵ Car as a driver or passenger is the same because this is the number of trips made with the car, it is not known if they are the driver or the passenger.

D2.2: Current state of urban mobility

Car as a driver	44 %	Trafik- och resandeutveckling 2018 (http://forlivochrorelse.se/wp-content/uploads/2019/03/TRU_2018.pdf)	Göteborgs municipality	Urban Transport Administration, City of Gothenburg	2018, yearly
Car as a passenger	44 %				
Public transport	29%				
Cycling	6%				
Walking	20%				
Other					
KPI17 - Availability of bike-sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	1.7	Bikeshare operator	Göteborgs municipality	Urban transport administration, City of Gothenburg	2019, monthly
Number of free-floating shared bicycles per capita	0				
Number of station-based bike sharing operators in operation	1				
Number of free-floating bike sharing operators in operation	0				
KPI18 - Availability of e-scooter sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

D2.2: Current state of urban mobility

Number of e-scooters deployed in the city per capita	0.007	Statistics from e-scooter operators	City centre	Urban Transport Administration, City of Gothenburg	2019, monthly
Number of e-scooter operators in operation	3				
KPI19 - Availability of car sharing ⁸⁶					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared cars deployed per capita	Not minimal value available	Göteborgs Stads Parkering	Göteborgs municipality	Göteborgs Stads Parkering	2019
Number of free-floating shared cars deployed per capita	Not minimal value available				
Number of station-based car sharing operators in operation	Not minimal value available				
Number of free-floating car sharing operators in operation	Not minimal value available				
KPI20 - Availability of real-time travel information					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of real-time					

⁸⁶ Have e-mailed around to the three largest car pool companies and received a response from Moveabout. They have about 30 vehicles on the roads in Gothenburg. Sunfleet rents 181 parking spaces from us and buys 21 parking permits. They have about 550 vehicles. Then there are private players from which they rent places. We also have some smaller car pool companies that rent individual car spaces from us. " Unfortunately, it does not give a very good overview, more of a "minimum value.

D2.2: Current state of urban mobility

travel information					
KPI21 - Availability of smart payment and booking methods on local public transport ⁸⁷					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date Frequency 8
Availability of smart payment and booking methods on local public transport	38%	Transport operator (Västtrafik AB)	Region, Västra Götaland	Västtrafik AB.	2018-2019, monthly
Urban Logistics					
KPI22 – Commercial establishments					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date Frequency 8
Number of shops	3008	SCB – Statistics Sweden	Göteborgs municipality	SCB – Statistics Sweden Business Region Gothenburg	2018, yearly
Number of supermarkets	1146				
Number of restaurants	2053				
Number of other type of establishments (specify type)	2724				
KPI23 - Delivery vehicle parking ⁸⁸					

⁸⁷ No Contactless, it is 100% mobile ticketing. KPI Formula is calculated by ticket sales in mobile ticketing divided by total ticket sales

⁸⁸ The inner city does not have delivery vehicle parking places. These were removed in 2014 as a measure to increase the attractiveness and accessibility for pedestrians in the inner city. As a result, delivery vehicles can stop where they need to to unload their deliveries – during the imposed time frame (between 5-11 am)

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Delivery vehicle parking	0	Urban Transport Administration at the City of Gothenburg	City Centre	Urban Transport Administration at the City of Gothenburg	n/a
KPI24 - Freight trips					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Freight trips	450-500	Data Collected as part of the EU project NOVELOG (field surveys)	Nordstan shopping centre which is located in the city centre	Urban Transport Administration at the City of Gothenburg	2016, no more available
KPI25 - Goods delivery frequency					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average number of weekly deliveries per shop	8	Data Collected as part of the EU project NOVELOG (field surveys)	Nordstan shopping centre which is located in the city centre	Urban Transport Administration at the City of Gothenburg	2016, no more available
Average number of weekly deliveries per supermarket	0.8				
Average number of weekly deliveries per restaurant	2.6				
Average number of weekly deliveries per other type of establishment	2.7 (offices)				
KPI26 - Goods delivery volumes					

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average number of boxes (50x50x50 cm) per delivery per shop	780	Data Collected as part of the EU project NOVELOG (field surveys)	Nordstan shopping centre which is located in the city centre	Urban Transport Administration at the City of Gothenburg	2016, no more available
Average number of boxes (50x50x50 cm) per delivery per supermarket	85				
Average number of boxes (50x50x50 cm) per delivery per restaurant	255				
Average number of boxes (50x50x50 cm) per delivery per other type of establishment	270 (offices)				
KPI27 - Urban logistics innovation					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of freight capacity sharing (cargo consolidation) apps for urban delivery	0	Field surveys, transport operator, propt owners	City Centre	Mobility Unit, Urban Transport Administration, City of Gothenburg	2019, not regularly
Number of transportation companies providing combined urban passenger & cargo delivery services by using spare (public or	0				

D2.2: Current state of urban mobility

private) passenger transport capacity					
Number of transportation companies providing green urban delivery services (e.g. with cargo-bikes, bikes, electric vans)	3				
Number of companies providing on-demand next-hour to same-day delivery services (e.g. for delivering at home an order placed online to a store)	3				
Number of companies providing or testing delivery services using autonomous/automated vehicles	0				

Annex H: Urban mobility KPIs for Arad

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	1,263.9Lei	National Statistic: http://www.insse.ro/cms/sites/default/files/field/publicatii/coordinates_of_living_standard_in_romania_population_income_and_consumption_in_2017_0.pdf (at page 36)	The West region where Arad is located	National Institute of Statistics	2018, yearly
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	2 Lei/hour	Local public transport company	Arad Territorial Administrative Unit	Arad Public Transport Company (S.C. Compania de Transport Public S.A. Arad) S.C. Recons S.A. - parking administrator	2019, yearly
Price for a single trip by public transport	3 Lei/trip				
Price for a monthly public transport pass	90 lei/month/on all the lines/routes	Local petrol providers			
Average local price of one litre 95-octane petrol	6.37 Lei/litre	European petrol prices: https://ec.europa.eu/energy/en/data-analysis/weekly-oil-bulletin#content-heading-1			

KPI03 - Vehicle ownership rate					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership	151.5	SUMP Arad For motorcycles: www.DRPICIV.ro	Arad Territorial Administrative Unit	Arad Community Public Service for Driving Licences and Vehicles Registration of in Arad	2017, yearly, 3-5 years
Motorcycle ownership	0.877 motorcycles per 1000 inhabitants				
E-scooter ownership	2.77				
Bicycle ownership	15 bicycles per 1000 inhabitanst				
KPI04 - Mobility Net Public Finance ⁸⁹					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility Net Public Finance	58.79%	The Income and Expenditure Budget of Arad Municipality (Bugetul de Venituri și Cheltuieli a Municipiului Arad) National Institute of Statistics	Arad Territorial Administrative Unit	National Institute of Statistics City of Arad	2019, yearly
Urban land use and accessibility					

⁸⁹ <http://www.arad.insse.ro/#> - GDP Arad County 2016

http://www.insse.ro/cms/sites/default/files/field/publicatii/populatia_romaniei_pe_localitati_la_1ianuarie2016_0.pdf - Arad County population

Detailed Revenues and Expenditure Local budget for the year 2019 – City of Arad

KPI05 - Mobility space usage					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility space usage	0.000056137 km²/inhabitants	Inventory of the City's public property Substantiation Studies for the Arad General Urban Plan	Arad Territorial Administrative Unit	City of Arad	2015, yearly
KPI06 - Distribution of land use types ⁹⁰					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residential land use	32%	Substantiation Studies for the Arad General Urban Plan	Arad Territorial Administrative Unit	City of Arad	2015 / at 10 years
Industrial & business land use	11.32%				
Commercial land use	1%				
Recreational land use	21.65%				
KPI07 - Commuting to work					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance ⁹¹	6.6km, 7.7 km	SUMP Arad 2015-2017 Traffic Study 2018	Arad Territorial Administrative Unit	City of Arad	2015-2017, 2018/ 3-5 years

⁹⁰ Housing areas have also complementary functions – trade (small and medium shops). There are approx. 20 medium and big shops, with a surface of approx. 0,1 km²/ unit

⁹¹ 7,7 km for public transport (average speed of 15,4 km/hour) - 6,6 km for vehicles N-S axis (average speed of 22,1 km/hour) - 7,7 km for vehicles E-V axis (average speed of 22,1 km/hour)

Average commuting time ⁹²	18 – 30 mins				
Urban traffic and infrastructure					
KPI08 - Proportion of road types ⁹³					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
High-speed roads rate	0.00	SUMP Arad	Arad Territorial Administrative Unit	City of Arad	2015-2017/3-5 years
Slow roads rate	0.00				
Bicycles lanes rate	37.7% (130 km lanes/345 km network streets)				
Bus lanes rate	0.00				
KPI09 - Fatalities					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Fatalities	3.94	Arad City Police - Traffic Division	Arad Territorial Administrative Unit	Arad City Police - Traffic Division	2015, yearly
KPI10 - Urban mobility accidents					

⁹² 30 minutes for public transport - 18 minutes for vehicles N-S axis - 21 minutes for vehicles E-V axis

⁹³ The streets network includes streets classified as I-IV categories (from 2 lanes to 6 lanes)

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car accidents	143.13	Arad City Police - Traffic Division	Arad Territorial Administrative Unit	Arad City Police - Traffic	2017, yearly
Public transport accidents	0.00				
Bikes accidents	27.05				
E-scooter accidents	0.00				
KPI11 - Traffic volume of cars					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of cars ⁹⁴	38948	Traffic Study 2018	Arad Territorial Administrative Unit	City of Arad	2018/3-5 years
KPI12 - Traffic volume of freight vehicles					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of freight vehicles ⁹⁵	<3.5t 6885 >3.5t 1496	Traffic Study 2018	Arad Territorial Administrative Unit	City of Arad	2018/3-5 years

⁹⁴ The traffic data are for the most important 6 road entrances in the city (road direction towards the city).

⁹⁵ The traffic data are for the most important 6 road entrances in the city (road direction towards the city).

KPI13 - Environmental impact of urban mobility ⁹⁶					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
GHG <i>per inhabitant</i>	903.56 kgCO2e/inhabitant	SUMP Arad GES Emissions Study (quantity of gas emissions) - 2018	Arad Territorial Administrative Unit	Environmental Protection Agency Arad	2015-2017, 2018/1-3 years
PM ₁₀ (µg/m3)	43 kg – daily annual average				
NO ₂ (µg/m3)	972 kg – daily annual average				
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of parking spaces	0.133	SUMP Arad	Arad Territorial Administrative Unit	City of Arad	2015-2017/3-5 years
KPI15 - Modal split for passenger trips within the city ⁹⁷					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

⁹⁶ Values for PM₁₀ and NO₂ are in the form and measurements units presented in SUMP Arad

⁹⁷ Car as a driver or passenger is the same because this is the number of trips made with the car, it is not known if they are the driver or the passenger.

D2.2: Current state of urban mobility

Car as a driver	29.1%	SUMP Arad Traffic Study 2018 The number of trips is per mode of transport – point B	Arad Territorial Administrative Unit	City of Arad	2015-2017, 2018/3-5 years
Car as a passenger	26.8%				
Public transport	17.4%				
Cycling	4.6%				
Walking	19.9%				
Other	2.2%				
KPI16 - Modal split for trips for commuting to the city ⁹⁸					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	25.3%	SUMP Arad Traffic Study 2018 The number of trips is per mode of transport – point B SUMI OUTPUT – URBAN AREA ARAD	Arad Territorial Administrative Unit	City of Arad	2015-2017, 2018/3-5 years
Car as a passenger	27.4%				
Public transport	23.5%				
Cycling	7.1%				
Walking	16.6%				
Other	0.1%				

⁹⁸ Car as a driver or passenger is the same because this is the number of trips made with the car, it is not known if they are the driver or the passenger.

KPI17 - Availability of bike-sharing ⁹⁹					
No data					
KPI18 - Availability of e-scooter sharing					
No data					
KPI19 - Availability of car sharing					
No data					
KPI20 - Availability of real-time travel information					
No data					
KPI21 - Availability of smart payment and booking methods on local public transport ¹⁰⁰					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of smart payment and booking methods on local public transport	10 automate de bilete -plata prin SMS	City of Arad Arad Public Transport Company	Arad Territorial Administrative Unit	City of Arad Arad Public Transport Company	2019, yearly
Urban Logistics					

⁹⁹ The local administration is currently developing a bike-sharing system, that will be operational in the following years

¹⁰⁰ Arad local administration has developed the documentation and will start tender procedures for an e-ticketing system in 2019

KPI22 – Commercial establishments					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of shops	4140	City of Arad	Arad Territorial Administrative Unit	City of Arad	2019, yearly
Number of supermarkets	20				
Number of restaurants	373				
Number of other type of establishments (specify type)	12				
KPI23 - Delivery vehicle parking ¹⁰¹					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Delivery vehicle parking					
KPI24 - Freight trips ¹⁰²					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Freight trips	4181	Traffic Study 2018	Arad Territorial Administrative Unit	City of Arad	2018/3-5 years

¹⁰¹ There are no special parking places for supply/delivery on the public domain. There is a Local Council Decision that regulates the way (including hours) in which the supply/delivery can be done to the economic operators (overnight) New supermarkets, through the construction documents, have provided separate access and parking places for supply/delivery

¹⁰² It has been assumed that a vehicle comes once, delivers and then goes empty. Only the number of freight vehicles resulting from the traffic census is available, divided to 2.

KPI25 - Goods delivery frequency
<i>No data</i>
KPI26 - Goods delivery volumes
<i>No data</i>
KPI27 - Urban logistics innovation
<i>No data</i>

Annex I: Urban mobility KPIs for Mechelen

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	18949 €	https://mechelen.incijfers.be/dashboard/dashboard/welvaart/	The municipality comprises the city of Mechelen proper, some quarters at its outskirts, the hamlet of Nekkerspoel and Battel, as well as the villages of Walem, Heffen, Leest, Hombeek and Muizen.	Powered by Swing Mosaic	2016, yearly
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	2 €/hour	Local public transport companies: http://www.delijn.be	City (65,19 km²)	Public transport company De Lijn	2019, yearly

D2.2: Current state of urban mobility

Price for a single trip by public transport	2.25 €/ticket (bus)			Carbu.com consumer organisation on energy costs	
Price for a monthly public transport pass	49 €/month (bus)				
Average local price of one litre 95-octane petrol	1.4760 €/litre				
KPI03 - Vehicle ownership rate					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership	870	City statistics monitor of the Flemish government https://www.vlaanderen.be/gemeenten-en-provincies/provincie-antwerpen/mechelen	City (65,19 km²)	Informatie Vlaanderen (Flemish government)	2018
Motorcycle ownership	70				
E-scooter ownership	No data				
Bicycle ownership	860				
KPI04 - Mobility Net Public Finance					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility Net Public Finance	-1.34%	City government annual revenues and city government annual operation costs related to city transport: www.statistiekvlaanderen.be GDP: http://binnenland.vlaanderen.be	City (65,19 km²)	Statistiek Vlaanderen & Agentschap Binnenlands bestuur Vlaamse	Revenues& Costs: 2019,yearly GDP: 2016

				Overheid	
Urban land use and accessibility					
KPI05 - Mobility space usage					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility space usage	99.84 m²	GIS	The total surface of Mechelen with exemption of the parking spaces (only the parking spaces in the inner city are accounted for)	Informatie Vlaanderen (Information Flanders) & GIS (Geo Informatie Systeem).	2019
KPI06 - Distribution of land use types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residential land use	63.1 %	City area [km2]: 65,19 km²	City area [km2]: 65,19 km²	City of Arad	2018, yearly
Industrial & business land use	26.6%				
Commercial land use					
Recreational land use	7.6%				
KPI07 - Commuting to work					
Sub-indicator	Value	Data source	Geographic	Responsible	Date &

name			Aggregation Level		Frequency
Average commuting distance ¹⁰³		Cities survey Flanders	City (65,19 km²)	Informatie Vlaanderen/Information Flanders; Flemish Government	2018, yearly
Average commuting time ¹⁰⁴	33%: 15-30 minutes 37%: 30-60 minutes				
Urban traffic and infrastructure					
KPI08 - Proportion of road types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
High-speed roads rate	25.94 %	<div>Length of the type of road/lane (e.g. GIS, statistics office)</div> <ul style="list-style-type: none">AWV, Agentschap Wegen en Verkeer (Flemish Agency for roads and traffic)Informatie Vlaanderen, Information Flanders	Arad Territorial Administrative Unit	AWV, Informatie Vlaanderen, Information Flanders	2018&2019, yearly
Slow roads rate	13.18%				
Bicycles lanes rate	NA				
Bus lanes rate	NA				
KPI09 - Fatalities					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

¹⁰³ 7,7 km for public transport (average speed of 15,4 km/hour) - 6,6 km for vehicles N-S axis (average speed of 22,1 km/hour) - 7,7 km for vehicles E-V axis (average speed of 22,1 km/hour)

¹⁰⁴ 30 minutes for public transport - 18 minutes for vehicles N-S axis - 21 minutes for vehicles E-V axis

D2.2: Current state of urban mobility

<i>Fatalities</i>	368	<i>Cities survey in Flanders</i>	<i>City</i>	<i>Informatie Vlaanderen/Information Flanders, Flemish government</i>	<i>2016, 2 year</i>
KPI10 - Urban mobility accidents					
No data					
KPI11 - Traffic volume of cars					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Traffic volume of cars</i>	<i>92.894/day</i>	<i>Data coming from 122 ANPR cameras (automatic number plate recognition; used by police for enforcement)</i>	<i>City (Mechelen Region)</i>	<i>Police Mechelen-Willebroek</i>	<i>2018</i>
KPI12 - Traffic volume of freight vehicles					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Traffic volume of freight vehicles</i>	<i>26.920/day</i>	<i>Data coming from 122 ANPR cameras (automatic number plate recognition; used by police for enforcement)</i>	<i>City (Mechelen region)</i>	<i>Police Mechelen-Willebroek</i>	<i>2018</i>
KPI13 - Environmental impact of urban mobility					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>GHG per inhabitant</i>	<i>0.9 tons CO2/inhabitant</i>	<i>CO2: futureproofed</i>	<i>City</i>	<i>Futureproofed & VMM</i>	<i>2017</i>

$PM_{10}(\mu g/m^3)$	16-25 $\mu g/m^3$	https://www.vmm.be/data/luchtkwaliteit-in-je-eigen-omgeving (VMM is the Flemish Environmental Agency)			2018
$NO_2(\mu g/m^3)$	11-25 $\mu g/m^3$ (away from big roads) 26-50 $\mu g/m^3$ (at big busy roads)				
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of parking spaces	0.62	GIS	City	GIS	2019
KPI15 - Modal split for passenger trips within the city					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	43.5%	The % are based on method B	City	Swing Mosaic	2018, yearly
Car as a passenger	2.5%				
Public transport	28.7%				
Cycling	20.7%				
Walking	4.5%				
Other	-				

KPI16 - Modal split for trips for commuting to the city					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	55.2%	The % are based on method B Information published in a database called swing. It is an open source database: https://mechelen.incijfers.be/dashboard	City	The city in cooperation with Flemish agency of local policy	2017
Car as a passenger	27.4%				
Public transport	23.5%				
Cycling	7.1%				
Walking	16.6%				
Other	0.1%				
KPI17 - Availability of bike-sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	104	Operators Blue-Bike and Mobit	City (65,19 km²)	Blue-Bike and Mobit	2019, yearly
Number of free-floating shared bicycles per capita	200				
Number of station-based bike sharing operators in operation	1				

Number of free-floating bike sharing operators in operation	1				
KPI18 - Availability of e-scooter sharing ¹⁰⁵					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of e-scooters deployed in the city per capita	100	Operator Circ	City Centre	Operator Circ	2019,yearly
Number of e-scooter operators in operation	1				
KPI19 - Availability of car sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared cars deployed per capita	93	Operators Cambio, Battmobiel and cozy car	City (65,19 km²)	Operators Cambio, Battmobiel and cozy car	2019, yearly
Number of free-floating shared cars deployed	0				

¹⁰⁵ The e-scooters have been removed because start of winter and low use.

<i>per capita</i>					
<i>Number of station-based car sharing operators in operation</i>	3				
<i>Number of free-floating car sharing operators in operation</i>	0				
KPI20 - Availability of real-time travel information					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Availability of real-time travel information</i>	NA				
KPI21 - Availability of smart payment and booking methods on local public transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Availability of smart payment and booking methods on local public transport</i>	NA				
Urban Logistics					
KPI22 – Commercial establishments					

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of shops	549	Locatus database (statistics office)	City	Locatus	2019, yearly
Number of supermarkets	184				
Number of restaurants	350 (hotels included)				
Number of other type of establishments (specify type)	360 (services)				
KPI23 - Delivery vehicle parking					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Delivery vehicle parking	7	Estimation based on own knowledge	Inner city	Mobility department (manual counting)	2019, 5-7 years
KPI24 - Freight trips					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Freight trips	1517	Manual counting and freturb model	City center within the ring road	Mobility consulting agency Technum/Tractebel	2015

KPI25 - Goods delivery frequency ¹⁰⁶					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average number of weekly deliveries per shop	No data	Manual counting and freturb-model	City center within the ring road.	Mobility consulting agency Technum/Tracte bel	
Average number of weekly deliveries per supermarket	No data				
Average number of weekly deliveries per restaurant	No data				
Average number of weekly deliveries per other type of establishment	No data				
KPI26 - Goods delivery volumes					
No data					
KPI27 - Urban logistics innovation					
Sub-indicator name	Value	Data source	Geographi c Aggregatio	Responsible	Date & Frequency

¹⁰⁶ There is only the weekly amount of vehicle movements for the whole of the city center, which is 4.598; there is no split per type of shop

D2.2: Current state of urban mobility

			n Level		
Number of freight capacity sharing (cargo consolidation) apps for urban delivery	0	Own knowledge through stakeholder network	City	Mobility project coordinator	Continuous basis
Number of transportation companies providing combined urban passenger & cargo delivery services by using spare (public or private) passenger transport capacity	0				
Number of transportation companies providing green urban delivery services (e.g. with cargo-bikes, bikes, electric vans)	3				
Number of companies providing on-	1				

D2.2: Current state of urban mobility

<i>demand next-hour to same-day delivery services (e.g. for delivering at home an order placed online to a store)</i>					
<i>Number of companies providing or testing delivery services using autonomous/automated vehicles</i>	0				

Annex J: Urban mobility KPIs for Ile-de-France

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income ¹⁰⁷	1886€	National Institute of Statistics and Economic Studies (INSEE), Localised disposable income system http://www.cci-paris-idf.fr/sites/default/files/crocis/wysiwyg/CC-emploi-revenus-2019.pdf	Region (data available from national to intra-communal level)	National Institute of Statistics and Economic Studies (INSEE)	2019, yearly with 3 years of delay
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	4€/h	City of Paris (parking)	Parking rates: City of Paris Other: Ile-de-France Region	Paris municipality, Ile-de-France Mobility (regional transport authority), national government	
Price for a single trip by public transport	1.4€- book of 10 tickets 1.9€ single ticket	Ile-de-France Mobilité (regional public transport organisation authority)			
Price for a monthly public transport pass	75€				

¹⁰⁷ National statistics institute only publish the median and quartile values for individuals, therefore, the value is the median.

D2.2: Current state of urban mobility

Average local price of one litre 95-octane petrol	1.50€/l	National government for oil prices: https://www.prix-carburants.gouv.fr/			
KPI03 - Vehicle ownership rate					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership	0.999	IDFM, EGT https://www.iledefrance-mobilites.fr/wp-content/uploads/2018/01/Fiche-EGT2010-Synth%C3%A8se-globale.pdf	Ile-de-France Region	IDFM (regional transport authority) DRIEA (regional planning directory of the national government)	2009, 2010, EGT by IDFM: each 10 years DRIEA: random
Motorcycle ownership	40	DRIEA http://www.driea.ile-de-france.developpement-durable.gouv.fr/evolution-du-parc-des-deux-roues-motorises-a1522.html			
E-scooter ownership	0				
Bicycle ownership	440	DRIEA http://www.driea.ile-de-france.developpement-durable.gouv.fr/IMG/pdf/Fiche_velo_BD_cle094cef.pdf			
KPI04 - Mobility Net Public Finance ¹⁰⁸					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility Net Public Finance	NA				
Urban land use and accessibility					
KPI05 - Mobility space usage					

¹⁰⁸ Too many institutions involved in the expenditures related to city transport: from national to local government (6 levels), regional transport authority and its private operators, Ports authority, Navigation authority, railway companies, transport companies

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility space usage	0.000017km² /inhabitants	Paris Region Institute, Mode d'occupation du sol, 2017 INSEE, population recensement, 2016	Ile de France Region	Paris Region Institute, National Institute of Statistics and Economic Studies (INSEE)	Mode d'occupation des sols: 2017, each 4-5 years Population: 2016 yearly
KPI06 - Distribution of land use types ¹⁰⁹					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residential land use	10%	Paris Region Institute, "mode d'occupation des sols", 2011 https://data.iledefrance.fr/explore/dataset/mos2017_11_postes_2017_region_ile_de_france_wgs84/export/	Ile de France Region	Paris Region Institute	2011, Each 4-5 years (results publication after few years)
Industrial & business land use	2%				
Commercial land use	-				
Recreational land use	-				
KPI07 - Commuting to work					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance	4.4km	Enquête globale transport", global transport survey, 2009-2010	Ile de France Region	Ile-de-France Mobilité, regional	2019-2010 - Every 10 years

¹⁰⁹ Data available for 11 types of land use: activity, quarries, water, equipment, agriculture, artificialized open space, forest, collective housing, individual housing, semi-natural areas, transport.

D2.2: Current state of urban mobility

Average commuting time	41 mins			transport authority	
Urban traffic and infrastructure					
KPI08 - Proportion of road types ¹¹⁰					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
High-speed roads rate		Paris Region Institute: https://www.institutparisregion.fr/mobilite-et-transports/modes-actifs/territoires-cyclables.html Total length of urban roads: Ministry of Ecology	Ile de France Region	Paris Region Institute, Regional planning institute	
Slow roads rate	9.7%				2010
Bicycles lanes rate	15%				2019
Bus lanes rate	10.6%				2019
KPI09 - Fatalities					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Fatalities	2.63	Statistic office of the regional direction of the equipment of the French Ministry of Ecology (DRIEA): http://www.driea.ile-de-france.developpement-durable.gouv.fr/bilan-2017-de-la-securite-routiere-en-ile-de-a5572.html	Ile de France Region	Regional direction of the equipment of the French Ministry of Ecology (DRIEA)	2017, yearly

¹¹⁰ For the total length of roads, we consider communal roads (local roads, under the authority of municipalities), departemental roads (regional roads, under the authority of departments) and national roads (major roads, under the authority of the National government) – but not the highways (605 km in IDF)

KPI10 - Urban mobility accidents ¹¹¹					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car accidents	80.13	Statistic office of the regional direction of the equipment of the French Ministry of Ecology (DRIEA): http://www.driea.ile-de-france.developpement-durable.gouv.fr/bilan-2017-de-la-securite-routiere-en-ile-de-a5572.html	Ile de France Region	Regional directory for planning and equipment of the national government (DRIEA)	2017, yearly
Public transport accidents	2.13				
Bikes accidents	10.38				
E-scooter accidents	-				
KPI11 - Traffic volume of cars					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of cars ¹¹²	1.1M	IDFM, “Enquête globale transport”, global transport survey, 2009-2010	City of Paris	IDFM (Regional public transport authority)	2009-2010 – Each 10 years
KPI12 - Traffic volume of freight vehicles ¹¹³					
Sub-indicator name	Value	Data source	Geographic Aggregation	Responsible	Date & Frequency

¹¹¹ Data available only for killed and injured, accident that only cause damage are not considered. Data on individuals (injured or killed) and not by accident. Breakdown of data not by the cause of the accident, but by the mode used by the victim (ie. a pedestrian hit by a car will be considered in the "pedestrian" class and not "car accident" class).

¹¹² Car journeys between the City of Paris and the rest of Ile-de-France region

¹¹³ Only data available on road freight flows: ETMV-IDF (urban freight transport survey – Ile-de-France) 4,3M goods delivery and removal in Île-de-France each week (B2B only). On average, 0,75 operations per job each week. <http://tmv.laet.science/documents/rapports/plaquetteIDF.pdf>

D2.2: Current state of urban mobility

			Level		
Traffic volume of freight vehicles					2018/3-5 years
KPI13 - Environmental impact of urban mobility ¹¹⁴					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
GHG <i>per inhabitant</i>	3383 kgCO2e/inhabitant	AirParif, bilan de la Qualité de l’Air, 2018 https://www.airparif.asso.fr/_pdf/publications/bilan-2018.pdf	Ile de France Region	AirParif, non-profit organisation accredited by the French Ministry of Ecology	2018, yearly
PM ₁₀ (µg/m3)	17 - 21 µg/m3				
NO ₂ (µg/m3)	10 µg/m3				
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of parking spaces	0.64	Parking places: APUR, Evolution du stationnement et nouveaux usages de l’espace public, 2019 https://www.apur.org/fr/nos-travaux/evolution-stationnement-usages-espace-public Inhabitants : INSEE	City of Paris	APUR (Parisian planning workshop) INSEE (National institute of statistics and	2019, yearly

¹¹⁴ Values for PM10 and NO2 are in the form and measurements units presented in SUMP Arad

				economic studies)	
KPI15 - Modal split for passenger trips within the city ¹¹⁵					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	38%	IDFM, “Enquête globale transport”, global transport survey, 2009-2010 https://www.iledefrance-mobilites.fr/wp-content/uploads/2018/01/Fiche-EGT2010-Synth%C3%A8se-globale.pdf	Ile de France Region	IDFM (regional public transport authority)	2009-2010 - Each 10 years
Car as a passenger					
Public transport	20%				
Cycling					
Walking	39%				
Other					
KPI16 - Modal split for trips for commuting to the city ¹¹⁶					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	25%	IDFM, “Enquête globale transport”, global transport survey, 2009-2010 https://www.iledefrance-mobilites.fr/wp-content/uploads/2018/01/Fiche-EGT2010-Synth%C3%A8se-globale.pdf	Paris ↔ Agglomeration	IDFM (regional public transport authority)	2009-2010 - Each 10 years
Car as a passenger					
Public transport	66%				

¹¹⁵ Rates by number of trips, and not by passenger-kilometres.

¹¹⁶ Rates by number of trips, and not by passenger-kilometres.

Cycling					
Walking					
Other					
KPI17 - Availability of bike-sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	16,900	Transport operator (Velib'): http://blog.velib-metropole.fr/blog/2018/10/23/la-situation-velib/	56 municipalities in the City of Paris and its close suburbs	Velib' Metropole	2019
Number of free-floating shared bicycles per capita					
Number of station-based bike sharing operators in operation	1 (Velib')				
Number of free-floating bike sharing operators in operation	>4				
KPI18 - Availability of e-scooter sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

D2.2: Current state of urban mobility

Number of e-scooters deployed in the city per capita	Cityscoot 0.00147621 Coup: 0.00077614	Operators: https://www.cityscoot.eu , https://joincoup.com/fr/paris	Within Paris for Coup, within Paris and some of its close suburbs for Cityscoot	Operators	2019
Number of e-scooter operators in operation	Cityscoot: 3 800 Coup: 1 700				
KPI19 - Availability of car sharing ¹¹⁷					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared cars deployed per capita	0				
Number of free-floating shared cars deployed per capita					
Number of station-based car sharing operators in operation	0				
Number of free-floating car sharing	>5				

¹¹⁷ Fast changing environment – no credible data given by private operators Public station-based shared cars service in Paris (Autolib) from 2011 to 2018 (end of service)

D2.2: Current state of urban mobility

operators in operation					
KPI20 - Availability of real-time travel information¹¹⁸					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of real-time travel information					
KPI21 - Availability of smart payment and booking methods on local public transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of smart payment and booking methods on local public transport	Contactless smartcard: 4249000/m ¹¹⁹ Traditional tickets: 2929000 /m	Ile-de-France Mobilité, regional transport authority: https://www.iledefrance-mobilites.fr/le-reseau/usages-et-usagers-des-titres-de-transport/	Ile-de-France region	Ile-de-France Mobilité, regional transport authority	2016
Urban Logistics					
KPI22 – Commercial establishments					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of shops	214 742	INSEE (national institute for statistics) data, quoted by the CCI (Chamber of commerce) http://www.cci-paris-idf.fr/etudes/organisation/crocis/chiffres-cles/chiffres-cles-region-ile-de-france-crocis	Ile de France region	INSEE	2019, yearly

¹¹⁸ Most vehicles and stations equipped, though Ile-de-France Mobilité (transport authority) does not give precise information about the number of vehicles equipped

¹¹⁹ Contactless smartcard (Navigo, Imagine R for students, Navigo solidarité and Navigo Gratuité for persons in need, Améthyste for seniors) - weekly, monthly and annual subscribers

D2.2: Current state of urban mobility

Number of supermarkets	1 670				
Number of restaurants	64 002				
Number of other type of establishments (specify type)	214 742				
KPI23 - Delivery vehicle parking					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Delivery vehicle parking	900	City of Paris: https://www.paris.fr/pages/logistique-marchandises-livraisons-4738	City of Paris	City of Paris	2017
KPI24 - Freight trips ¹²⁰					
Freight triNo dataps					
KPI25 - Goods delivery frequency					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average number of weekly deliveries per shop	1.7	ETMV-IDF (urban freight transport survey – Ile-de-France) http://tmv.laet.science/documents/rapports/plaquetteIDF.pdf	Ile de France region	LAET – Région Île-de-France	2010-2011 (one shot)
Average number of weekly	0.5				

¹²⁰ Only data available on road freight flows: ETMV-IDF (urban freight transport survey – Ile-de-France) 4,3M goods delivery and removal in Île-de-France each week (B2B only). On average, 0,75 operations per job each week.
<http://tmv.laet.science/documents/rapports/plaquetteIDF.pdf>

D2.2: Current state of urban mobility

<i>deliveries per supermarket</i>					
<i>Average number of weekly deliveries per restaurant</i>					
<i>Average number of weekly deliveries per other type of establishment</i>	<i>Agriculture: 0.9</i> <i>Crafts and services: 0.7</i> <i>Industry: 1.1</i> <i>Wholesales: 2.8</i> <i>Offices: 0.25</i> <i>Transport and logistics: 5</i>				
KPI26 - Goods delivery volumes					
No data					
KPI27 - Urban logistics innovation¹²¹					
No data					

¹²¹ No credible data – fast changing environment

Annex K: Urban mobility KPIs for Birmingham

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Residents' net average monthly income</i>	£2,127 (Gross) ¹²²	<i>Local or national employment statistics</i>	<i>West Midlands</i>	<i>Office for National Statistics, HM Government</i>	<i>2017, annually</i>
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Price for one hour of parking in the city centre</i>	£3.50	<i>Local public transport companies Local petrol providers</i>	<i>West Midlands</i>	<i>Birmingham City Council inner zone parking fee on street</i>	<i>December 2019, monthly</i>
<i>Price for a single trip by public transport</i>	£2.40			<i>National Express Bus - single ticket</i>	
<i>Price for a monthly public transport pass</i>	£102			<i>WMCA Monthly DirectDebit nnetwork Zones 1-5</i>	

¹²² Please note this value is Gross, before deduction of taxes, national insurance and does not include family allowances, and other

Average local price of one litre 95-octane petrol	£1.26 (National average)	European petrol prices: https://ec.europa.eu/energy/en/data-analysis/weekly-oil-bulletin#content-heading-1		HM Government BEIS retail fuel prices UK	
KPI03 - Vehicle ownership rate					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership	432	Car ownership – RAC Foundation	West Midlands	RAC	2012, (based on 2011 census) updated every 10 years
Motorcycle ownership	104.3				
E-scooter ownership	Not existing				
Bicycle ownership	NA				
KPI04 - Mobility Net Public Finance					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility Net Public Finance					
Urban land use and accessibility					
KPI05 - Mobility space usage					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

KPI06 - Distribution of land use types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residential land use					
Industrial & business land use					
Commercial land use					
Recreational land use					
KPI07 - Commuting to work					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance					
Average commuting time					
Urban traffic and infrastructure					
KPI08 - Proportion of road types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

D2.2: Current state of urban mobility

High-speed roads rate	14.3	Length of the type of road/lane (e.g. GIS, statistics office). WMCA data Insight Team	West Midlands	WMCA	2019, yearly
Slow roads rate	9.6				
Bicycles lanes rate	1.4				
Bus lanes rate	0.5				
KPI09 - Fatalities					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Fatalities	2	WMCA Data Insight Team	West Midlands	West Midlands Police	2018, yearly
KPI10 - Urban mobility accidents					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car accidents	177	WMCA Data Insight Team	West Midlands		2018
Public transport accidents	4				
Bikes accidents	20				
E-scooter accidents	Not available				
KPI11 - Traffic volume of cars					
Sub-indicator name	Value	Data source	Geographic Aggregation	Responsible	Date & Frequency

			Level		
Traffic volume of cars					
KPI12 - Traffic volume of freight vehicles					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of freight vehicles					2018/3-5 years
KPI13 - Environmental impact of urban mobility					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
GHG per inhabitant	Not available		monitoring stations	UK Air, Birmingham City Council	
PM ₁₀ (µg/m3)	14.08	UK Air – Birmingham Ladywood monitoring station 2019 year to date			2019, yearly
NO ₂ (µg/m3)	25.63	Birmingham Data Factory, Birmingham Moor Street monitoring station 2016			2016
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of parking spaces					
KPI15 - Modal split for passenger trips within the city					

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver					
Car as a passenger					
Public transport					
Cycling					
Walking					
Other					
KPI16 - Modal split for trips for commuting to the city					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	37%	Data: B. West Midlands Travel Trends 2017	Commuting into Birmingham City Centre	WMCA Data Insight Team	2017, 2-years
Car as a passenger	Not available				
Public transport	63%				
Cycling	Not available				
Walking	Not available				
Other	Not available				

KPI17 - Availability of bike-sharing ¹²³					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	Not available				
Number of free-floating shared bicycles per capita	Not available				
Number of station-based bike sharing operators in operation	Not available				
Number of free-floating bike sharing operators in operation	Not available				
KPI18 - Availability of e-scooter sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of e-	Not available				

¹²³ New contract to be awarded in 2020 for bike share scheme

scooters deployed in the city per capita					
Number of e-scooter operators in operation	Not available				
KPI19 - Availability of car sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared cars deployed per capita	0	Co-Wheels Car Club website, Enterprise CarClub website ¹²⁴	West Midlands	Co-Wheel Cars Club, Enterprise CarClub	2019, daily
Number of free-floating shared cars deployed per capita	0.000023				
Number of station-based car sharing operators in operation	0				
Number of free-floating car sharing operators in	2				

¹²⁴ Co-Wheels - 9 cars, Enterprise 56 cars/vans

operation					
KPI20 - Availability of real-time travel information¹²⁵					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of real-time travel information	95%	WMCA Passenger information team	West Midlands	WMCA	2019, monthly
KPI21 - Availability of smart payment and booking methods on local public transport¹²⁶					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of smart payment and booking methods on local public transport	50,899,372 Number of tickets and passes issued - trips	WMCA Swift Team	West Midlands	WMCA	November 2019, monthly
Urban Logistics					
KPI22 – Commercial establishments¹²⁷					
Sub-indicator name	Value	Data source	Geographic Aggregation	Responsible	Date & Frequency

¹²⁵ 12/2019 – 2,173 buses

¹²⁶ Trips using Swift smartcard

¹²⁷ ONS 'UK business: activity, size and location'

			Level		
Number of shops	11,715 (total retail units)	Office for National Statistics	West Midlands	Office for National Statistics	2016, unknown
Number of supermarkets	Data not available				
Number of restaurants	Data not available				
Number of other type of establishments (specify type)	Finance & Insurance, 2.335 (total units)				
KPI23 - Delivery vehicle parking					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Delivery vehicle parking					
KPI24 - Freight trips					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Freight trips					
KPI25 - Goods delivery frequency					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

D2.2: Current state of urban mobility

Average number of weekly deliveries per shop					
Average number of weekly deliveries per supermarket					
Average number of weekly deliveries per restaurant					
Average number of weekly deliveries per other type of establishment					
KPI26 - Goods delivery volumes					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average number of boxes (50x50x50 cm) per delivery per shop					
Average number of boxes (50x50x50 cm) per delivery per supermarket					

D2.2: Current state of urban mobility

Average number of boxes (50x50x50 cm) per delivery per restaurant					
Average number of boxes (50x50x50 cm) per delivery per other type of establishment					
KPI27 - Urban logistics innovation					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of freight capacity sharing (cargo consolidation) apps for urban delivery					
Number of transportation companies providing combined urban passenger & cargo delivery services by using spare (public or					

D2.2: Current state of urban mobility

<i>private) passenger transport capacity</i>					
<i>Number of transportation companies providing green urban delivery services (e.g. with cargo-bikes, bikes, electric vans)</i>					
<i>Number of companies providing on- demand next- hour to same- day delivery services (e.g. for delivering at home an order placed online to a store)</i>					
<i>Number of companies providing or testing delivery services using autonomous/aut omated vehicles</i>					

Annex L: Urban mobility KPIs for Minneapolis

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	3307.16\$	American Community Survey	Minneapolis region	US Census Bureau	2017, yearly
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	\$3.00/hour	Local public transport companies – www.metrotransit.com	City	Parking – City of Minneapolis Transit fares – Metro Transit Gas prices – crowd sourced	2019, when there are changes
Price for a single trip by public transport	\$2.00 non-rush hour good for 2.5 hrs and free transfers, \$2.50 rush hour fare				
Price for a monthly public transport pass	\$65, \$90, \$120 with varying value based on time of ride				

D2.2: Current state of urban mobility

	(rush hour vs. non-rush hour)				
Average local price of one litre 95-octane petrol	\$2.93/gal premium (93 octane)	Local petrol providers – www.twincitiesgasprices.com European petrol prices: https://ec.europa.eu/energy/en/data-analysis/weekly-oil-bulletin#content-heading-1			
KPI03 - Vehicle ownership rate					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership ¹²⁸	17.1%	American Community Survey	City	US Census Bureau	2016
Motorcycle ownership					
E-scooter ownership					
Bicycle ownership					
KPI04 - Mobility Net Public Finance					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility Net Public Finance	NA				
Urban land use and accessibility					

¹²⁸ This is the only number related to car ownership available to us

KPI05 - Mobility space usage					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility space usage	2.5	Right of Way: City of Minneapolis Parcel, Parks, and Waterway Data Number of inhabitants: US Census Bureau	Total City of Minneapolis Right of Way within broader City land area (22% of 57.49 mi2)	Minneapolis Public Works Department and US Census Bureau	2019
KPI06 - Distribution of land use types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residential land use	40%	Community Profile Minneapolis City area [km2]: 148.89	City	Metropolitan Council	2016
Industrial & business land use	9%				
Commercial land use	8%				
Recreational land use	11%				
KPI07 - Commuting to work					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance	NA	Mean Travel Time - American Community Survey	City	US Census Bureau	2013-2017, yearly
Average commuting time	22.95min				

Urban traffic and infrastructure					
KPI08 - Proportion of road types					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
High-speed roads rate	13%	Street centreline file	City	Minneapolis Transportation Engineering and Design	Yearly
Slow roads rate	1%				
Bicycles lanes rate	14%				
Bus lanes rate	NA				
KPI09 - Fatalities					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Fatalities	2.6	Minneapolis Vision Zero Crash Study	City	City of Minneapolis	2017
KPI10 - Urban mobility accidents					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car accidents	12.1	Cars and bikes - Minneapolis Vision Zero Crash Study E-scooters - MN Department of Public Safety	City	MN Department of Public Safety	2018
Public transport accidents	NA				-
Bikes accidents	3.3				2018
E-scooter	5.2				2019

D2.2: Current state of urban mobility

accidents					
KPI11 - Traffic volume of cars					
No data					
KPI12 - Traffic volume of freight vehicles					
No data					
KPI13 - Environmental impact of urban mobility					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
GHG per inhabitant	10.18 metric tons	2018 GHG Emissions Update	City	City of Minneapolis Sustainability Office	2018, yearly
PM ₁₀ (µg/m3)					
NO ₂ (µg/m3)					
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces ¹²⁹					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

¹²⁹ This is the total number of on-street metered parking and off street parking spaces owned or managed by the City. We do not have numbers for privately owned parking spaces, or on-street parking in the City right of way that is not designated as metered parking

D2.2: Current state of urban mobility

Number of parking spaces	28330	Traffic & Parking Services Division	City	City of Minneapolis	When changes
KPI15 - Modal split for passenger trips within the city					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	83.9%	Data type B, National Household Travel Survey	Region	Federal Highway Administration	2017, yearly
Car as a passenger	Unknown				
Public transport	2.5%				
Cycling	2.3%				
Walking	2.2%				
Other	1.6%				
KPI16 - Modal split for trips for commuting to the city					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	61.4%	Data type B, American Community Survey	City	US Census Bureau	2017, yearly
Car as a passenger	6.8%				
Public transport	13.2%				
Cycling	3.9%				
Walking	6.5%				

Other	NA				
KPI17 - Availability of bike-sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	318	2019 October Program Update	City	Lyft on behalf of Nice Ride MN	2019, monthly
Number of free-floating shared bicycles per capita	224				
Number of station-based bike sharing operators in operation	1				
Number of free-floating bike sharing operators in operation	1				
KPI18 - Availability of e-scooter sharing ¹³⁰					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

¹³⁰ October was used as peak deployment, scooter operators have scaled back since then

D2.2: Current state of urban mobility

Number of e-scooters deployed in the city per capita	592	Scooter operators MDS data feed – Lime, Lyft, Spin	City	City of Minneapolis, Department of IT	2019, every 15 minutes updated
Number of e-scooter operators in operation	3				
KPI19 - Availability of car sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared cars deployed per capita	41	Carshare Operators - HOURCAR and Zipcar	City	Carshare Operators	2019
Number of free-floating shared cars deployed per capita					
Number of station-based car sharing operators in operation	2				
Number of free-floating car sharing operators in operation	NA				
KPI20 - Availability of real-time travel information					

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of real-time travel information	NA				
KPI21 - Availability of smart payment and booking methods on local public transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of smart payment and booking methods on local public transport	52% via Go-To Card 4% via Metro Transit app	Metro Transit	Region	Metro Transit	2019, as needed
Urban Logistics					
KPI22 – Commercial establishments					
No data					
KPI23 - Delivery vehicle parking					
No data					
KPI24 - Freight trips					
No data					
KPI26 - Goods delivery volumes					
No data					

KPI27 - Urban logistics innovation					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of freight capacity sharing (cargo consolidation) apps for urban delivery	0	Field surveys	City	Operators	2019
Number of transportation companies providing combined urban passenger & cargo delivery services by using spare (public or private) passenger transport capacity	0				
Number of transportation companies providing green urban delivery services (e.g. with cargo-bikes, bikes, electric vans)	0				

D2.2: Current state of urban mobility

Number of companies providing on-demand next-hour to same-day delivery services (e.g. for delivering at home an order placed online to a store)	9				
Number of companies providing or testing delivery services using autonomous/automated vehicles	0				

Annex M: Urban mobility KPIs for Almada

Urban population and economics					
KPI01 - Residents' net average monthly income ¹³¹					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	24 749€	Regional Statistical data	GDP for the Peninsula of Setubal, where the Municipality of Almada is inserted	National Institute of Statistics, INE	2017
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	0.5 €/hour	Local public transport companies			
Price for a single trip by public transport	1.4 €/ticket				
Price for a monthly public	30 €/month (Municipal				

¹³¹ Assuming GDP per capita in 2017 (source: ine.pt - Gross Domestic Product per inhabitant at current prices (Base 2011 - €))

transport pass	pass), 40 €/month (Metropolitan pass)				
Average local price of one litre 95-octane petrol	1.56 €/litre	Local petrol providers European petrol prices: https://ec.europa.eu/energy/en/data-analysis/weekly-oil-bulletin#content-heading-1			
KPI03 - Vehicle ownership rate					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership	404	2015 Mobility Survey	Whole Municipality	Almada City Council.	2015
Motorcycle ownership	21				
E-scooter ownership	-				
Bicycle ownership	184				
KPI04 - Mobility Net Public Finance ¹³²					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility Net Public Finance	NA				
Urban land use and accessibility					

¹³² The City Council does not receive any revenues from the Transport service. The revenues are totally received by the Transport Operators.

KPI05 - Mobility space usage					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Mobility space usage	unknown				
KPI06 - Distribution of land use types ¹³³					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residential land use	50%	Space occupied by the specific activity [km2]: - Residential land use: 34,943 km2 - statistics from DGT - Industrial & business land use: 4,265 km2 - statistics from DGT City area [70,292km2]; statistics from DGT	Whole Municipality	Direcção-Geral do Território (DGT)	2015
Industrial & business land use	6%				
Commercial land use	-				
Recreational land use	-				
KPI07 - Commuting to work					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance	6.4km	2015 Mobility Survey (Commuting distance calculated in a straight line.)	Whole Municipality	Almada City Council.	2015
Average commuting time	25min				

¹³³ Industrial, Commercial and general equipment land use, including hospitals and university – single data

Urban traffic and infrastructure					
KPI08 - Proportion of road types					
No data					
KPI09 - Fatalities					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Fatalities	2.3	Statistics of the National Authority for Road Safety	Whole Municipality	ANSR – National Authority for Road Safety	2018, yearly
KPI10 - Urban mobility accidents ¹³⁴					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car accidents	282	Statistics of the National Authority for Road Safety	Whole Municipality	National Authority for Road Safety	2018, yearly
Public transport accidents	NA				
Bikes accidents	NA				
E-scooter accidents	NA				
KPI11 - Traffic volume of cars					

¹³⁴ The available data refers to the all universe of accidents and does not specify the transport mode

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of cars	NA				
KPI12 - Traffic volume of freight vehicles ¹³⁵					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Traffic volume of freight vehicles	1024 vans 512 heavy duty trucks	Almada Sustainable Urban Logistics Plan	City centre	City Council	2013
KPI13 - Environmental impact of urban mobility					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
GHG per inhabitant	816 kgCO ₂ e/inhabitant	GHG Data from the Municipal Inventory of GHG Emissions	Whole Municipality	GHG emissions – AGENEAL, Local Energy Management Agency of Almada	2017, yearly
PM ₁₀ (µg/m ³)	22 µg/m ³ (Urban Background)	Air Quality Data from the Urban Background AQMS of Laranjeiro	City of Almada	Air Quality Data – CCDD-LVT, Commission for the Coordination of Regional Development of	2018, yearly
NO ₂ (µg/m ³)	25 µg/m ³ (Urban Background)				

¹³⁵ Data collected within the framework of the ENCLOSE Project

				Lisbon and Tagus Valley	
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of parking spaces	NA				
KPI15 - Modal split for passenger trips within the city ¹³⁶					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	57.2%	2017 INE Mobility Inquiry (B)	Whole Municipality	INE	2017
Car as a passenger	NA.				
Public transport	1.8%				
Cycling	0.3%				
Walking	20.9%				
Other	3.8%				

¹³⁶ Data is for the whole universe of trips from residents, because the data is not categorised between “within the city” and “to the city”.

KPI16 - Modal split for trips for commuting to the city ¹³⁷					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car as a driver	58.9%	2017 INE Mobility Inquiry (B)	Metropolitan Area of Lisbon	INE	2017
Car as a passenger	NA				
Public transport	15.1%				
Cycling	0.5%				
Walking	23.0%				
Other	1.6%				
KPI17 - Availability of bike-sharing ¹³⁸					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	0				
Number of free-floating shared bicycles per	0				

¹³⁷ Data is for the whole universe of trips from the Lisbon Metropolitan Area, because the data is not categorised between “trips to city”. We assume that the commuters who come to Almada have the same modal distribution of the average AML resident.

¹³⁸ There are no bike-sharing services in operation in Almada.

capita					
Number of station-based bike sharing operators in operation	0				
Number of free-floating bike sharing operators in operation	0				
KPI18 - Availability of e-scooter sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of e-scooters deployed in the city per capita	0.6 scooters/100 inhabitants	Information from the E-Scooter operator (CIRC)	Only available in Costa da Caparica, a City (and Parish) within the Municipality of Almada	CIRC (E-scooter operator)	2019
Number of e-scooter operators in operation	1				
KPI19 - Availability of car sharing ¹³⁹					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency

¹³⁹ There are no car-sharing services in operation in Almada

D2.2: Current state of urban mobility

Number of station-based shared cars deployed per capita	0				
Number of free-floating shared cars deployed per capita	0				
Number of station-based car sharing operators in operation	0				
Number of free-floating car sharing operators in operation	0				
KPI20 - Availability of real-time travel information					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of real-time travel information	100%	Transport operators	Whole Municipality	PT Operators	2019
KPI21 - Availability of smart payment and booking methods on local public transport ¹⁴⁰					
Sub-indicator	Value	Data source	Geographic	Responsible	Date &

¹⁴⁰ All PT services in the Lisbon Metropolitan Area, of which Almada is part, already use contactless public transport tickets and monthly passes.

D2.2: Current state of urban mobility

name			Aggregation Level		Frequency
Availability of smart payment and booking methods on local public transport	100%	Transport operators	Whole Municipality	PT Operators	2019
Urban Logistics					
KPI22 – Commercial establishments ¹⁴¹					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of shops	2300	Almada Sustainable Urban Logistics Plan	City Centre	City Council	2013
Number of supermarkets					
Number of restaurants					
Number of other type of establishments (specify type)					
KPI23 - Delivery vehicle parking					
No data					

¹⁴¹ Data collected within the framework of the ENCLOSE Project

KPI24 - Freight trips ¹⁴²					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Freight trips	3072	Field Survey	City Centre	City Council	2013
KPI25 - Goods delivery frequency					
No data					
KPI26 - Goods delivery volumes					
No data					
KPI27 - Urban logistics innovation					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of freight capacity sharing (cargo consolidation) apps for urban delivery	0				
Number of transportation companies providing	0				

¹⁴² Data collected within the framework of the ENCLOSE Project

D2.2: Current state of urban mobility

<i>combined urban passenger & cargo delivery services by using spare (public or private) passenger transport capacity</i>					
<i>Number of transportation companies providing green urban delivery services (e.g. with cargo-bikes, bikes, electric vans)</i>	1				
<i>Number of companies providing on-demand next-hour to same-day delivery services (e.g. for delivering at home an order placed online to a store)</i>	0				
<i>Number of companies providing or testing delivery</i>	0				

D2.2: Current state of urban mobility

services using autonomous/aut omated vehicles					
---	--	--	--	--	--

Annex N: Urban mobility KPIs for 's-Hertogenbosch

Urban population and economics					
KPI01 - Residents' net average monthly income					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Residents' net average monthly income	27300 €	https://allecijfers.nl/gemeente/den-bosch/#inkomen	Municipality		yearly
KPI02 - Price level of transport					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Price for one hour of parking in the city centre	2.20 €/ hour	Local public transport companies	Municipality	Local public transport companies Local petrol providers	2019
Price for a single trip by public transport	3 € / ticket	Local public transport companies			
Price for a monthly public transport pass	196 € / month	Local public transport companies			
Average local price of one litre 95-octane petrol	1.64 €/ liter	Local petrol providers			

KPI03 - Vehicle ownership rate ¹⁴³					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car ownership	82%	Local survey municipality	Municipality	Municipality	2017, every 2 years
Motorcycle ownership	85%				
E-scooter ownership	8%				
Bicycle ownership	0%				
KPI04 - Mobility Net Public Finance ¹⁴⁴					
No data					
Urban land use and accessibility					
KPI05 - Mobility space usage					
No data					
KPI06 - Distribution of land use types					
No data					
KPI07 - Commuting to work					

¹⁴³ E-steps are forbidden in Netherlands

¹⁴⁴ The municipality is not responsible for public transportation; this is arranged on a regional level

D2.2: Current state of urban mobility

Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average commuting distance	23.8km	CBS, Dutch national statistc agency	municipality	CBS	2015
Average commuting time	NA				
Urban traffic and infrastructure					
KPI08 - Proportion of road types ¹⁴⁵					
No data					
KPI09 - Fatalities					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Fatalities	5.9	CBS	Province	CBS	2018, yearly
KPI10 - Urban mobility accidents					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Car accidents	315.33	VIA	National		2018, collected daily, reported
Public transport accidents	NA				

¹⁴⁵ length total roads: 843 km (<https://opendata.cbs.nl/#/CBS/nl/dataset/70806ned/table?ts=1518987061270>)

D2.2: Current state of urban mobility

<i>Bikes accidents</i>	70.67				yearly
<i>E-scooter accidents</i>	NA				
KPI11 - Traffic volume of cars					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Traffic volume of cars</i>	250000	<i>Traffic counts municipality</i>	<i>City ring of 's-Hertogenbosch</i>	<i>municipality</i>	<i>2012</i>
KPI12 - Traffic volume of freight vehicles					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Traffic volume of freight vehicles</i>	NA				
KPI13 - Environmental impact of urban mobility¹⁴⁶					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>GHG per inhabitant</i>	<i>578kgCO₂e/inhabitant</i>	<i>CE Delft</i>	<i>municipality</i>	<i>CE Delft</i>	<i>2018</i>
<i>PM₁₀(µg/m³)</i>	NA				
<i>NO₂(µg/m³)</i>	<i>1497 gram/inh/yea</i>				

¹⁴⁶ These values are result of calculations with models

	<i>r</i>				
Urban passenger & active transport characteristics					
KPI14 - Rate of parking spaces					
No data					
KPI15 - Modal split for passenger trips within the city ¹⁴⁷					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Car as a driver</i>	27%	CBS, option B	municipality	CBS	2014, 3 years
<i>Car as a passenger</i>	13%				
<i>Public transport</i>	1%				
<i>Cycling</i>	29%				
<i>Walking</i>	28%				
<i>Other</i>	2%				
KPI16 - Modal split for trips for commuting to the city					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
<i>Car as a driver</i>	48%	B	municipality	CBS	2014, 3

¹⁴⁷ Rates by number of trips, and not by passenger-kilometres.

D2.2: Current state of urban mobility

Car as a passenger	18%				years
Public transport	14%				
Cycling	10%				
Walking	7%				
Other	3%				
KPI17 - Availability of bike-sharing ¹⁴⁸					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared bicycles per capita	0.003	NS.nl	municipality	NS	
Number of free-floating shared bicycles per capita	0				
Number of station-based bike sharing operators in operation	1				
Number of free-floating bike	0				

¹⁴⁸ We only have 1 operator which are the national dutch train services (NS, OV Fiets). They only have shared bikes at the stations.

sharing operators in operation					
KPI18 - Availability of e-scooter sharing ¹⁴⁹					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of e-scooters deployed in the city per capita	0				
Number of e-scooter operators in operation	0				
KPI19 - Availability of car sharing					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of station-based shared cars deployed per capita	68 per 100.000 inhabitants	CE delft	City	CE delft	2019, collected monthly
Number of free-floating shared cars deployed per capita	/				

¹⁴⁹ e-scooters are forbidden in Netherlands

D2.2: Current state of urban mobility

Number of station-based car sharing operators in operation	4				
Number of free-floating car sharing operators in operation	0				
KPI20 - Availability of real-time travel information					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of real-time travel information	100%				
KPI21 - Availability of smart payment and booking methods on local public transport¹⁵⁰					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Availability of smart payment and booking methods on local public transport	NA				
Urban Logistics					

¹⁵⁰ In 2011 smart card payment is introduced.

KPI22 – Commercial establishments					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Number of shops	1421	statistics office	Municipality of 's-Hertogenbosch	Statistics office of the municipality of 'Hertogenbosch	2019
Number of supermarkets ¹⁵¹	160				
Number of restaurants ¹⁵²	534				
Number of other type of establishments (specify type)					
KPI23 - Delivery vehicle parking					
No data					
KPI24 - Freight trips					
No data					
KPI25 - Goods delivery frequency					
Sub-indicator name	Value	Data source	Geographic Aggregation Level	Responsible	Date & Frequency
Average number of weekly	An average of 3.5 times	Data is collected through surveys with the owners of the shops and restaurants. Number of deliveries per supermarket and inhabitants is an expert guess based in open data.	The data is based on the inner city of		

¹⁵¹ Food shops

¹⁵² horeca establishments

D2.2: Current state of urban mobility

deliveries per shop	per week		's-Hertogenbosch		
Average number of weekly deliveries per supermarket	An average of 28 to 35 times per week				
Average number of weekly deliveries per restaurant	An average of 4.4 times per week				
Average number of weekly deliveries per other type of establishment	An average of 0.5 times per week per inhabitant				
KPI26 - Goods delivery volumes					
No data					
KPI27 - Urban logistics innovation					
No data					

Annex O: Template sent to cities (KPIs)

1. Step 1: Short introduction about the city

Please, ***briefly describe*** the urban mobility environment in the city responding to the following questions.

What is the city's location within the country? Please, respond here (if possible use a map)

What is the city's population (city and metropolitan area) and population density? Please, respond here

What are the main urban mobility & logistics challenges faced by the city? Please, describe here

Basic data on transport system and operation (please specify for passenger & freight) (deadline 8th November)

Table to be filled-in		Passenger	Freight
	Which transport modes are available and used most for passenger transport?	•	
	What are the main issues in the distribution of freight in the city?		•
	Which are the new transport modes, services and city logistics solutions that emerged in the previous couple of years?	•	•
	How many operators are	•	

	there for public transport?		
	Is there an integration of public transport services and fares in the city or the metropolitan area?	•	

Is there a sustainable urban mobility plan in effect or preparation? *Please, specify if it is in preparation or in effect (when was it released or updated?). Please provide a link to the plan if available.*

What are major urban transport investments (services, policies, and infrastructure) currently in progress or planned in the next 3 years?

Other considerations regarding urban mobility in the city? *Please add any additional*

information not requested before, which you consider essential for describing the city's urban mobility and logistics environment.

*Where can we find more information about the mobility and logistics status of the city?
Please indicate website(s) and/or documents in English or in local language.*

Step 2: Data collection and calculation of key performance indicators for the city (deadline 8th November)

We have defined a number of KPIs that can help to describe the urban mobility environment and transition in your city. Some of the KPIs are straightforward values (e.g. number of car sharing operators), while others need to be calculated based on a number of input parameters (e.g. *rate of car ownership* needs two parameters: *number of cars registered in the city* and *total population*).

We are aware that you may not have the data in the exact format that is requested here, so:

- Please **provide data as accurate and recent as possible**.
- If the data **format or type is different** from what is requested, please **indicate** this in the remarks section.
- In case you are **unable to provide the data**, please **indicate** this in the remarks section and follow one of the options below:
 - Propose any **alternative indicator**
 - Provide an **estimation**
 - Provide **short qualitative description** (e.g. “We do not have accurate data about the number of e-scooters in the city, but it is estimated that 500-600 have been deployed”).

To compile the KPIs we have defined a table for each of them following the structure described in Table 6.9.1 below, with two types of cells:

1. **White cells**: this is information we provide to describe the KPI and explain what information has to be provided.
2. **Yellow cells**: this is the information the city has to fill in.
 - a. If some field is **not available or the service** or infrastructure does not exist, please indicate it with one of the options below
 - i. Data not available
 - ii. Not existing service
 - b. If there is some field you **do not understand or know how to calculate**. Please, send an email to broyo@zlc.edu.es. We will compile the questions and answer them during the follow-up calls with cities.

Table 6.9.1. General KPI template description.

KPI name	
KPI name	Name used for the KPI.

KPI description	Description of the KPI. Some KPIs are defined with more than one sub-indicator
Formula to calculate KPI:	Explanation of the method to calculate the KPI.
Unit	Measurement unit used for the KPI
Current Value	<i>Introduce the value after calculation.</i>
Data Source	<i>Specify the data sources for all the parameters the KPI requires</i>
Geographic aggregation level:	<i>Indicate the spatial unit for the indicator and sub-indicators: e.g. part of the city, city, region, state, country.</i>
Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

Please, fill in the yellow cells in the KPI tables that follow.

1. Urban population and economics

Table 6.9.2. Residents' net average monthly income

KPI01 - Residents' net average monthly income	
KPI name	Residents' net average monthly income
KPI description	This KPI will be used to calculate the affordability of transport based on the next indicator (price level of transport)
Formula to calculate KPI:	<p>Average net monthly income requires the deduction of income taxes and employees' social security contributions from the gross amounts and the addition of family allowances.</p> <p>Please give the data in local currency, which will be converted based on purchasing power parities (PPPs)¹⁵³ after receiving the data from the cities. The data may only be available at country or regional level, in this case please indicate it below.</p>

¹⁵³ Purchasing power parities (PPPs) are the rates of currency conversion that try to equalise the purchasing power of different currencies, by eliminating the differences in price levels between countries. The basket of goods and services priced is a sample of all those that are part of final expenditures: final consumption of households and government, fixed capital formation, and net exports. [This indicator is measured in terms of national currency per US dollar]. <https://data.oecd.org/conversion/purchasing-power-parities-ppp.htm>

Unit	Value [local currency] per person and per month
Current Value	
Data Source	Local or national employment statistics
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

Table 6.9.3. Price level of transport

KPI02 - Price level of transport	
KPI name	Cost of the use of transport
KPI description	This KPI indicates the cost of using public and private transport
Formula to calculate KPI:	<p>The KPI consists of the following sub-indicators:</p> <ol style="list-style-type: none"> 1. Price for one hour of parking in the city centre (most expensive zone) 2. Price for a single trip by public transport. In case distance-based fares or zones are used, please use the average travel distance in the city for a person (if this is not available assume trips of 10 km). In case time-based fares are used, use a fare that is valid for maximum 1 hour. <p>If different operators charge different fares (e.g. bus and metro), use the average of the operator's fares.</p> <ol style="list-style-type: none"> 3. Price for a monthly public transport pass without any concessions valid for all local public transport (if available). If such an integrated pass is not available indicate the price for specific operators e.g. bus or

	metro only).
	4. Average local price of one litre 95-octane petrol ("Euro-super"). (For reference values per country you can visit https://ec.europa.eu/energy/en/data-analysis/weekly-oil-bulletin#content-heading-1)
Unit	All prices in local currency 1: price/hour 2: price/ticket 3: price/month 4: price/litre
Current Value	
	Price for one hour of parking in the city centre <i>Most up-to-date value</i>
	Price for a single trip by public transport <i>Most up-to-date value</i>
	Price for a monthly public transport pass <i>Most up-to-date value</i>
	Average local price of one litre 95-octane petrol <i>Most up-to-date value</i>
Data Source	Local public transport companies Local petrol providers European petrol prices: https://ec.europa.eu/energy/en/data-analysis/weekly-oil-bulletin#content-heading-1
Geographic aggregation level:	Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.
Responsible	Specify which organisation is in charge of providing the data.
Date & Frequency	Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).

Notes & comments	Any additional comment.
------------------	-------------------------

Table 6.9.4. Urban population and economics: Vehicle ownership rate.

KPI03 - Vehicle ownership rate	
KPI name	Vehicle ownership rate
KPI description	<p>Vehicle ownership indicates the number of vehicle owners per 1000 inhabitants. Vehicles refer to cars, bicycles (including electric bikes) and motorized two-wheelers (e.g. motorbikes). This KPI contains 4 separate sub-indicators:</p> <ol style="list-style-type: none"> 1. <i>Car ownership</i>: cars refer to motor vehicles other than two-wheelers, intended for the carriage of passengers and designed to seat no more than nine people (including the driver) 2. <i>Bicycle ownership</i>: bicycles refer to electric and non-electric two-wheelers. 3. <i>Motorized two-wheeler ownership</i>: this vehicle refers to motorcycles, mopeds, or other motor-powered two-wheelers with a seat. 4. <i>E-scooter</i> is a motorised stand-up scooter using an electric motor as a form of micromobility.
Formula to calculate KPI:	<ol style="list-style-type: none"> 1. <i>Car ownership</i> is the number of cars registered in the city divided by the number of inhabitants in the city and multiplied by 1000; 2. <i>Bicycle ownership</i> is the number of bicycles registered in the city (included electric bike) divided by the number of inhabitants and multiplied by 1000; 3. <i>Motorcycle ownership</i> is the number of motorcycles that are registered in city divided by the number of inhabitants and multiplied by 1000. 4. <i>E-scooter ownership</i> is the number of e-scooters owned by local residents in the city divided by the number of inhabitants and multiplied by 1000. (public shared e-scooters are not included)
Unit	Number of vehicles per 1000 inhabitants

Current Value	<i>Car ownership</i>	<i>Most up-to-date value</i>
	<i>Bicycle ownership</i>	<i>Most up-to-date value</i>
	<i>Motorcycle ownership</i>	<i>Most up-to-date value</i>
	<i>E-scooter ownership</i>	<i>Most up-to-date value</i>
Data Sources	<i>Indicate the data source for each sub-indicator (e.g. survey, statistics office, transport operator, etc.).</i>	
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>	
Responsible	<i>Specify which organisation is in charge of providing the data.</i>	
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>	
Notes & comments	<i>Any additional comment.</i>	

Table 6.9.5. Urban population and economics: Mobility net public finance.

KPI04 - Mobility Net Public Finance	
KPI name	Mobility Net Public Finance.
KPI description	Net balance of government and other public authority revenues and expenditures related to city transport. This KPI reflects the affordability for governments to sustain the expenditures in the transport system. This indicator should cover all modes of transport (road, rail, inland waterways, persons and freight) for which the city government is responsible. Maintenance costs should be included as well.
Formula to calculate KPI:	<i>City government annual revenues from transport related charges</i> minus <i>city government annual operation costs related to city transport</i> [all in local currency] divided by the GDP of the city or region [in local currency]

Unit	%
Current Value	
Data Source	<i>City government annual revenues and city government annual operation costs related to city transport: Indicate the data source GDP: Indicate the data source</i>
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

2. Urban land use and accessibility

Table 6.9.6. Urban land use and accessibility: Mobility space usage.

KPI05 - Mobility space usage	
KPI name	Mobility space usage
KPI description	<p>This KPI reflects the proportion of land use (square meters), taken by all the city transport modes (direct and indirect uses).</p> <ol style="list-style-type: none"> 1. Direct uses: Fast transit roads, other roads, railways, inland ports and waterways. 2. Indirect uses: Open parking, private parking, service area and petrol station, storage and logistics centres, stations. <p>It measures the efficiency of mobility space usage as the ratio of the area covered by all city transport</p>

	modes (direct, indirect) to the total population of the city.
Formula to calculate KPI:	Total of direct land use for mobility applications plus the total of indirect land use for mobility applications divided by the number of inhabitants.
Unit	Km ² / capita
Current Value	<i>Most up-to-date value</i>
Data Source	<i>Space occupied by the specific mobility application (e.g. GIS, statistics office). Specify if different data sources were used for each indicator.</i> <i>Number of inhabitants: Indicate the data source.</i>
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

Table 6.9.7. Urban land use and accessibility: Distribution of land use types.

KPI06 - Distribution of land use types	
KPI name	Distribution of land use types
KPI description	This KPI reflects the distribution of land among residential, commercial, industrial/business and recreational use. There is one sub-indicator for representing the percentage of space occupied for each

	<p>type of activity.</p> <ol style="list-style-type: none"> 1. <i>Residential land use</i>: Percentage of city land used for residential areas (houses and apartments). 2. <i>Industrial & business land use</i>: Percentage of city land used by industry and businesses (offices). 3. <i>Commercial land use</i>: Percentage of city land used by commerce (shops, supermarkets, services). 4. <i>Recreational land use</i>: Percentage of city land used for entertainment activities (sports fields, parks, swimming pools). 	
Formula to calculate KPI:	<p>Space occupied by the specific activity [km²] divided by the city area [km²]</p>	
Unit	%	
Current Value	<i>Residential land use</i>	<i>Most up-to-date value</i>
	<i>Industrial & business land use</i>	<i>Most up-to-date value</i>
	<i>Commercial land use</i>	<i>Most up-to-date value</i>
	<i>Recreational land use</i>	<i>Most up-to-date value</i>
Data Source	<p>Space occupied by the specific activity [km²]: Indicate the data source (e.g. GIS, statistics office). Specify if different data sources were used for each indicator. City area [km²]: Indicate the data source (e.g. GIS, statistics office).</p>	
Geographic aggregation level:	<p>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</p>	
Responsible	<p>Specify which organisation is in charge of providing the data.</p>	
Date & Frequency	<p>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</p>	
Notes & comments	<p>Any additional comment.</p>	

Table 6.9.8. Urban land use and accessibility: Commuting to work.

KPI07 - Commuting to work		
KPI name	Commuting to work	
KPI description	<p>This KPI is determined by the average travel distance for commuting and the average travel time for commuting to jobs.</p> <ol style="list-style-type: none"> 1. <i>Average commute distance</i>: Average distance for traveling between one's home place and place of work on a regular basis. This is an average value for all residents living in the city irrespective of where they work (in or outside the city). 2. <i>Average commute time</i>: Average time for traveling between one's home place and place of work on a regular basis. This is an average value for all residents living in the city irrespective of where they work (in or outside the city). 	
Formula to calculate KPI:	<ol style="list-style-type: none"> 1. Total distance of commuting trips by city residents divided by the number of commuters living in the city 2. Total travel time of commuting trips by city residents divided by the number of commuters living in the city 	
Unit	1. [km], 2. [minutes]	
Current Value	<i>Average commuting distance</i>	<i>Most up-to-date value</i>
	<i>Average commuting time</i>	<i>Most up-to-date value</i>
Data Source	<i>Indicate the data source (e.g. survey, statistics office, census). Specify if different data sources were used for each indicator.</i>	
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>	

Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

3. Urban traffic and infrastructure

Table 6.9.9. Urban land use and accessibility: proportion of road types

KPI08 - Proportion of road types		
KPI name	Proportion of road types	
KPI description	<p>This KPI reflects the percentage of road dedicated to the specific modes of transport below.</p> <ol style="list-style-type: none"> 1. <i>Extent of high-speed roads (speed limit is over 51km/h or over):</i> percentage of urban road length dedicated to high-speed roads. 2. <i>Extent of slow roads (speed limit is 30km/h or below):</i> percentage of urban road length dedicated to high-speed roads. 3. <i>Extent of bicycle lanes and paths:</i> percentage of the urban road length dedicated for bicycles. 4. <i>Extent of bus lanes:</i> percentage of urban road length dedicated to buses only (24hrs or during certain periods). Please also include bus lanes where taxis and/or bicycles are also allowed. 	
Formula to calculate KPI:	Length of the type of road/lane [in km] divided by the total length of urban roads	
Unit	%	
Current Value	<i>High-speed roads rate</i>	<i>Most up-to-date value</i>
	<i>Slow roads rate</i>	<i>Most up-to-date value</i>

	<i>Bicycles lanes rate</i>	<i>Most up-to-date value</i>
	<i>Bus lanes rate</i>	<i>Most up-to-date value</i>
Data Source	<i>Length of the type of road/lane (e.g. GIS, statistics office). Specify if different data sources were used for each indicator.</i>	
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>	
Responsible	<i>Specify which organisation is in charge of providing the data.</i>	
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>	
Notes & comments	<i>Any additional comment.</i>	

Table 6.9.10. Urban traffic and infrastructure: fatalities.

KPI09 - Fatalities	
KPI name	Fatalities
KPI description	Total number of fatalities per 100,000 capita. This KPI has adopted the Vienna Convention definition stated in 1968 as “A human casualty who dies within the 30 days after the collision due to injuries received in the crash”.
Formula to calculate KPI	Total number of fatalities divided by the number of inhabitants and multiplied by 100,000
Unit	Number of fatalities per 100.000 capita per year
Current Value	<i>Most up-to-date value</i>

Data Source	<i>Indicate the data source (e.g. survey, statistics office).</i>
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

Table 6.9.11. Urban traffic and infrastructure: urban mobility accidents.

KPI10 - Urban mobility accidents	
KPI name	Urban mobility accidents
KPI description	<p>The total number of accidents per 100,000 capita. We refer to an accident as an unfortunate incident that happens unexpectedly and unintentionally, typically resulting in damage or injury. This KPI splits into four sub-indicators (one per mode of transport):</p> <ol style="list-style-type: none"> 1. <i>Car accidents</i>, the number of incidents with a private car involved per number of inhabitants. 2. <i>Public transport accidents</i>, the number of events with a public transport vehicle involved per number of inhabitants. 3. <i>Bicycle (including electric) accidents</i>, the number of incidents with a bicycle involved per number of inhabitants. 4. <i>E-scooter accidents</i>, the number of events with an e-scooter involved per number of inhabitants. <p>One accident can appear more than once as every sub-indicator accounts for a specific mode of transport.</p>
Formula to calculate KPI	<p>Number of accidents of each mode of transport divided by the number of inhabitants and</p>

	multiplied by 100,000	
Unit	Number of accidents with the specific mode transport involved per 100.000 population <i>per year</i>	
Current Value	<i>Car accidents</i>	<i>Most up-to-date value</i>
	<i>Public transport accidents</i>	<i>Most up-to-date value</i>
	<i>Bikes accidents</i>	<i>Most up-to-date value</i>
	<i>E-scooter accidents</i>	<i>Most up-to-date value</i>
Data Source	<i>Indicate the data source (e.g. survey, statistics office). Specify if different data sources were used for each indicator.</i>	
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>	
Responsible	<i>Specify which organisation is in charge of providing the data.</i>	
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>	
Notes & comments	<i>Any additional comment.</i>	

Table 6.9.12. Urban traffic and infrastructure: traffic volume of cars.

KPI11 - Traffic volume of cars	
KPI name	Traffic volume of cars
KPI description	This KPI refers to the average number of private cars entering the city on an average weekday. The value should reflect the number of passenger cars that cross the city border towards the city during an average 24-hour period.
Formula to calculate KPI	Average number of vehicles entering the city on a daily basis

Unit	#/day
Current Value	<i>Most up-to-date value</i>
Data Source	<i>Indicate the data source (e.g. survey, statistics office). Specify if different data sources were used for each indicator.</i>
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

Table 6.9.13. Urban traffic and infrastructure: traffic volume of cars.

KPI12 - Traffic volume of freight vehicles	
KPI name	Traffic volume of cars
KPI description	This KPI refers to the average number of freight vehicles (trucks/vans) entering the city on an average weekday. The value should reflect the number of freight vehicles that cross the city border towards the city during an average 24-hour period. If possible, please classify freight vehicles by category: <3.5t and >3.5t
Formula to calculate KPI	Average number of vehicles entering the city on a daily basis
Unit	#/day (by category)
Current Value	<i>Most up-to-date value</i>
Data Source	<i>Indicate the data source (e.g. survey, statistics office). Specify if different data sources were used for each indicator.</i>

Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

Table 6.9.14. Urban traffic and infrastructure: environmental impact of urban mobility.

KPI13 - Environmental impact of urban mobility		
KPI name	Environmental impact of urban mobility	
KPI description	<p>This KPI is defined with three sub-indicators: Greenhouse gas (GHG) emissions per inhabitant, PM₁₀ and NO₂ emissions.</p> <ol style="list-style-type: none"> 1. <i>GHG per inhabitant</i> represents the kilograms of GHG emissions produced by transport per inhabitant. 2. <i>PM₁₀</i> represents the particulate matters below 10 micrometres of diameter produced by transport. 3. <i>NO₂</i> emissions produced by transport. 	
Formula to calculate KPI:	For the GHG emissions: GHG emissions divided by the number of inhabitants.	
Unit	<i>GHG per inhabitant</i> : kgCO ₂ e/inhabitant, <i>PM₁₀</i> and <i>NO₂</i> : µg/m ³ yearly average per measurement station and average of all urban roadside measurement stations	
Current Value	<i>GHG per inhabitant</i>	<i>Most up-to-date value</i>
	<i>PM₁₀</i>	<i>Most up-to-date value</i>

	NO ₂	Most up-to-date value
Data Source	Indicate the data source (e.g. survey, statistics office). Specify if different data sources were used for each indicator. For PM10 and NO2, consider the city's measurement stations (in the urban area, roadside)	
Geographic aggregation level:	Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.	
Responsible	Specify which organisation is in charge of providing the data.	
Date & Frequency	Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).	
Notes & comments	Any additional comment.	

4. Urban passenger & active transport characteristics

Table 6.9.15. Urban passenger and active transport characteristics: Number of parking spaces rate.

KPI14 - Rate of parking spaces	
KPI name	Number of parking spaces
KPI description	This KPI reflects the number of parking spaces that are 24 hours open to the public for private cars compared to the number of households. This includes parking garages, off-street open-air designated public parking areas and on-street parking where it is allowed.
Formula to calculate KPI:	Number of 24h parking spaces for private cars divided by the number of households in the city.
Unit	Number parking places per household
Current Value	Most up-to-date value
Data Source	Indicate the data source (e.g. GIS, statistics office). Specify if different data sources were used for each

	<i>indicator.</i>
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

Table 6.9.16. Urban passenger and active transport characteristics: Modal split for passenger within the city.

KPI15 - Modal split for passenger trips within the city	
KPI name	Modal split for passenger trips within the city
KPI description	<p>It is the percentage share of each mode of transport in the <i>total distance travelled by all passengers (passenger-kilometres)</i> within the city boundaries for any purpose on an average weekday (commuting trips with a destination or origin <i>outside the city boundaries are not included</i>). In case your modal split indicators are based on the <i>proportion of trips by each mode</i>, please indicate it in the notes below. There are 6 sub- indicators for each mode:</p> <ol style="list-style-type: none"> 1. <i>Car as a driver</i>, percentage of passenger-kilometres by car as a driver. 2. <i>Car as a passenger</i>, percentage of passenger-kilometres by car as a passenger 3. <i>Public transport</i>, percentage of passenger-kilometres by local public transport i.e. tram, bus, metro, local train, ferry, etc. 4. <i>Cycling</i>, percentage of passenger-kilometres by bike (own or shared). 5. <i>Walking</i>, percentage of passenger-kilometres as a pedestrian 6. <i>Other</i>, percentage of percentage of passenger-kilometres by any other mode (taxi, motorbike, etc.)

Formula to calculate KPI:	This data can be derived from previous household surveys: A) Asking for the length of trips per mode between the origin and the destination B) Asking for the number of trips per mode Specify which data is available (A or B)	
Unit	%	
Current Value	<i>Car as a driver</i>	<i>Most up-to-date value</i>
	<i>Car as a passenger</i>	<i>Most up-to-date value</i>
	<i>Public transport</i>	<i>Most up-to-date value</i>
	<i>Cycling</i>	<i>Most up-to-date value</i>
	<i>Walking</i>	<i>Most up-to-date value</i>
	<i>Other</i>	<i>Most up-to-date value</i>
Data Source	<i>Indicate the type of data available (A or B) explained by the formula.</i>	
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>	
Responsible	<i>Specify which organisation is in charge of providing the data.</i>	
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>	
Notes & comments	<i>Any additional comment.</i>	

Table 6.9.17. Urban passenger and active transport characteristics: Modal split for trips for commuting to the city.

KPI16 - Modal split for trips for commuting to the city

KPI name	Modal split for trips for commuting to the city	
KPI description	<p>It is the percentage share of each mode of transport in the <i>total distance travelled by all passengers (passenger-kilometres)</i> across the city boundaries into the city for any purpose on an average weekday (trips with an origin and destination <i>within</i> the city boundaries are <i>not</i> included). In case your modal split indicators are based on the <i>proportion of trips by each mode</i>, please indicate it in the notes below. There are 6 sub- indicators for each mode:</p> <ol style="list-style-type: none"> 1. <i>Car as a driver</i>, percentage of passenger-kilometres by car as a driver. 2. <i>Car as a passenger</i>, percentage of passenger-kilometres by car as a passenger 3. <i>Public transport</i>, percentage of passenger-kilometres by local public transport i.e. tram, bus, metro, local train, ferry, etc. 4. <i>Cycling</i>, percentage of passenger-kilometres by bike (own or shared). 5. <i>Walking</i>, percentage of passenger-kilometres as a pedestrian <p><i>Other</i>, percentage of percentage of passenger-kilometres by any other mode (taxi, motorbike, etc.)</p>	
Formula to calculate KPI:	<p>This data can be derived from household surveys:</p> <p>A) Asking for the length of trips by every specific mode of transport between the origin and the destination</p> <p>B) Asking for the number of trips</p> <p>Specify which data is available (A or B)</p>	
Unit	%	
Current Value	<i>Car as a driver</i>	<i>Most up-to-date value</i>
	<i>Car as a passenger</i>	<i>Most up-to-date value</i>
	<i>Public transport</i>	<i>Most up-to-date value</i>
	<i>Cycling</i>	<i>Most up-to-date value</i>
	<i>Walking</i>	<i>Most up-to-date value</i>

	Other	Most up-to-date value
Data Source	Indicate the type of data available (A or B) explained by the formula.	
Geographic aggregation level:	Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.	
Responsible	Specify which organisation is in charge of providing the data.	
Date & Frequency	Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).	
Notes & comments	Any additional comment.	

Table 6.9.18. Urban passenger and active transport characteristics: Bike sharing.

KPI17 - Availability of bike-sharing	
KPI name	Bike-sharing (<i>Bike sharing bikes per capita; number of bike sharing operators</i>)
KPI description	<p>This KPI indicates the availability of shared bicycle schemes in the city. This KPI includes 4 sub-indicators:</p> <ol style="list-style-type: none"> 1. Number of station-based shared bicycles per capita 2. Number of free-floating shared bicycles per capita 3. Number of station-based bike sharing operators in operation in the city 4. Number of free-floating bike sharing operators in operation in the city <p>Bike sharing covers any public or private schemes that are operated in the city, station-based and free-floating; manual and electric bicycles</p>
Formula to calculate KPI:	<p>1-2. number of shared bikes in operation divided by city population 3-4. provide total number of bikes sharing operators</p>
Unit	<p>1-2. % (Number of bicycles per capita) 3-4. # (Number of operators)</p>

Current Value	<i>Number of station-based shared bicycles per capita</i>	<i>Most up-to-date value</i>
	<i>Number of free-floating shared bicycles per capita</i>	<i>Most up-to-date value</i>
	<i>Number of station-based bike sharing operators in operation</i>	<i>Most up-to-date value</i>
	<i>Number of free-floating bike sharing operators in operation</i>	<i>Most up-to-date value</i>
Data Source	<i>e.g. transport operator, field surveys, statistics office, etc. Specify if different data sources are used.</i>	
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>	
Responsible	<i>Specify which organisation is in charge of providing the data.</i>	
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>	
Notes & comments	<i>Any additional comment.</i>	

Table 6.9.19. Urban passenger and active transport characteristics: E-scooter sharing.

KPI18 - Availability of e-scooter sharing	
KPI name	E-scooter sharing (<i>Shared electric scooters per capita; shared e-scooter operators</i>)
KPI description	This KPI indicates the availability of shared electric scooter schemes (e.g. Lime, Dott etc.) in the city. This KPI includes 2 sub-indicators: 1. Number of e-scooters deployed in the city per capita

	<p>2. Number of e-scooter operators in operation in the city</p> <p>A shared e-scooter is a motorised <u>stand-up</u> scooter using an electric motor as a form of micromobility that can be rented through a mobile application. The shared e-scooter schemes cover any public or private schemes that are operated in the city</p>	
Formula to calculate KPI:	<p>1. number of shared e-scooters in operation</p> <p>divided by city population</p> <p>2. total number of shared e-scooter operators</p>	
Unit	<p>1. % (Number of e-scooter per capita)</p> <p>2. # (Number of operators)</p>	
Current Value	<i>Number of e-scooters deployed in the city per capita</i>	<i>Most up-to-date value</i>
	<i>Number of e-scooter operators in operation</i>	<i>Most up-to-date value</i>
Data Source	<i>e.g. transport operator, field surveys, statistics office, etc. Specify if different data sources are used.</i>	
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>	
Responsible	<i>Specify which organisation is in charge of providing the data.</i>	
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>	
Notes & comments	<i>Any additional comment.</i>	

Table 6.9.20. Urban passenger and active transport characteristics: Car sharing.

KPI19 - Availability of car sharing

KPI name	Car sharing (<i>Shared cars per capita; car sharing operators</i>)
KPI description	<p>This KPI indicates the availability of shared cars (e.g. ShareNow, Zipcar etc.) schemes in the city. This KPI includes 4 indicators:</p> <ol style="list-style-type: none"> 1. Number of station-based shared cars deployed in the city per capita 2. Number of free-floating shared cars deployed in the city per capita 3. Number of station-based car sharing operators in operation in the city 4. Number of free-floating car sharing operators in operation in the city <p>Station-based car sharing covers any public or private schemes that are operated in the city providing cars that can be rented for shorter or longer periods with online booking but they need to be returned to the same station where they are picked up.</p> <p>Free-floating car sharing covers any public or private schemes that are operated in the city providing cars that can be rented for shorter or longer periods with online booking and they can be returned to any free parking space within the business area of the operator</p>
Formula to calculate KPI:	<ol style="list-style-type: none"> 1. number of station-based shared cars in operation divided by city population 2. number of free-floating shared cars in operation divided by city population 3. total number of station-based car sharing operators 4. total number of free-floating car sharing operators
Unit	<ol style="list-style-type: none"> 1. %. 2. % 3. # 4. #
Current Value	<i>Number of station-based shared cars deployed per</i> <i>Most up-to-date value</i>

	<i>capita</i>	
	<i>Number of free-floating shared cars deployed per capita</i>	<i>Most up-to-date value</i>
	<i>Number of station-based car sharing operators in operation</i>	<i>Most up-to-date value</i>
	<i>Number of free-floating car sharing operators in operation</i>	<i>Most up-to-date value</i>
Data Source	<i>e.g. transport operator, field surveys, statistics office, etc. Specify if different data sources are used.</i>	
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>	
Responsible	<i>Specify which organisation is in charge of providing the data.</i>	
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>	
Notes & comments	<i>Any additional comment.</i>	

Table 6.9.21. Urban passenger and active transport characteristics: Availability of real time travel information.

KPI20 - Availability of real-time travel information	
KPI name	Availability of real-time travel information
KPI description	<p>This KPI indicates the availability of real-time travel information about public transport (such as estimated arrival and departures times, delays, information about incidents).</p> <p>Local public transport covers buses, trams, metros, ferries, ships and local trains that primarily serve the</p>

	city area (long-distance, regional and suburban services <i>are not included</i>).
Formula to calculate KPI:	Number of local public transport vehicles that are equipped to provide real-time data that is released to passengers through real-time displays at stops or through online applications divided by the total number of public transport vehicles operated in the city.
Unit	%
Current Value	<i>Availability of real-time travel information</i> <i>Most up-to-date value</i>
Data Source	<i>e.g. transport operator, field surveys, statistics office, etc.</i>
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

Table 6.9.22. Urban passenger and active transport characteristics: Availability of smart payment and booking methods on local public transport.

KPI21 - Availability of smart payment and booking methods on local public transport	
KPI name	Availability of smart payment and booking methods on local public transport
KPI description	The KPI indicates the percentage of passengers that use a smart method to pay for or validate local public transport tickets and season tickets. Smart methods are:

	<ul style="list-style-type: none"> - Contactless smartcards - Contactless credit or bank cards - Mobile ticketing <p>Local public transport covers buses, trams, metros, ferries, ships and local trains that primarily serve the city area (long-distance, regional and suburban services are not included).</p> <p>In case you do not have this data, please <i>indicate the availability of smart payment methods</i> (year of introduction, type of payment/validation).</p>
Formula to calculate KPI:	<p>Number of trips making use of a contactless smartcard/credit card/mobile ticketing per year divided by the total number of trips by public transport in the city.</p> <p>If this data is not available: Number of tickets and passes issued</p>
Unit	%
Current Value	<i>Most up-to-date value</i>
Data Source	<i>e.g. transport operator, field surveys, statistics office, etc.</i>
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Specify which organisation is in charge of providing the data.</i>
Date & Frequency	<i>Indicate the year when the latest data is available and the values were calculated and the frequency of data collection (monthly, yearly, every 2 years etc.).</i>
Notes & comments	<i>Any additional comment.</i>

Message to cities: Please fill-in the cells with questions in *italics*

Table 6.9.23. Urban logistics: Commercial establishments

KPI22 – Commercial establishments		
KPI name	Commercial establishments	
KPI description	Commercial establishments per category (shops, supermarkets, restaurants, other)	
Formula to calculate KPI:	The KPI is calculated using existing statistics at the city level (most probably from the establishments' licensing database, or any relevant GIS land use database)	
Unit	Number of commercial establishments per category	
Current Value	<i>Number of shops</i>	<i>Most up-to-date value</i>
	<i>Number of supermarkets</i>	<i>Most up-to-date value</i>
	<i>Number of restaurants</i>	<i>Most up-to-date value</i>
	<i>Number of other type of establishments (specify type)</i>	<i>Most up-to-date value</i>
Data Source	<i>e.g. field surveys, statistics office, transport operator, local transport model, etc.</i>	
Geographic level:	aggregation	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>

Responsible	<i>Who collects and provides this data?</i>
Date & Frequency	<i>When and how often is the data collected?</i>
Notes & comments	

Table 6.9.24. Urban logistics: Delivery vehicle parking

KPI23 - Delivery vehicle parking	
KPI name	Delivery vehicle parking
KPI description	Designated delivery vehicle parking places in the city
Formula to calculate KPI:	The KPI is calculated using existing statistics at the city level. We consider that 1 parking place serves only 1 delivery vehicle. Therefore, if in the same location can be served at the same time 3 delivery vehicles, we count them as 3 parking places.
Unit	Number of delivery vehicle parking places
Current Value	<i>What is the most recent value? (indicate date)</i>
Data Source	<i>e.g. field surveys, statistics office, transport operator, local transport model, etc.</i>
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Who collects and provides this data?</i>
Date & Frequency	<i>When and how often is the data collected?</i>
Notes & comments	

Table 6.9.25. Urban logistics: Freight trips

KPI24 - Freight trips	
KPI name	Freight trips
KPI description	Number of daily freight trips in the urban area
Formula to calculate KPI:	The KPI is calculated using either surveys of transport companies or by employing a local transport model. The outcome value can be in terms of: total number of trips for goods' delivery to the city in a typical day. In cases where the vehicle returns during the same day to its origin depot/warehouse and reloads for another delivery round, this is calculated as an additional trip.
Unit	Number of freight trips per day
Current Value	<i>What is the most recent value? (indicate date)</i>
Data Source	<i>e.g. field surveys, statistics office, transport operator, local transport model, etc.</i>
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>
Responsible	<i>Who collects and provides this data?</i>
Date & Frequency	<i>When and how often is the data collected?</i>
Notes & comments	

Table 6.9.26. Urban logistics: Goods delivery frequency

KPI25 - Goods delivery frequency	
KPI name	Goods delivery frequency

KPI description	Average number of weekly deliveries to commercial/service establishments (e.g. shops, government buildings, large service building, etc.)	
Formula to calculate KPI:	The KPI is calculated using surveys of goods recipients (establishment survey). The outcome value can be in terms of: average number of weekly deliveries to a typical city centre establishment.	
Unit	Average number of weekly deliveries per commercial establishment	
Current Value	<i>Average number of weekly deliveries per shop</i>	<i>Most up-to-date value</i>
	<i>Average number of weekly deliveries per supermarket</i>	<i>Most up-to-date value</i>
	<i>Average number of weekly deliveries per restaurant</i>	<i>Most up-to-date value</i>
	<i>Average number of weekly deliveries per other type of establishment</i>	<i>Most up-to-date value</i>
Data Source	<i>e.g. field surveys, statistics office, transport operator, local transport model, etc.</i>	
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>	
Responsible	<i>Who collects and provides this data?</i>	
Date & Frequency	<i>When and how often is the data collected?</i>	
Notes & comments		

Table 6.9.27. Goods delivery volumes

KPI26 - Goods delivery volumes		
KPI name	Goods delivery volumes	
KPI description	Average volume per delivery to commercial establishments (e.g. shops, supermarkets, restaurants, other)	
Formula to calculate KPI:	The KPI is calculated using surveys of goods recipients (establishment survey). The outcome value can be in terms of: average number of boxes (50x50x50 cm) per delivery, per establishment type	
Unit	Number of boxes (50x50x50 cm) per type of commercial establishment	
Current Value	<i>Average number of boxes (50x50x50 cm) per delivery per shop</i>	<i>Most up-to-date value</i>
	<i>Average number of boxes (50x50x50 cm) per delivery per supermarket</i>	<i>Most up-to-date value</i>
	<i>Average number of boxes (50x50x50 cm) per delivery per restaurant</i>	<i>Most up-to-date value</i>
	<i>Average number of boxes (50x50x50 cm) per delivery per other type of establishment</i>	<i>Most up-to-date value</i>
Data Source	e.g. field surveys, statistics office, transport operator, local transport model, etc.	
Geographic aggregation level:	<i>Indicate spatial unit for the indicator: part of the city, city, region, state, country. Specify if different levels were used for each indicator.</i>	
Responsible	<i>Who collects and provides this data?</i>	
Date & Frequency	<i>When and how often is the data collected?</i>	

Notes & comments

Table 6.9.28. Urban logistics innovation

KPI27 - Urban logistics innovation	
KPI name	Urban logistics innovation
KPI description	<p>Existence of companies providing innovative urban logistics services. This KPI includes 5 indicators:</p> <ol style="list-style-type: none"> 1. Number of available freight capacity sharing (cargo consolidation) apps for urban delivery in your city 2. Number of transportation companies providing combined urban passenger & cargo delivery services by using spare (public or private) passenger transport capacity in your city 3. Number of transportation companies providing green urban delivery services in your city (e.g. with cargo-bikes, bikes, electric vans, etc?) 4. Number of companies providing on-demand next-hour to same-day delivery services in your city (e.g. for delivering at home an order placed online to a store) 5. Number of companies providing or testing delivery services using autonomous/automated vehicles in your city
Formula to calculate KPI:	<ol style="list-style-type: none"> 1. number of freight capacity sharing (cargo consolidation) apps for urban delivery 2. number of transportation companies providing combined urban passenger & cargo delivery services by using spare (public or private) passenger transport capacity 3. number of transportation companies providing green urban delivery services (e.g. with cargo-bikes, bikes, electric vans)

	<p>4. number of companies providing on-demand next-hour to same-day delivery services (e.g. for delivering at home an order placed online to a store)</p> <p>5. number of companies providing or testing delivery services using autonomous/automated vehicles in your city</p>	
Unit	<p>1. #</p> <p>2. #</p> <p>3. #</p> <p>4. #</p> <p>5. #</p>	
Current Value	<i>number of freight capacity sharing (cargo consolidation) apps for urban delivery</i>	<i>Most up-to-date value</i>
	<i>number of transportation companies providing combined urban passenger & cargo delivery services by using spare (public or private) passenger transport capacity</i>	<i>Most up-to-date value</i>
	<i>number of transportation companies providing green urban delivery services (e.g. with cargo-bikes, bikes, electric vans)</i>	<i>Most up-to-date value</i>
	<i>number of companies providing on-demand next-hour to same-day delivery services (e.g. for delivering at home an order placed online to a store)</i>	<i>Most up-to-date value</i>

	<i>number of companies providing or testing delivery services using autonomous/automated vehicles</i>	<i>Most up-to-date value</i>
Data Source	<i>E.g. field surveys, statistics office, transport operator, local transport model, media, etc.</i>	
Geographic aggregation level:		
Responsible	<i>Who collects and provides this data?</i>	
Date & Frequency	<i>When and how often is the data collected?</i>	
Notes & comments		